

FOREST: a PGF/TikZ-based package for drawing linguistic trees


v2.0.0

Sašo Živanović*

January 30, 2015

Abstract

FOREST is a PGF/TikZ-based package for drawing linguistic (and other kinds of) trees. Its main features are (i) a packing algorithm which can produce very compact trees; (ii) a user-friendly interface consisting of the familiar bracket encoding of trees plus the key-value interface to option-setting; (iii) many tree-formatting options, with control over option values of individual nodes and mechanisms for their manipulation; (iv) a powerful mechanism for traversing the tree; (v) the possibility to decorate the tree using the full power of PGF/TikZ; (vi) an externalization mechanism sensitive to code-changes.



```
\pgfmathsetseed{14285}
\begin{forest}
  random tree/.style n args={3}{% #1 = max levels, #2 = max children, #3 = max content
    content/.pgfmath={random(0,#3)},
    if={#1>0}{repeat={random(0,#2)}{append={[,random tree={#1-1}{#2}{#3}]}}{}}},
  before typesetting nodes={for tree={draw,s sep=2pt,rotate={int(30*rand)},l+=5*rand,
    if={isodd(level())}{fill=green}{fill=yellow}}},
  important/.style={draw=red,line width=1.5pt,edge={red,line width=1.5pt}},
  before drawing tree={sort by=y, for nodewalk={min=tree,ancestors}{important,typeset node}}
  [,random tree={9}{3}{100}]
\end{forest}
```


*e-mail: saso.zivanovic@guest.arnes.si; web: <http://spj.ff.uni-lj.si/zivanovic/>

Contents

1	Introduction	3	3.8.1	Single-step keys	44
2	Tutorial	3	3.8.2	Multi-step keys	45
2.1	Basic usage	3	3.8.3	Embedded nodewalks	47
2.2	Options	5	3.8.4	Operations	48
2.3	Decorating the tree	7	3.8.5	History	50
2.4	Node positioning	9	3.8.6	Miscellaneous	50
2.4.1	The defaults, or the hairy details of vertical alignment	14	3.8.7	Short-form steps	51
2.5	Advanced option setting	16	3.8.8	Defining steps	52
2.6	Externalization	18	3.9	Conditionals and loops	52
2.7	Expansion control in the bracket parser	19	3.10	Dynamic tree	54
3	Reference	20	3.11	Handlers	56
3.1	Package loading and options	20	3.11.1	Aggregate functions	57
3.2	Invocation	21	3.12	Relative node names	58
3.3	The bracket representation	22	3.13	The forest coordinate system	58
3.4	The workflow	23	3.14	Anchors	59
3.4.1	Stages	23	3.15	Additional pgfmath functions	60
3.4.2	Temporal propagators	26	3.16	Standard node	61
3.4.3	Spatial propagators	27	3.17	Externalization	62
3.5	Node keys	28	4	Libraries	62
3.6	Options and registers	30	4.1	linguistics	63
3.6.1	Setting	31	4.1.1	GP1	66
3.6.2	Reading	32	4.2	edges	68
3.6.3	Declaring	32	5	Gallery	69
3.7	Formatting the tree	33	5.1	Decision tree	69
3.7.1	Node appearance	33	5.2	forest-index	70
3.7.2	Node position	35	6	Past, present and future	80
3.7.3	Edges	40	6.1	Changelog	80
3.7.4	Information about node	41	6.1.1	v2.0	80
3.7.5	Various	42	6.1.2	v1.0	82
3.8	Nodewalks	43	6.2	Known bugs	83
			References		84
			Index		85

1 Introduction

Over several years, I had been a grateful user of various packages for typesetting linguistic trees. My main experience was with `qtree` and `syntree`, but as far as I can tell, all of the tools on the market had the same problem: sometimes, the trees were just too wide. They looked something like the tree on the left, while I wanted something like the tree on the right.



Luckily, it was possible to tweak some parameters by hand to get a narrower tree, but as I quite dislike constant manual adjustments, I eventually started to develop FOREST. It started out as `xyforest`, but lost the `xy` prefix as I became increasingly fond of PGF/TikZ, which offered not only a drawing package but also a ‘programming paradigm.’ It is due to the awesome power of the supplementary facilities of PGF/TikZ that FOREST is now, I believe, the most flexible tree typesetting package for L^AT_EX you can get.


The latest stable version of FOREST is [available at CTAN](#). Development version(s) can be found [at GitHub](#). Comments, criticism, suggestions and code are all very welcome! If you find the package useful, you can show your appreciation by making a PayPal donation to saso.zivanovic@guest.arnes.si.

2 Tutorial

This short tutorial progresses from basic through useful to obscure ...

2.1 Basic usage


A tree is input by enclosing its specification in a `forest` environment. The tree is encoded by *the bracket syntax*: every node is enclosed in square brackets; the children of a node are given within its brackets, after its content.



```
\begin{forest}
[VP
[DP]
[V'
[V]
[DP]
]
]
\end{forest}
```

(1)


Binary trees are nice, but not the only thing this package can draw. Note that by default, the children are vertically centered with respect to their parent, i.e. the parent is vertically aligned with the midpoint between the first and the last child.



```
\begin{forest}
[VP
[DP[John]]
[V'
[V[sent]]
[DP[Mary]]
[DP[D[a]] [NP[letter]]]
]
]
]\end{forest}
```

(2)


Spaces around brackets are ignored — format your code as you desire!



```
\begin{forest}
[VP[DP][V'[V][DP]]]
\end{forest}
\quad
\begin{forest}[VP
[DP ][ V'[V][ DP]]
]\end{forest}
```

(3)


If you need a square bracket as part of a node's content, use braces. The same is true for the other characters which have a special meaning in the FOREST package, like comma , and equality sign =.



```
\begin{forest}
[V{P,}
[{\[DP\]}]
[V'
[V]
[{\===DP===}]]]
\end{forest}
```

(4)


Macros in a node specification will be expanded when the node is drawn — you can freely use formatting commands inside nodes!



```
\begin{forest}
[VP
[{\textbf{DP}}]
[V'
[V]
[DP]]]
\end{forest}
```

(5)

All the examples given above produced top-down trees with centered children. The other sections of this manual explain how various properties of a tree can be changed, making it possible to typeset radically different-looking trees. However, you don't have to learn everything about this package to profit from its power. Using styles, you can draw predefined types of trees with ease. For example, a phonologist can use the **GP1** style from library **linguistics** to easily typeset (Government Phonology) phonological representations. The style is applied simply by writing its name before the first (opening) bracket of the tree.



```
\usepackage[linguistics]{forest}
\begin{forest} GP1 [
[O[x[f]][x[r]]]
[R[N[x[o]]][x[s]]]
[O[x[t]]]
[R[N[x]]]
]\end{forest}
```

(6)


Of course, someone needs to develop the style — you, me, your local T_EXnician ... Fortunately, designing styles is not very difficult once you get the hang of FOREST, if you write one, please contribute! Some macros relating to various fields are collected in *libraries* that are distributed alongside the main package. This is the case for the **GP1** style used above, which is defined in the **linguistics** library. The simplest way to load a library is as shown in the example, by loading the package with an optional argument. For more information on loading libraries, see §3.1.

(Style **GP1** used above is defined in the **linguistics** library of the FOREST package.)


2.2 Options

A node can be given various options, which control various properties of the node and the tree. For example, at the end of section 2.1, we have seen that the `GP1` style vertically aligns the parent with the first child. This is achieved by setting option `calign` (for *child-alignment*) to `first` (child).

Let's try. Options are given inside the brackets, following the content, but separated from it by a comma. (If multiple options are given, they are also separated by commas.) A single option assignment takes the form `<option name>=<option value>`. (There are also options which do not require a value or have a default value: these are given simply as `<option name>`.)




The experiment has succeeded only partially. The root node's children are aligned as desired (so `calign=first` applied to the root node), but the value of the `calign` option didn't get automatically assigned to the root's children! *An option given at some node applies only to that node.* In FOREST, the options are passed to the node's relatives via special options, called *propagators*. (We'll call the options that actually change some property of the node *node options*.) What we need above is the `for tree` propagator. Observe:



The value of propagator `for tree` is the option string that we want to process. This option string is propagated to all the nodes in the subtree¹ rooted in the current node (i.e. the node where `for tree` was given), including the node itself. (Propagator `for descendants` is just like `for tree`, only that it excludes the node itself. There are many other `for <step>` propagators; for the complete list, see sections 3.4.3 and 3.8.)


Some other useful options are `parent anchor`, `child anchor` and `tier`. The `parent anchor` and `child anchor` options tell where the parent's and child's endpoint of the edge between them should be, respectively: usually, the value is either empty (meaning a smartly determined border point [see 2, §16.11]; this is the default) or a compass direction [see 2, §16.5.1]. (Note: the `parent anchor` determines where the edge from the child will arrive to this node, not where the node's edge to its parent will start!)

Option `tier` is what makes the skeletal points \times in example (6) align horizontally although they occur at different levels in the logical structure of the tree. Using option `tier` is very simple: just set `tier=tier name` at all the nodes that you want to align horizontally. Any tier name will do, as long as the tier names of different tiers are different ... (Yes, you can have multiple tiers!)




¹It might be more precise to call this option `for subtree` ... but this name at least saves some typing.

Before discussing the variety of FOREST’s options, it is worth mentioning that FOREST’s node accepts all options [2, see §16] that TikZ’s node does — mostly, it just passes them on to TikZ. For example, you can easily encircle a node like this:²



Let’s have another look at example (6). You will note that the skeletal positions were input by typing `xs`, while the result looks like this: \times (input as `\times` in math mode). Obviously, the content of the node can be changed. Even more, it can be manipulated: added to, doubled, boldened, emphasized, etc. We will demonstrate this by making example (8) a bit fancier: we’ll write the input in the arabic numbers and have L^AT_EX convert it to the other formats. We’ll start with the easiest case of roman numerals: to get them, we can use the (plain) T_EX command `\romannumeral`. To change the content of the node, we use option `content`. When specifying its new value, we can use `#1` to insert the current content.³



This example introduces another option: `delay`. Without it, the example wouldn’t work: we would get arabic numerals. This is so because of the order in which the options are processed. First, the processing proceeds through the tree in a depth-first, parent-first fashion (first the parent is processed, and then its children, recursively; but see [processing order](#)). Next, the option string of a node is processed linearly, in the order they were given. (Option `content` is specified implicitly and is always the first.) If a propagator is encountered, the options given as its value are propagated *immediately*. The net effect is that if the above example contained simply `roman, for children={content=...}`, the `content` option given there would be processed *before* the implicit content options given to the children (i.e. numbers 1, 2, 3 and 4). Thus, there would be nothing for the `\romannumeral` to change — it would actually crash; more generally, the content assigned in such a way would get overridden by the implicit content. Option `delay` is true to its name. It delays the processing of its option string argument until the whole tree was processed. In other words, it introduces cyclical option processing. Whatever is delayed in one cycle, gets processed in the next one. The number of cycles is not limited — you can nest `delays` as deep as you need.


Unlike [for](#) [step](#) options we have met before, option `delay` is not a spatial, but a temporal propagator. Several other temporal propagators options exist, see §3.4.1.

We are now ready to learn about simple conditionals. Every node option has the corresponding `if` [option](#) and `where` [option](#) keys. `if` [option](#)=(value)<true options><>false options> checks whether the value of [option](#) equals [value](#). If so, [true options](#) are processed, otherwise [false options](#). The `where` [option](#) keys are the same, but do this for the every node in the subtree; informally speaking, `where` = `for tree` + `if`. To see this in action, consider the rewrite of the [tier](#) example (9) from above. We don’t set the tiers manually, but rather put the terminal nodes (option `n children` is a read-only option containing the number of children) on tier `word`.⁴

²If option `draw` was not given, the shape of the node would still be circular, but the edge would not be drawn. For details, see [2, §16].

³This mechanism is called *wrapping*. `content` is the only option where wrapping works implicitly (simply because I assume that wrapping will be almost exclusively used with this option). To wrap values of other options, use handler `.wrap value`; see §3.11.

⁴We could omit the braces around 0 because it is a single character. If we were hunting for nodes with 42 children, we’d have to write `where n children={42}...`




```
\begin{forest}
  where n children=0{tier=word}{}
  [VP
    [DP[John]]
    [V'
      [V[sent]]
      [DP[Mary]]
      [DP[D[a]] [NP[letter]]]
    ]
  ]
\end{forest}
```

(12)

Note that you usually don't want to embed a `where` conditional in a `for tree`, as this will lead to a multiple traversal of many nodes, resulting in a slower execution. If you're inside a `for tree`, you probably want to use `if`.

Finally, let's talk about styles. Styles are simply collections of options. (They are not actually defined in the FOREST package, but rather inherited from `pgfkeys`.) If you often want to have non-default parent/child anchors, say south/north as in example (9), you would save some typing by defining a style. Styles are defined using PGF's handler `.style`, like shown below.⁵



```
\begin{forest}
  sn edges/.style={for tree={
    parent anchor=south, child anchor=north}},
  sn edges
  [VP,
    [DP[John,tier=word]]
    [V'
      [V[sent,tier=word]]
      [DP[Mary,tier=word]]
      [DP[D[a,tier=word]] [NP[letter,tier=word]]]]
  ]
\end{forest}
```

(13)

If you want to use a style in more than one tree, you have to define it outside the `forest` environment. Use macro `\forestset` to do this.

```
\forestset{
  sn edges/.style={for tree={parent anchor=south, child anchor=north}},
  background tree/.style={for tree={
    text opacity=0.2,draw opacity=0.2,edge={draw opacity=0.2}}}
}
```

You might have noticed that the last two examples contain options (actually, keys) even before the first opening bracket, contradicting what was said at the beginning of this section. This is mainly just syntactic sugar (it can separate the design and the content): such *preamble* keys behave as if they were given in the root node, the only difference (which often does not matter) being that they get processed before all other root node options, even the implicit `content`.

If you find yourself writing the same options in the preamble of every tree in your document, consider redefining style `default preamble`, which is implicitly included at the beginning of every preamble.

2.3 Decorating the tree

The tree can be decorated (think movement arrows) with arbitrary TikZ code.





Figure 1: The X' template

```
\begin{forest}
  [XP
    [specifier
      [X$'$
        [X$^0$]
        [complement]
      ]
    ]
  ]
  \node at (current bounding box.south)
    [below=1ex,draw,cloud,aspect=6,cloud puffs=30]
    {\emph{Figure 1: The X' template}};
\end{forest}
```

(14)

⁵Style `sn edges` is actually already defined by library `linguistics`. The definition there is a bit more generic.


However, decorating the tree would make little sense if one could not refer to the nodes. The simplest way to do so is to give them a `TikZ` name using the `name` option, and then use this name in `TikZ` code as any other (`TikZ`) node name.



```
\begin{forest}
[CP
[DP,name=spec CP]
[\dots
[,phantom]
[VP
[DP]
[V'
[V]
[DP,name=object]]]]]
\draw[->,dotted] (object) to[out=south west,in=south] (spec CP);
\end{forest}
```

(15)

It gets better than this, however! In the previous examples, we put the `TikZ` code after the tree specification, i.e. after the closing bracket of the root node. In fact, you can put `TikZ` code after *any* closing bracket, and `FOREST` will know what the current node is. (Putting the code after a node's bracket is actually just a special way to provide a value for option `tikz` of that node.) To refer to the current node, simply use an empty node name. This works both with and without anchors [see 2, §16.11]: below, `(.south east)` and `()`.



```
\begin{forest}
[CP
[DP,name=spec CP]
[\dots
[,phantom]
[VP
[DP]
[V'
[V]
[DP,draw] {
\draw[->,dotted] () to[out=south west,in=south] (spec CP);
\draw[<-,red] (.south east)---+(0em,-4ex)---+(-2em,0pt)
node[anchor=east,align=center]{This guy\\has moved!};
}
}]]]
\end{forest}
```

(16)


Important: the `TikZ` code should usually be enclosed in braces to hide it from the bracket parser. You don't want all the bracketed code (e.g. `[->,dotted]`) to become tree nodes, right? (Well, they probably wouldn't anyway, because `TEX` would spit out a thousand errors.)

Finally, the most powerful tool in the node reference toolbox: *relative nodes*. It is possible to refer to other nodes which stand in some (most often geometrical) relation to the current node. To do this, follow the node's name with a `!` and a *node walk* specification.

A node walk is a concise⁶ way of expressing node relations. It is simply a string of steps, which are represented by single characters, where: `u` stands for the parent node (up); `p` for the previous sibling; `n` for the next sibling; `s` for *the* sibling (useful only in binary trees); `1`, `2`, ... `9` for first, second, ... ninth child; `l`, for the last child, etc. For the complete specification, see section 3.8.

To see the nodewalk in action, consider the following examples. In the first example, the agree arrow connects the `V` node, specified simply as `()`, since the `TikZ` code follows `[V]`, and the `DP` node, which is described as “a sister of `V`'s parent”: `!us` = up + sibling.


⁶Actually, `FOREST` distinguishes two kinds of steps in node walks: long and short steps. This section introduces only short steps. See §3.8.



```
\begin{forest}
[VP
[DP
[V'
[V] {\draw[<->] ( )
.. controls +(left:1cm) and +(south west:0.4cm) ..
node[very near start,below,sloped]{\tiny agree}
(!us);}
[DP
]
]
]
\end{forest}
```

(17)

The second example uses TikZ's fitting library to compute the smallest rectangle containing node VP, its first child (DP₂) and its last grandchild (DP₃). The example also illustrates that the TikZ code can be specified via the “normal” option syntax, i.e. as a value to option `tikz`.⁷




```
\begin{forest}
[CP
[DP$_1$]
[\dots
[,phantom]
[VP,tikz={\node [draw,red,fit=(!1)(!11)] {};}
[DP$_2$]
[V'
[V]
[DP$_3$]
]]]
\end{forest}
```

(19)

2.4 Node positioning


FOREST positions the nodes by a recursive bottom-up algorithm which, for every non-terminal node, computes the positions of the node's children relative to their parent. By default, all the children will be aligned horizontally some distance down from their parent: the “normal” tree grows down. More generally, however, the direction of growth can change from node to node; this is controlled by option `grow=<direction>`.⁸ The system thus computes and stores the positions of children using a coordinate system dependent on the parent, called an *ls-coordinate system*: the origin is the parent's anchor; l-axis is in the direction of growth in the parent; s-axis is orthogonal to the l-axis (positive side in the counter-clockwise direction from l-axis); l stands for level, s for sibling. The example shows the ls-coordinate system for a node with `grow=45`.



```
\begin{forest} background tree
[parent, grow=45
[child 1][child 2][child 3][child 4][child 5]
]
\draw[,>] (-135:1cm)--(45:3cm) node[below]{\$1\$};
\draw[,>] (-45:1cm)--(135:3cm) node[right]{\$s\$};
\end{forest}
```

(20)

⁷Actually, there's a simpler way to do this: use `/tikz/fit to=tree!`




```
\begin{forest}
[CP
[DP$_1$]
[\dots
[,phantom]
[VP,tikz={\node [draw,red,inner sep=0,fit to=tree]{};}
[DP$_2$]
[V'
[V]
[DP$_3$]
]]]
\end{forest}
```

(18)

⁸The direction can be specified either in degrees (following the standard mathematical convention that 0 degrees is to the right, and that degrees increase counter-clockwise) or by the compass directions: `east`, `north east`, `north`, etc.

The l-coordinate of children is (almost) completely under your control, i.e. you set what is often called the level distance by yourself. Simply set option `l` to change the distance of a node from its parent. More precisely, `l`, and the related option `s`, control the distance between the (node) anchors of a node and its parent. The anchor of a node can be changed using option `anchor`: by default, nodes are anchored at their base; see [2, §16.5.1].) In the example below, positions of the anchors are shown by dots: observe that anchors of nodes with the same `l` are aligned and that the distances between the anchors of the children and the parent are as specified in the code.⁹



(21)


```
\begin{forest} background tree,
  for tree={draw,tikz={\fill[] (.anchor) circle[radius=1pt];}}
  [parent
    [child 1, l=10mm, anchor=north west]
    [child 2, l=10mm, anchor=south west]
    [child 3, l=12mm, anchor=south]
    [child 4, l=12mm, anchor=base east]
  ]
  \measureydistance[\texttt{l(child)}=#1]{(!2.anchor)}{(.anchor)}{(!1.anchor)+(-5mm,0)}{left}
  \measureydistance[\texttt{l(child)}=#1]{(!3.anchor)}{(.anchor)}{(!4.anchor)+(5mm,0)}{right}
  \measurexdistance[\texttt{s sep(parent)}=#1]{(!1.south east)}{(!2.south west)}{+(0,-5mm)}{below}
  \measurexdistance[\texttt{s sep(parent)}=#1]{(!2.south east)}{(!3.south west)}{+(0,-5mm)}{below}
  \measurexdistance[\texttt{s sep(parent)}=#1]{(!3.south east)}{(!4.south west)}{+(0,-8mm)}{below}
\end{forest}
```

Positioning the children in the s-dimension is the job and *raison d'être* of the package. As a first approximation: the children are positioned so that the distance between them is at least the value of option `s sep` (s-separation), which defaults to double PGF's `inner xsep` (and this is 0.3333em by default). As you can see from the example above, s-separation is the distance between the borders of the nodes, not their anchors!

A fuller story is that `s sep` does not control the s-distance between two siblings, but rather the distance between the subtrees rooted in the siblings. When the green and the yellow child of the white node are s-positioned in the example below, the horizontal distance between the green and the yellow subtree is computed. It can be seen with the naked eye that the closest nodes of the subtrees are the TP and the DP with a red border. Thus, the children of the root CP (top green DP and top yellow TP) are positioned so that the horizontal distance between the red-bordered TP and DP equals `s sep`.


⁹Here are the definitions of the macros for measuring distances. Args: the x or y distance between points #2 and #3 is measured; #4 is where the distance line starts (given as an absolute coordinate or an offset to #2); #5 are node options; the optional arg #1 is the format of label. (Lengths are printed using package `printlen`.)

```
\newcommand\measurexdistance[5][#####]{\measurexorydistance{#2}{#3}{#4}{#5}{\x}{-}{(5pt,0)}{#1}}
\newcommand\measureydistance[5][#####]{\measurexorydistance{#2}{#3}{#4}{#5}{\y}{|}{(0,5pt)}{#1}}
\tikzset{dimension/.style={<->,>=latex,thin,every rectangle node/.style={midway,font=\scriptsize}},
  guideline/.style=dotted}
\newdimen\absmd
\def\measurexorydistance#1#2#3#4#5#6#7#8{%
  \path #1 #3 #6 coordinate(md1) #1; \draw[guideline] #1 -- (md1);
  \path (md1) #6 coordinate(md2) #2; \draw[guideline] #2 -- (md2);
  \path let \p1=($(md1)-(md2)$), \n1={abs(#51)} in \pgfextra{\xdef\md{#51}\global\absmd=\n1\relax};
  \def\distancelabelwrapper##1#8{%
    \ifdim\absmd>5mm
      \draw[dimension] (md1)--(md2) node[#4]{\distancelabelwrapper{\uselengthunit{mm}}\rndprintlength\absmd};
    \else
      \ifdim\md>0pt
        \draw[dimension,<-] (md1)--#7; \draw[dimension,<-] let \p1=($(0,0)-#7$) in (md2)--(\p1);
      \else
        \draw[dimension,<-] let \p1=($(0,0)-#7$) in (md1)--(\p1); \draw[dimension,<-] (md2)--#7;
      \fi
      \draw[dimension,-] (md1)--(md2) node[#4]{\distancelabelwrapper{\uselengthunit{mm}}\rndprintlength\absmd};
    \fi}
```



```
\begin{forest}
  important/.style={name=#1,draw={red,thick}}
  [CP, s sep=3mm, for tree=draw
    [DP, for tree={fill=green}
      [D] [NP [N] [CP [C] [TP, important=left
        [T] [vP [v] [VP [DP] [V' [V] [DP]]]]]]]]
      [TP, for tree={fill=yellow}
        [T] [vP [v] [VP [DP, important=right] [V' [V] [DP]]]]]]
    ]
  \measurexdistance[\texttt{s sep(root)}]=#1]
  {(left.north east)}{(right.north west)}{(.north)+(0,3mm)}{above}
\end{forest}
```


Note that FOREST computes the same distances between nodes regardless of whether the nodes are filled or not, or whether their border is drawn or not. Filling the node or drawing its border does not change its size. You can change the size by adjusting TikZ's `inner sep` and `outer sep` [2, §16.2.2], as shown below:




```
\begin{forest}
  important/.style={name=#1,draw={red,thick}}
  [CP, s sep=3mm, for tree=draw
    [DP, for tree={fill=green,inner sep=0}
      [D] [NP, important=left [N] [CP [C] [TP [T] [vP [v]
        [VP [DP] [V' [V] [DP]]]]]]]]
      [TP, for tree={fill=yellow,outer sep=2pt}
        [T, important=right] [vP [v] [VP [DP] [V' [V] [DP]]]]
    ]
  \measurexdistance[\texttt{s sep(root)}]=#1]
  {(left.north east)}{(right.north west)}{(.north)+(0,3mm)}{above}
\end{forest}
```

(This looks ugly!) Observe that having increased `outer sep` makes the edges stop touching borders of the nodes. By (PGF's) default, the `outer sep` is exactly half of the border line width, so that the edges start and finish precisely at the border.

Let's play a bit and change the 1 of the root of the yellow subtree. Below, we set the vertical distance of the yellow TP to its parent to 3 cm: and the yellow submarine sinks diagonally ... Now, the closest nodes are the higher yellow DP and the green VP.




Note that the yellow and green nodes are not vertically aligned anymore. The positioning algorithm has no problem with that. But you, as a user, might have, so here's a neat trick. (This only works in the “normal” circumstances, which are easier to see than describe.)




We have changed DP’s `l`’s value via “augmented assignment” known from many programming languages: above, we have used `l*=3` to triple `l`’s value; we could have also said `l+=5mm` or `l-=5mm` to increase or decrease its value by 5 mm, respectively. This mechanism works for every numeric and dimensional option in `FOREST`.

Let's now play with option **s sep**.



Surprised? You shouldn't be. The value of **s sep** at a given node controls the s-distance *between the subtrees rooted in the children of that node!* It has no influence over the internal geometry of these subtrees. In the above example, we have set **s sep**=0 only for the root node, so the green and the yellow subtree are touching, although internally, their nodes are not. Let's play a bit more. In the following example, we set the **s sep** to: 0 at the last branching level (level 3; the root is level 0), to 2 mm at level 2, to 4 mm at level 1 and to 6 mm at level 0.



```


\begin{forest}
  for tree={s sep=(3-level)*2mm}
  [CP, for tree=draw
    [DP, for tree={fill=green},l*=3
      [D] [NP]]
    [TP,for tree={fill=yellow}
      [T] [VP [DP] [V' [V] [DP]]]]
  ]
  \measurexdistance{(!11.south east)}{(!12.south west)}{+(0,-5mm)}{below}
  \path(md2)-|coordinate(md){(!221.south east)};
  \measurexdistance{(!221.south east)}{(!222.south west)}{(md)}{below}
  \measurexdistance{(!21.north east)}{(!22.north west)}{+(0,2cm)}{above}
  \measurexdistance{(!1.north east)}{(!221.north west)}{+(0,-2.4cm)}{below}
\end{forest}

```

As we go up the tree, the nodes “spread.” At the lowest level, V and DP are touching. In the third level, the `s sep` of level 2 applies, so DP and V’ are 2 mm apart. At the second level we have two pairs of nodes, D and NP, and T and TP: they are 4 mm apart. Finally, at level 1, the `s sep` of level 0 applies, so the green and yellow DP are 6 mm apart. (Note that D and NP are at level 2, not 4! Level is a matter of structure, not geometry.)

As you have probably noticed, this example also demonstrated that we can compute the value of an option using an (arbitrarily complex) formula. This is thanks to PGF’s module `pgfmath`. FOREST provides an interface to `pgfmath` by defining `pgfmath` functions for every node option, and some other information, like the `level` we have used above, the number of children `n children`, the sequential number of the child `n`, etc. For details, see §3.15.

The final separation parameter is `l sep`. It determines the minimal separation of a node from its descendants. If the value of `l` is too small, then *all* the children (and thus their subtrees) are pushed away from the parent (by increasing their `ls`), so that the distance between the node’s and each child’s subtree boundary is at least `l sep`. The initial `l` can be too small for two reasons: either some child is too high, or the parent is too deep. The first problem is easier to see: we force the situation using a bottom-aligned multiline node. (Multiline nodes can be easily created using `\` as a line-separator. However, you must first specify the horizontal alignment using option `align` (see §3.7.1). Bottom vertical alignment is achieved by setting `base=bottom`; the default, unlike in *TikZ*, is `base=top`).




```

\begin{forest}
  [parent
    [child]
    [child]
    [a very\\tall\\child, align=center, base=bottom]
  ]
\end{forest}

```


The defaults for `l` and `l sep` are set so that they “cooperate.” What this means and why it is necessary is a complex issue explained in §2.4.1, which you will hopefully never have to read ... You might be out of luck, however. What if you needed to decrease the level distance? And nothing happened, like below on the left? Or, what if you used lots of parenthesis in your nodes? And got a strange vertical misalignment, like below on the right? Then rest assured that these (at least) are features not bugs and read §2.4.1.




2.4.1 The defaults, or the hairy details of vertical alignment

In this section we discuss the default values of options controlling the l-alignment of the nodes. The defaults are set with top-down trees in mind, so l-alignment is actually vertical alignment. There are two desired effects of the defaults. First, the spacing between the nodes of a tree should adjust to the current font size. Second, the nodes of a given level should be vertically aligned (at the base), if possible.

Let us start with the base alignment: *TikZ*'s default is to anchor the nodes at their center, while *FOREST*, given the usual content of nodes in linguistic representations, rather anchors them at the base [2, §16.5.1]. The difference is particularly clear for a "phonological" representation:




The following example shows that the vertical distance between nodes depends on the current font size.



Furthermore, the distance between nodes also depends on the value of PGF's `inner sep` (which also depends on the font size by default: it equals 0.3333em).

$$l \text{ sep} = \text{height}(\text{strut}) + \text{inner ysep}$$

The default value of `s sep` depends on `inner xsep`: more precisely, it equals double `inner xsep`).




```
\begin{forest} baseline,for tree=draw
  [VP[DP] [V' [V] [DP]]]
\end{forest}
\pgfkeys{/pgf/inner sep=0.6666em}
\begin{forest} baseline,for tree=draw
  [VP[DP] [V' [V] [DP]]]
\end{forest}
```


(32)

Now a hairy detail: the formula for the default `l`.

$$l = l \text{ sep} + 2 \cdot \text{outer ysep} + \text{total height}('dj')$$

To understand what this is all about we must first explain why it is necessary to set the default `l` at all? Wouldn't it be enough to simply set `l sep` (leaving `l` at 0)? The problem is that not all letters have the same height and depth. A tree where the vertical position of the nodes would be controlled solely by (a constant) `l sep` could result in a ragged tree (although the height of the child-parent edges would be constant).





```
\mbox{}\begin{forest}
[default
[first child[a][b][c]]
[second child\[-1ex\scriptsize(a copy),
align=center[a][b][c]]
]
\end{forest}\
\begin{forest} for tree={1 sep=0}
[{\texttt{1 sep=0}}
[first child[a][b][c]]
[second child\[-1ex\scriptsize(a copy),
align=center[a][b][c]]
]
\end{forest}
```

Thus, the idea is to make `1` and `1 sep=0` work as a team: `1` prevents misalignments, if possible, while `1 sep` determines the minimal vertical distance between levels. Each of the two options deals with a certain kind of a “deviant” node, i.e. a node which is too high or too deep, or a node which is not high or deep enough, so we need to postulate what a *standard* node is, and synchronize them so that their effect on standard nodes is the same.

By default, FOREST sets the standard node to be a node containing letters d and j. Linguistic representations consist mainly of letters, and in the T_EX’s default Computer Modern font, d is the highest letter (not character!), and j the deepest, so this decision guarantees that trees containing only letters will look nice. If the tree contains many parentheses, like the right tree of example (29), the default will of course fail and the standard node needs to be modified. But for many applications, including nodes with indices, the default works.

The standard node can be changed using macro `\forestStandardNode`; see 3.16.

2.5 Advanced option setting

We have already seen that the value of options can be manipulated: in (11) we have converted numeric content from arabic into roman numerals using the *wrapping* mechanism `content=\romannumeral#1`; in (25), we have tripled the value of `1` by saying `1*=3`. In this section, we will learn about the mechanisms for setting and referring to option values offered by FOREST.

One other way to access an option value is using macro `\forestoption`. The macro takes a single argument: an option name. (For details, see §3.6.2.) In the following example, the node’s child sequence number is appended to the existing content. (This is therefore also an example of wrapping.)

```
\begin{forest}
[phantom, delay={for descendants={
content=#1$\forestoption{n}}$}]
[c][o][u][n][t]
\end{forest}
```

c₁ o₂ u₃ n₄ t₅


However, only options of the current node can be accessed using `\forestoption`. To access option values of other nodes, FOREST’s extensions to the PGF’s mathematical library `pgfmath`, documented in [2, part VI], must be used. To see `pgfmath` in action, first take a look at the crazy tree on the title page, and observe how the nodes are rotated: the value given to (TikZ) option `rotate` is a full-fledged `pgfmath` expression yielding an integer in the range from -30 to 30 . Similarly, `1+` adds a random float in the $[-5, 5]$ range to the current value of `1`.

Example (27) demonstrated that information about the node, like the node’s level, can be accessed within `pgfmath` expressions. All options are accessible in this way, i.e. every option has a corresponding `pgfmath` function. For example, we could rotate the node based on its content:

```
\begin{forest}
delay={for tree={rotate=content}}
[30[-10[5][0]][-90[180]]90[-60][90]]
\end{forest}
```

All numeric, dimensional and boolean options of FOREST automatically pass the given value through `pgfmath`. If you need pass the value through `pgfmath` for a string option, use the `.pgfmath` handler. The

following example sets the node's content to its child sequence number (the root has child sequence number 0).




```

\begin{forest}
  delay={for tree={content/.pgfmath=int(n)}}
  [[[] [] [] [] []]]
\end{forest}

```

(37)

As mentioned above, using `pgfmath` it is possible to access options of non-current nodes. This is achieved by providing the option function with a [relative node name](#) (see §3.12) argument.¹⁰ In the next example, we rotate the node based on the content of its parent.



```

\begin{forest}
  delay={for descendants={rotate=content("!u")}}
  [30[-10[5] [0]] [-90[180]] [90[-60] [90]]]
\end{forest}

```

(38)

Note that the argument of the option function is surrounded by double quotation marks: this is to prevent evaluation of the relative node name as a `pgfmath` function — which it is not.

Handlers `.wrap pgfmath arg` and `.wrap n pgfmath args` (for $n = 2, \dots, 8$) combine the wrapping mechanism with the `pgfmath` evaluation. The idea is to compute (most often, just access option values) arguments using `pgfmath` and then wrap them with the given macro. Below, this is used to include the number of parent's children in the index.

```


\begin{forest} [,phantom,delay={for descendants={
  content/.wrap 3 pgfmath args=
  {#1$_{#2/#3}$}{content}{n}{n_children("!u")}}]
  [c] [o] [u] [n] [t]
\end{forest}

```

(39)

Note the underscore `_` character in `n_children`: in `pgfmath` function names, spaces, apostrophes and other non-alphanumeric characters from option names are all replaced by underscores.

As another example, let's make the numerals example (7) a bit fancier. The numeral type is read off the parent's content and used to construct the appropriate control sequence (`\@arabic`, `\@roman` and `\@alph`). (Also, the numbers are not specified in content anymore: we simply read the sequence number `n`. And, to save some horizontal space for the code, each child of the root is pushed further down.)



```


\begin{forest}
  delay={where level={2}{content/.wrap 2 pgfmath args=
    {\csname @#1\endcsname{#2}}{content("!u")}{n}}},
  for children={1*=n},
  [\LaTeX numerals,
    [arabic[] [] [] []]
    [roman[] [] [] []]
    [alph[] [] [] []]
  ]
\end{forest}

```

(40)


The final way to use `pgfmath` expressions in FOREST: `if` clauses. In section 2.2, we have seen that every option has a corresponding `if <option>` (and `where <option>`) key. However, these are just a matter of convenience. The full power resides in the general `if` conditional, which takes three arguments: `if=<condition>(true options)<>false options>`, where `<condition>` can be any `pgfmath` expression (non-zero means true, zero means false). (Once again, propagator `where` is an abbreviation for `for tree={if=...}`.) In the following example, `if` option is used to orient the arrows from the smaller number to the greater, and to color the odd and even numbers differently.

¹⁰The form without parentheses `option_name` that we have been using until now to refer to an option of the current node is just a short-hand notation for `option_name()` — note that in some contexts, like preceding `+` or `-`, the short form does not work! (The same seems to be true for all `pgfmath` functions with “optional” arguments.)




```
\pgfmathsetseed{314159}
\begin{forest}
  before typesetting nodes={
    for descendants={
      if={content()>content("!u")}{edge=->}{
        if={content()<content("!u")}{edge=<-}{}},
      edge label/.wrap pgfmath arg=
        {node[midway,above,sloped,font=\scriptsize]{+#1}}
        {int(abs(content()-content("!u")))}
    },
    for tree={circle,if={mod(content(),2)==0}
      {fill=yellow}{fill=green}}
  }
  [,random tree={3}{3}{100}]
\end{forest}
```

This exhausts the ways of using `pgfmath` in `forest`. We continue by introducing *relative node setting*: write `<relative node name>.<option>=<value>` to set the value of `<option>` of the specified relative node. Important: computation (`pgfmath` or `wrap`) of the value is done in the context of the original node. The following example defines style `move` which not only draws an arrow from the source to the target, but also moves the content of the source to the target (leaving a trace). Note the difference between `#1` and `##1`: `#1` is the argument of the style `move`, i.e. the given node walk, while `##1` is the original option value (in this case, `content`).



```
\begin{forest}
  for tree={calign=fixed edge angles},
  move/.style={
    tikz={\draw[->] () to[out=south west,in=south] (#1);},
    delay={#1.content={##1},content=$t$}},
  [CP[] [C' [C] [...] [VP [DP] [V' [V] [DP,move=!r1]]]]]
\end{forest}
```

In the following example, the content of the branching nodes is computed by `FOREST`: a branching node is a sum of its children. Besides the use of the relative node setting, this example notably uses a recursive style: for each child of the node, style `calc` first applies itself to the child and then adds the result to the node; obviously, recursion is made to stop at terminal nodes.



```
\begin{forest}
  calc/.style={if n children={0}{}{content=0,for children={
    calc,!u.content/.pgfmath=int(content("!u")+content())}},
  delay=calc,
  [[3] [4] [5]] [[3] [9]] [8] [[[1] [2] [3]]]]
\end{forest}
```

2.6 Externalization

`FOREST` can be quite slow, due to the slowness of both `PGF/TikZ` and its own computations. However, using *externalization*, the amount of time spent in `FOREST` in everyday life can be reduced dramatically. The idea is to typeset the trees only once, saving them in separate PDFs, and then, on the subsequent compilations of the document, simply include these PDFs instead of doing the lengthy tree-typesetting all over again.

`FOREST`'s externalization mechanism is built on top of `TikZ`'s `external` library. It enhances it by automatically detecting the code and context changes: the tree is recompiled if and only if either the code

in the `forest` environment or the context (arbitrary parameters; by default, the parameters of the standard node) changes.

To use FOREST’s externalization facilities, say:¹¹


```
\usepackage[external]{forest}
\tikzexternalize
```

If your `forest` environment contains some macro, you will probably want the externalized tree to be recompiled when the definition of the macro changes. To achieve this, use `\forestset{external/depends on macro=\macro}`. The effect is local to the \TeX group.

TikZ’s externalization library promises a `\label` inside the externalized graphics to work out-of-box, while `\ref` inside the externalized graphics should work only if the externalization is run manually or by `make` [2, §32.4.1]. A bit surprisingly perhaps, the situation is roughly reversed in FOREST. `\ref` inside the externalized graphics will work out-of-box. `\label` inside the externalized graphics will not work at all. Sorry. (The reason is that FOREST prepares the node content in advance, before merging it in the whole tree, which is when TikZ’s externalization is used.)

2.7 Expansion control in the bracket parser


By default, macros in the bracket encoding of a tree are not expanded until nodes are being drawn — this way, node specification can contain formatting instructions, as illustrated in section 2.1. However, sometimes it is useful to expand macros while parsing the bracket representation, for example to define tree templates such as the X-bar template, familiar to generative grammarians:¹²



In the above example, the `\XP` macro is preceded by the *action character* `@`: as the result, the token following the action character was expanded before the parsing proceeded.

The action character is not hard coded into FOREST. Actually, there is no action character by default. (There’s enough special characters in FOREST already, anyway, and the situations where controlling the expansion is preferable to using the `pgfkeys` interface are not numerous.) It is defined at the top of the example by processing key `action character` in the `/bracket` path; the definition is local to the \TeX group.


Let us continue with the description of the expansion control facilities of the bracket parser. The expandable token following the action character is expanded only once. Thus, if one defined macro `\VP` in terms of the general `\XP` and tried to use it in the same fashion as `\XP` above, he would fail. The correct way is to follow the action character by a braced expression: the braced expression is fully expanded before bracket-parsing is resumed.



¹¹When you switch on the externalization for a document containing many `forest` environments, the first compilation can take quite a while, much more than the compilation without externalization. (For example, more than ten minutes for the document you are reading!) Subsequent compilations, however, will be very fast.

¹²Honestly, dynamic node creation might be a better way to do this; see §3.10.

In some applications, the need for macro expansion might be much more common than the need to embed formatting instructions. Therefore, the bracket parser provides commands `@+` and `@-`: `@+` switches to full expansion mode — all tokens are fully expanded before parsing them; `@-` switches back to the default mode, where nothing is automatically expanded.




(46)

```

\bracketset{action character=@}
\def\XP#1#2#3{#1P[#2][#1'[#1][#3]]}
\def\VP#1#2{\XP V{#1}{#2}}
\begin{forest} @+
  [\XP T{DP}{\VP{DP}{DP}}]
\end{forest}

```

All the action commands discussed above were dealing only with \TeX 's macro expansion. There is one final action command, `@@`, which yields control to the user code and expects it to call `\bracketResume` to resume parsing. This is useful to e.g. implement automatic node enumeration:



```

\bracketset{action character=@}
\newcount\xcount
\def\x#1{@@\advance\xcount1
  \edef\xtmp{[\$noexpand\times_{\the\xcount}\$#1]]}%
  \expandafter\bracketResume\xtmp
}
\begin{forest}
  phantom,
  delay={where level=1{content={\strut #1}}{}}
  @+
  [\x{f}\x{o}\x{r}\x{e}\x{s}\x{t}]
\end{forest}

```

(47)

This example is fairly complex, so let's discuss how it works. `@+` switches to the full expansion mode, so that macro `\x` can be easily run. The real magic hides in this macro. In order to be able to advance the node counter `\xcnt`, the macro takes control from `FOREST` by the `@@` command. Since we're already in control, we can use `\edef` to define the node content. Finally, the `\xtmp` macro containing the node specification is expanded with the resume command stuck in front of the expansion.

3 Reference

3.1 Package loading and options

Load the package by writing `\usepackage{forest}` in the document preamble.

Field-specific definitions and defaults are stored in separate libraries. Use `\usepackage[<library name>]{forest}` to load library `<library name>` and its defaults alongside the main package. Loading several libraries in this way is allowed: however, if you need more control over loading the defaults, use the following macros.


macro `\useforestlibrary{<library>,...}` Loads the `<library>` (without loading the its defaults).

Multiple library names can be given, separated by commas. This macro can only be used in the preamble.

macro `\forestapplylibrarydefaults{<library name>,...}` Loads the default settings of `<library>`.

Multiple library names can be given, separated by commas. This macro can be used either in the preamble or in the document body. Its effect is local to the current \TeX scope.

For example, the `linguistics` library defines `c`-command related nodewalks, changes the default parent-child edges to south-north (the main package default is border-border) and sets the baseline to the root node. Thus, if you write `\usepackage[linguistics]{forest}` in your preamble, or use macro `\forestapplylibrarydefaults` like below, you get the following:



```

package defaults:
\begin{forest}
  [VP % cannot use "for c-commanded" below!
    [DP, for sibling={for tree=red}]
    [V' [V] [DP]]
  ]
\end{forest}}\[[1ex]
|linguistics| library defaults:
\forestapplylibrarydefaults{linguistics}
\begin{forest}
  [VP
    [DP, for c-commanded={red}]
    [V' [V] [DP]]
  ]
\end{forest}

```

package option **external**=true|false false

Enable/disable externalization, see §3.17.

package option **compat**=⟨keylist⟩ most

Enters compatibility mode with previous versions of the FOREST package. If at all possible, each backwards incompatible change is given a key in the **compat** path, e.g. **compat=1.0-forstep** reverts to the old behaviour of spatial propagators **for** ⟨step⟩, where a propagator could not fail. To load all compatibility features, write **compat=all**. To load those most likely to be useful, write **compat=most** or simply **compat**; these keys are also guaranteed to not disrupt any new functionality of the package. To load all/most compatibility features since version x.y, write x.y-all or x.y-most.

Specifying this option also defines macro **\forestcompat** (taking the same arguments as the package option) which can be used to enable compatibility features locally, within the document body.

For a list of compatibility features, see §6.1.

By default, the package warns when a compatibility feature is used. Disable this behaviour by **compat=silent**.

package option **tikzcshack**=true|false true

Enable/disable the hack into TikZ's implicit coordinate syntax, see §3.12.

package option **tikzinstallkeys**=true|false true

Install certain keys into the /tikz path. Currently: /tikz/fit to.

package option **debug**=true|false true

Prints out some debugging info to the log file.

→ Use simply as **debug** (without =true), as it is anticipated that a future version might introduce categories of debugging information. For now we can debug only nodewalks.


3.2 Invocation

environment **\begin{forest}**[⟨(stages)⟩]⟨tree⟩**\end{forest}**

macro **\Forest**[*][⟨(stages)⟩]{⟨tree⟩}

The environment and the starless version of the macro introduce a group; the starred macro does not, so the created nodes can be used afterwards, like in the example below. (Note that this will leave a lot of temporary macros lying around. This shouldn't be a problem, however, since all of them reside in the **\forest** “namespace”.)

⟨stages⟩, if given, overrides the contents of style **stages** for the current environment/macro.



```

We create a
\Forest*{
  [DP,name=DP,baseline
    [D]
    [NP]
  ]
}
and merge it into a
\Forest*{
  [VP,baseline
    [V]
    [,replace by=DP
  ]
]
}

```

macro `\forestset{⟨keylist⟩}`

Execute `⟨keylist⟩` (of node keys) with the default path set to `/forest`.

- This macro is usually used to define FOREST styles.
- Usually, no current node is set when this macro is called. Thus, executing most node keys in this place will fail. However, if you have some nodes lying around, you can use propagator `for name=⟨node name⟩` to set the node with the given name as current.

3.3 The bracket representation

A bracket representation of a tree is a token list with the following syntax:

```

⟨tree⟩    =  [⟨preamble⟩]⟨node⟩
⟨node⟩    =  [ [⟨content⟩] [,⟨keylist⟩] [⟨children⟩] ]⟨afterthought⟩
⟨preamble⟩ =  ⟨keylist⟩
⟨keylist⟩  =  ⟨key-value⟩ [,⟨keylist⟩]
⟨key-value⟩ =  ⟨key⟩ | ⟨key⟩=⟨value⟩
⟨children⟩ =  ⟨node⟩ [⟨children⟩]

```

The `⟨preamble⟩` keylist is stored into keylist register `preamble`. The `⟨keylist⟩` of a `⟨node⟩` is stored into keylist option `given options`. `⟨content⟩` and `⟨afterthought⟩` are normally stored by prepending and appending `content'=⟨content⟩` and `afterthought=⟨afterthought⟩` to `given options`, respectively; this is customizable via `content to` and redefining style `afterthought`.

Normally, the tokens in the bracket representation are not expanded while the input is parsed. However, it is possible to control expansion. Expansion control sequences of FOREST's bracket parser are shown below. Note that by default, there is no `action character`.

<code>⟨action character⟩-</code>	no-expansion mode (default): nothing is expanded
<code>⟨action character⟩+</code>	expansion mode: everything is fully expanded
<code>⟨action character⟩⟨token⟩</code>	expand <code>⟨token⟩</code>
<code>⟨action character⟩⟨T_EX-group⟩</code>	fully expand <code>⟨T_EX-group⟩</code>
<code>⟨action character⟩⟨action character⟩</code>	yield control; upon finishing its job, user's code should call <code>\bracketResume</code>

To customize the bracket parser, call `\bracketset{⟨keylist⟩}`, where the keys can be the following.

bracket key <code>opening bracket=⟨character⟩</code>	[
bracket key <code>closing bracket=⟨character⟩</code>]
bracket key <code>action character=⟨character⟩</code>	none

By redefining the following two keys, the bracket parser can be used outside FOREST.

bracket key `new node=⟨preamble⟩⟨node specification⟩⟨cname⟩`. Required semantics: create a new node given the preamble (in the case of a new root node) and the node specification and store the new node's id into `⟨cname⟩`.

bracket key `set afterthought=⟨afterthought⟩⟨node id⟩`. Required semantics: store the afterthought in the node with given id.

3.4 The workflow

3.4.1 Stages

FOREST does its job in several stages. The default course of events is the following:

1. The bracket representation of the tree (§3.3) is parsed and stored in a data structure.
2. The keys given in the bracket representation are processed. In detail, `default preamble` is processed first, then the given `preamble` (both in the context of the (formal) root node) and finally the keylists given to individual nodes. The latter are processed recursively, in a depth-first, parent-first fashion.
3. Each node is typeset in its own `tikzpicture` environment, saved in a box and its measures are taken.
4. The nodes of the tree are *packed*, i.e. the relative positions of the nodes are computed so that the nodes don't overlap. That's difficult. The result: option `s` is set for all nodes. (Sometimes, the value of `l` is adjusted as well.)
5. Absolute positions, or rather, positions of the nodes relative to the root node are computed. That's easy. The result: options `x` and `y` are set.
6. The TikZ code that will draw the tree is produced and executed. (The nodes are drawn by using the boxes typeset in step 3.)

Stage 1 collects user input and is thus “fixed”. However, the other stages, which do the actual work, are under user's control.

First, hooks exist between the individual stages which make it possible (and easy) to change the properties of the tree between the processing stages. For a simple example, see example (66): the manual adjustment of `y` can only be done after the absolute positions have been computed, so the processing of this option is deferred by `before drawing tree`. For a more realistic example, see the definition of style `GP1`: before packing, `outer xsep` is set to a high (user determined) value to keep the \times s uniformly spaced; before drawing the tree, the `outer xsep` is set to `0pt` to make the arrows look better.

Second, the execution of the processing stages 2–6 is *completely* under user's control. To facilitate adjusting the processing flow, the approach is twofold. The outer level: FOREST initiates the processing by executing style `stages`, which by default executes the processing stages 2–6, preceding the execution of each but the first stage by processing the keys embedded in temporal propagators `before ...` (see §3.4.2). The inner level: each processing step is the sole resident of a stage-style, which makes it easy to adjust the workings of a single step. What follows is the default content of style `stages`, including the default content of the individual stage-styles. Both nicely readable and ready to copy-paste versions are given.

```
style stages
    for root'={
        process keylist register=default preamble,
        process keylist register=preamble
    }
    process keylist=given options
    process keylist=before typesetting nodes
style typeset nodes stage {for root'=typeset nodes}
    process keylist=before packing
style pack stage {for root'=pack}
    process keylist=before computing xy
style compute xy stage {for root'=compute xy}
    process keylist=before drawing tree
style draw tree stage {for root'=draw tree}
```



```

\forestset{
  stages/.style={
    for root'={
      process keylist register=default preamble,
      process keylist register=preamble
    },
    process keylist=given options,
    process keylist=before typesetting nodes,
    typeset nodes stage,
    process keylist=before packing,
    pack stage,
    process keylist=before computing xy,
    compute xy stage,
    process keylist=before drawing tree,
    draw tree stage
  },
  typeset nodes stage/.style={for root'=typeset nodes},
  pack stage/.style={for root'=pack},
  compute xy stage/.style={for root'=compute xy},
  draw tree stage/.style={for root'=draw tree},
}

```

Both style `stages` and the individual stage-styles may be freely modified by the user. Obviously, as a style must be redefined before it is processed, `stages` should be redefined (using macro `\forestset`) outside the `forest` environment; alternatively, stages can be given as the (parenthesized) optional argument of the environment (see §3.2). A stage style can also be redefined in the preamble or in any of the keylists processed prior to entering that stage.

Here's the list of keys used either in the default processing or useful in an alternative processing flow.

stage `typeset nodes`

stage `typeset nodes'`

Typesets each node of the current node's subtree in its own `tikzpicture` environment. The result is saved in a box (which is used later, in the `draw tree stage`) and its measures are taken.

In the `typeset nodes'` variant, the node box's content is not overwritten if the box already exists.

The order in which the nodes are typeset is controlled by nodewalk style `typeset nodes processing order` or, if this style is not defined, by `processing order`.

`typeset node` Typesets the *current* node, saving the result in the node box.

This key can be useful also in the default `stages`. If, for example, the node's content is changed and the node retypeset just before drawing the tree, the node will be positioned as if it contained the “old” content, but have the new content: this is how the constant distance between `xs` is implemented in the `GP1` style.

stage **`pack`** The nodes of the tree are *packed*, i.e. the relative positions of the nodes are computed so that the nodes don't overlap. The result: option `s` is set for all nodes; sometimes (in tier alignment and for some values of `calign`), the value of some nodes' `l` is adjusted as well.

`pack'` “Non-recursive” packing: packs the children of the current node only. (Experimental, use with care, especially when combining with tier alignment.)

stage **`compute xy`** Computes the positions of the nodes in the subtree relative to the current node. The results are stored into options `x` and `y`. The current node's `x` and `y` remain unchanged.

stage **`draw tree`**

stage **`draw tree'`** Produces the TikZ code that will draw the tree.

The procedure uses the node boxes typeset by `typeset nodes` or friends. The `'` variant includes the node boxes in the picture using `\copy`, not `\box`, thereby preserving them.

By default, the nodes are drawn first, followed by edges and finally the custom code given by `tikz`. Within each task, the order in which the nodes are visited is determined by nodewalk styles `draw tree nodes processing order`, `draw tree edges processing order` and `draw tree tikz processing order`, respectively, with `processing order` as the fallback in case any of these styles does not exist (the default).

However, the whole procedure is fully customizable via style `draw tree method`, originally defined like shown below. To draw an individual node, edge (to parent) or custom (`tikz`) code, `draw tree node`, `draw tree edge` and `draw tree tikz` are used, respectively.

```
draw tree method/.style={
  for nodewalk={
    draw tree nodes processing order/.try,
    draw tree processing order/.retry,
    processing order/.lastretry
  }{draw tree node},
  for nodewalk={
    draw tree edges processing order/.try,
    draw tree processing order/.retry,
    processing order/.lastretry
  }{draw tree edge},
  for nodewalk={
    draw tree tikz processing order/.try,
    draw tree processing order/.retry,
    processing order/.lastretry
  }{draw tree tikz}
},
```

`draw tree box`=[\langle TeX box \rangle] The picture drawn by the subsequent invocations of `draw tree` and `draw tree'` is put into \langle TeX box \rangle . If the argument is omitted, the subsequent pictures are typeset normally (the default).

`process keylist`= \langle keylist option \rangle For each node in the entire tree, the keylist saved in \langle keylist option \rangle of the node is processed (in the context of that node).

Note that this key is not sensitive to the current node: it processes the keylists for the whole tree. Actually, it is possible to control which nodes are visited: \langle keylist option \rangle `processing order` is walked if it is defined, otherwise `processing order`. In both cases, the processing nodewalk starts at the formal root of the tree (see `root'` and `set root`), which is reevaluated at the beginning of each internal cycle (see below). By default, \langle keylist option \rangle `processing order` is indeed undefined, while the `processing order` defaults to `tree`, which means that *all the nodes in the entire tree* are processed.

Keylist-processing proceeds in cycles. In a given cycle, the value of option \langle keylist option name \rangle is processed for every node visited by the processing nodewalk. During a cycle, keys may be *delayed* using key `delay`. Keys delayed in a cycle are processed in the next cycle. The number of cycles is unlimited.

Dynamic creation of nodes happens between the cycles. The options given to the dynamically created nodes are implicitly delayed and thus processed at the end of the next cycle.

The calls of this key should *not* be nested, and it should not be embedded under `process keylist'` or `process keylist register`.

When changing the processing nodewalk, note that delayed keys will be executed only for nodes visited by the processing nodewalk. Delayed spatially propagated keys will be remembered, though, and executed when the given keylist is processed for the target node. Using spatial propagators without delaying cannot result in a non-processed key.

`process keylist'`= \langle keylist option \rangle \langle nodewalk \rangle

This key is a variant of `process keylist`. The differences are as follows.

The processing nodewalk is given explicitly (by \langle nodewalk \rangle) and starts at the current node (in each internal cycle).

There is no dynamic creation of nodes between the delay cycles. Any dynamic node instructions will be remembered and executed after the next cycle of `process keylist`, or an explicit call to `do dynamics`.

It is safe to embed this key within `process keylist` and (all) friends.

`process keylist''`= \langle keylist option \rangle \langle nodewalk \rangle

This key is a variant of `process keylist` which executes neither dynamic node operations nor delayed keys (there are thus no internal cycles). Any delayed keys will not be processed during the execution

of this key. They will be remembered and executed at the end of the next cycle of `process keylist` or `process keylist'`.

As for `process keylist'`, the processing nodewalk is given explicitly (by `<nodewalk>`) and starts at the current node.

It is safe to embed this key within `process keylist` and (all) friends.

process keylist register=`<register>`

Process the keylist saved in `<register>` in the context of the current node.

Any delayed keys will not be processed during the execution of this key. They will be remembered and executed at the end of the next cycle of `process keylist` or `process keylist'`.

It is safe to embed this key within `process keylist` or `process keylist'`.

process delayed=`<nodewalk>` Process delayed keys.

Keylist `delay` cannot be processed using `process keylist` or `process keylist'`. Thus this key.

Like `process keylist` or `process keylist'`, this key uses internal cycles. Thus, any embedded `delays` will be processed.

There is no dynamic creation of nodes between the delay cycles. Any dynamic node instructions will be remembered and executed after the next cycle of `process keylist` or `process keylist'`, or an explicit call to `do dynamics`.

This key is safe to use within `process keylist`, `process keylist'` and `process keylist register`.

nodewalk style **processing order**=`<nodewalk>` **tree**

Redefine this style to change the default order in which `process keylist` processes a keylist option. For example, to process the nodes in a child-first fashion, write

```
for nodewalk={processing order/.style={tree children first}}
```

Note that this is a *nodewalk* style, so it must be defined during a nodewalk.

nodewalk style **(keylist option) processing order**=`<nodewalk>` **processing order**

Redefine this style to change the `process keylist` processing order for a specific `<keylist option>`. For example, to process `before drawing tree` options in the child-first fashion, leaving the processing of other `before ...` keylists untouched, write

```
for nodewalk={before drawing tree processing order/.style={tree children first}}
```

do dynamics Experimental. Perform pending dynamic tree operations.

Do not use this key within `process keylist` or `process keylist'`.

3.4.2 Temporal propagators

Temporal propagators delay processing of given keys until some other point in the processing of the tree. There are three kinds of temporal propagators. Most of the `before ...` and `after ...` propagators defer the processing of the given keys to a hook just before some stage in the workflow (§3.4.1). `before packing node` and `after packing node` are special as they fire *during* the packing stage. The `delay` propagator is “internal” to the current hook: the keys in the hook are processed cyclically, and `delay` delays the processing of the given keys until the next cycle.

Formally, temporal propagators are keylist options (except `delay n`, which is a style), so augmented assignments are possible (§3.6.1).

All temporal propagators can be nested without limit.

propagator **delay**=`<keylist>` Defers the processing of the `<keylist>` until the next cycle.

Internally, `delay` is a keylist option, so augmented operators of the `<keylist>` type can be used.

To check whether any keys were delayed, use conditional `if have delayed`.

propagator **delay n**=`<integer><keylist>` Defers the processing of the `<keylist>` for `n` cycles. `n` may be 0, and it may be given as a `pgfmath` expression.

propagator **given options**

When **stages** processing starts, this list holds the keys given by the user in the bracket representation.


propagator **before typesetting nodes**=⟨keylist⟩ Defers the processing of the ⟨keylist⟩ to until just before the nodes are typeset.

propagator **before packing**=⟨keylist⟩

propagator **before packing node**=⟨keylist⟩

Defers the processing of the ⟨keylist⟩ given to the node to until just before/after the subtree of *this specific node* is packed. Even before packing node, the (subtrees of the) children of the node have already been packed.¹³

propagator **after packing node**=⟨keylist⟩ Defers the processing of the ⟨keylist⟩ given to the node to until just after *this specific node* is packed.



```

\forestset{box/.style={
  draw, no edge, l=0, l sep=1.5ex,
  calign=first, anchor=base west,
  content format={\strut\forestoption{content}}},
  if n children=0}{
    after packing node={
      minimum width/.pgfmath=
        {s("!l")+max_x("!l")-s("!1")-min_x("!1")},
      for children/.wrap pgfmath arg={s+={##1}}{0},
      typeset node}}}}
\begin{forest} for tree={box} [/
  [home[saso[Download][TeX]][alja][joe]]
  [usr[bin][share]]]
\end{forest}
  
```

(50)

→ Remember to typeset or pack the node using **pack'** if you have changed options influencing the typesetting or packing process.

propagator **before computing xy**=⟨keylist⟩ Defers the processing of the ⟨keylist⟩ to until just before the absolute positions of the nodes are computed.

propagator **before drawing tree**=⟨keylist⟩ Defers the processing of the ⟨keylist⟩ to until just before the tree is drawn.

3.4.3 Spatial propagators

Spatial propagators pass the given ⟨keylist⟩ to other node(s) in the tree.

FOREST provides many spatial propagators. Almost all of them are built from long-form nodewalk steps using prefix **for**. This is why the list below is so short: it only documents this prefix and the exceptions. For the list of nodewalk steps, see §3.8.

Spatial propagation does not change the current node: after visiting the nodes the keys are propagated to, a spatial propagator (silently) returns to the origin of the embedded nodewalk.

propagator **for** ⟨step⟩=⟨arg₁⟩...⟨arg_n⟩⟨keylist⟩

Walks the (single- or multi-step) ⟨step⟩ from the current node and executes the given ⟨keylist⟩ at every visited node. The current node remains unchanged.

⟨step⟩ must be a long-form nodewalk step. If it has any arguments, they should be given before the keylist, with one exception: ⟨keylist: every-step⟩ arguments of embedded nodewalks should be omitted, as it makes no sense to provide the every-step keylist twice.

For details on nodewalk steps, see §3.8.

Examples:

¹³FOREST employs two variants of the packing algorithm: the faster one is used for (parts of) trees with uniform growth, i.e. subtrees where **grow** does not change; the slower, generic variant is used in where this is not the case. Now, the fast method works by dealing with l and s dimension separately, and it is able to do this for the entire (sub)tree, without needing to invoke the packing method for its constituents. The consequence is that there is no place where **before packing node** could be called meaningfully, as the node's constituents are not packed individually, "just before packing the current node" is the same as "just before packing the tree", and for many nodes packing is not called anyway in the fast method. As the rationale behind **before packing node** is to be able to adjust the options of the subtree based on the information gained by packing its constituents, specifying **before packing node** automatically switches to the generic method.

- for parent={l sep+=3mm}
- for n=2{circle,draw}
- for nodewalk={uu2}{blue}
- for tree={s sep+=1em}

propagator **for tree'**=⟨keylist 1⟩⟨keylist 2⟩ A “combination” of **for tree children-first** and **for tree**.

Passes the keylists to the current node and its the descendants. At each node, the ⟨keylist 1⟩ is processed first; then, children are processed recursively; finally, ⟨keylist 2⟩ is processed.

For an example, see the definition of **draw brackets** from [linguistics](#).

propagator **for 1, ..., for 9**=⟨keylist⟩
propagator **for -1, ..., for -9**=⟨keylist⟩

Although **for** normally cannot precede short forms of steps, an exception is made for **1, ..., 9**. (These keys will work even if the short steps are redefined.)

for n passes the ⟨keylist⟩ to the *n*th child of the current node. **for -n** starts counting at the last child.

Nodewalk=⟨keylist: config⟩⟨nodewalk⟩⟨keylist: every-step⟩

Configures and executes the ⟨nodewalk⟩. This key is a nodekey-space copy of nodewalk step **Nodewalk**.

- Use this key carefully as it can change the current node!
- The envisioned purpose of this key is to change the current node within the every-step keylist of (an outer) nodewalk, where only node keys are accepted. The config defaults (independent every-step, shared history) are set to facilitate that purpose.

node walk=⟨node walk⟩ **Deprecated!!!** Please use **for nodewalk** in new code. From the old documentation:

This is the most general way to use a ⟨node walk⟩.

Before starting the ⟨node walk⟩, key **node walk/before walk** is processed. Then, the ⟨step⟩s composing the ⟨node walk⟩ are processed: making a step (normally) changes the current node. After every step, key **node walk/every step** is processed. After the walk, key **node walk/after walk** is processed.

node walk/before walk, **node walk/every step** and **node walk/after walk** are processed with **/forest** as the default path: thus, FOREST’s node keys can be used normally inside their definitions.

- Node walks can be tail-recursive, i.e. you can call another node walk from **node walk/after walk** — embedding another node walk in **node walk/before walk** or **node walk/every step** will probably fail, because the three node walk styles are not saved and restored (a node walk doesn’t create a \TeX group).
- **every step** and **after walk** can be redefined even during the walk. Obviously, redefining **before walk** during the walk has no effect (in the current walk).

3.5 Node keys

FOREST is mostly controlled using PGF’s key management utility **pgfkeys** [2, §55]. Most of the keys can be given next to the content in the bracket representation of a tree (§3.3): we call these *node keys*. Some keys, notably *nodewalk steps* (§3.8), must be used as arguments of specific commands.

Most node keys perform some operation on the *current node*. When the keylist given after the content of a node is processed, the current node is set to that node. However, the current node can be temporarily changed, for example by spatial propagators (§3.4.3) or, more genarally, nodewalks (§3.8).

The most common function that node keys perform is to set or modify an *option* of the current node (§3.6), usually to determine the appearance or position of the node and its edge (§3.7), but there are also several kinds of more exotic keys like spatial (§3.4.3) propagators, which temporarily change the current node, temporal (§3.4.2) propagators, which delay the processing of the keylist until some other stage in the workflow, keys that dynamically create and move nodes (§3.10), keys that control the way FOREST processes the tree (§3.4.1) etc. Finally, users can also define their own keys, either by defining **pgfkeys** styles¹⁴ [2, §55.4.4] or using FOREST’s option declaration mechanism (§3.6.3).

¹⁴Styles are a feature of the **pgfkeys** package. They are named keylists, whose usage ranges from mere abbreviations through templates to devices implementing recursion. To define a style, use PGF’s handler **.style** [2, §55.4.4]: ⟨style name⟩/.style=⟨keylist⟩.

→ The style definitions and option declarations given among the other keys in the bracket specification are local to the current tree (but note that `FOREST`'s keylist processing, including temporal and spatial propagation, introduces no groups). To define globally accessible styles and options (well, they are always local to the current `TEX` group), use macro `\forestset` outside the `forest` environment, e.g. in the preamble of the document. (Although `\forestset⟨keylist⟩` is currently equivalent to `\pgfkeys{/forest,⟨keylist⟩}`, don't rely on this as it will change in some (near) future version of the package, as there is a plan to introduce namespaces ...)

The remainder of this section lists the general-purpose node keys, i.e. those which don't deal with tree formatting.

style **afterthought**=⟨toks⟩ Provides the afterthought explicitly.

This key is normally not used by the end-user, but rather called by the bracket parser. By default, this key is a style defined by `afterthought/.style={tikz+={#1}}`: afterthoughts are interpreted as (cumulative) `TikZ` code. If you'd like to use afterthoughts for some other purpose, redefine this style — this will take effect even if you do it in the tree preamble.

autoforward=⟨option⟩⟨keylist⟩, **autoforward register**=⟨register⟩⟨keylist⟩
autoforward'=⟨option⟩⟨keylist⟩, **autoforward register'**=⟨register⟩⟨keylist⟩


Whenever the value of an autoforwarded option or register is given or changed (via an augmented assignment), `⟨option⟩=⟨new value⟩` or `⟨register⟩=⟨new value⟩` is appended to `⟨keylist⟩`. This can be used to “intercept and remember” `TikZ` options, like `anchor` and `rotate`.

The `autoforward'` variant keeps only a single instance of `⟨option⟩` in `⟨keylist⟩`.

If you ever need to use the non-forwarded version of the key, prefix it with word `autoforwarded`, e.g. `autoforwarded rotate`. Autoforwarding is limited to the current `TEX` group.

Autoforward=⟨option⟩⟨style definition⟩, **Autoforward register**=⟨register⟩⟨style definition⟩

This is a more generic variant of autoforwarding. After the value of an option or register autoforwarded with this key is changed, the style defined by `⟨style definition⟩` is called with the new option/register value as its argument.



```

\forestset{Autoforward={content}{node options={#1}}}
\begin{forest}
  [red[blue][green]]
\end{forest}

```

(51)

unautoforward=⟨option or register⟩ Undoes the autoforwarding of the option or register made by any of the autoforwarding keys.

content to=⟨key⟩ When parsing the bracket representation of the tree, store the given content using `⟨key⟩=⟨content⟩`.

copy command key=⟨pgfkey: source⟩⟨pgfkey: destination⟩

Copies the `pgf` key in a way that `.add code` and `.add style` handlers still work.

register **default preamble**=⟨keylist⟩ {}

register **preamble**=⟨keylist⟩

These registers hold the content of the default preamble and the preamble of the current tree.

`preamble` is set by the bracket parser. Set `default preamble` outside the `forest` environment using `\forestset`.

As `default preamble` and `preamble` are not styles but keylist registers, the `#` characters do not need to be doubled: you can freely copy and paste your keylists between the node options of the root node, the preamble and the default preamble. The only difference will be the order of execution: first `default preamble`, then `preamble`, and finally the root node's options.

split=⟨toks⟩⟨separator⟩⟨keylist⟩

split option=⟨option⟩⟨separator⟩⟨keylist⟩

split register=⟨register⟩⟨separator⟩⟨keylist⟩

Split ⟨toks⟩ or the value of ⟨option⟩ or ⟨register⟩ at occurrences of ⟨separator⟩ (which must be a single token), and process the keys in ⟨keylist⟩ with the pieces of the split token list as arguments, in the order given.

The keys in ⟨keylist⟩ can be any valid keys, including augmented assignments, non-current option assignments, even **TeX**.

The difference in the number of split values and given keys is handled gracefully. If there is not enough values, the superfluous keys are not processed; if there are too many values, the last key is called repeatedly.

For an example, see §5.1.

TeX=⟨toks: \TeX code⟩ The given code is executed immediately.

This can be used for e.g. enumerating nodes:

```

\newcount\xcount
\begin{forest} GP1,
  delay={\TeX={\xcount=0},
    where tier={x}{\TeX={\advance\xcount1},
      content/.expanded={##1$_{\the\xcount}$}}{}}
  [
    [O[x[f]]]
    [R[N[x[o]]]]
    [O[x[r]]]
    [R[N[x[e]]][x[s]]]
    [O[x[t]]]
    [R[N[x]]]
  ]
\end{forest}

```

(52)

TeX'=⟨toks: \TeX code⟩ This key is a combination of keys **TeX** and **TeX''**: the given code is both executed and externalized.

TeX''=⟨toks: \TeX code⟩ The given code is externalized, i.e. it will be executed when the externalized images are loaded.

The image-loading and **TeX'** (') produced code are intertwined.

typeout=⟨toks⟩ A FOREST version of \LaTeX macro `\typeout`. Useful for debugging, trust me on this one.

unknown to=⟨key⟩ Forward unknown keys to ⟨key⟩. node options

→ Do *not* use handler `.unknown` to deal with unknown keys, as it is used internally by FOREST, and is set up to make it possible to set options of non-current nodes (see §3.6.1).

unknown key error=⟨keyval⟩ Produces an error.

Write **unknown to**=**unknown key error** to produce an error when a key unknown to FOREST is used.

3.6 Options and registers

FOREST introduces two types of data storage: *node options* (or just *options* for short) and *registers*.

Options store data related to particular nodes. Each node has its own set of option values, i.e. the value of an option at some node is independent of its value at other nodes: in particular, setting an option of a node does *not* set this option for the node's descendants. Register values are not associated to nodes.

Note that option and register keys share the same “namespace” (**pgfkeys** path and **pgfmath** function names) so it is not possible to have an option and a register of the same name!

3.6.1 Setting

The simplest way to set the value of an option or a register is to use the key of the same name.

assignment **<option>**=<value> Sets the value of <option> of the current node to <value>.

Note that option types **<keylist>** and **<autowrapped toks>** redefine this basic key.

assignment **<register>**=<value> Sets the value of <register> to <value>.

Note that register types **<keylist>** and **<autowrapped toks>** redefine this basic key.

Options can also be set for the non-current node:

assignment **<relative node name> . <option>**=<value>

Sets the value of <option> of the node specified by <relative node name> to <value>.

Notes: (i) <value> is evaluated in the context of the current node. (ii) In general, the resolution of <relative node name> depends on the current node; see §3.12. (iii) <option> can also be an “augmented assignment operator” (see below) or, indeed, any node key.

Additional keys for setting and modifying the value of an option or a register exist, depending on its data type. Informally, you can think of these keys as *augmented operators* known from various programming languages.

type **<toks>** contains T_EX’s <balanced text> [1, 275].

A toks <option> additionally defines the following keys:

augmented assignment **<option>+=<toks>** appends the given <toks> to the current value of the option.

augmented assignment **+<option>=<toks>** prepends the given <toks> to the current value of the option.

type **<autowrapped toks>** is a subtype of **<toks>** and contains T_EX’s <balanced text> [1, 275].

<option>=<toks> of an autowrapped <option> is redefined to **<option>/ .wrap value=<toks>** of a normal <toks> option.

Keyvals **<option>+=<toks>** and **+<option>=<toks>** are redefined to **<option>+/.wrap value=<toks>** and **+<option>/ .wrap value=<toks>**, respectively. The normal toks behaviour can be accessed via keys **<option>’**, **<option>+’**, and **+<option>’**.

type **<keylist>** is a subtype of **<toks>** and contains a comma-separated list of <key>[=<value>] pairs.

Augmented assignment operators **<option>+** and **+<option>** automatically insert a comma before/after the appended/prepended material.

Augmented assignment operator **<option>-=<keylist>** deletes the keys from keylist <option>. <keylist> specifies which keys to delete. If a key is given no value, all occurrences of that key will be deleted. If a key is given a value, only occurrences with that value will be deleted. To delete occurrences without value, use special value **\forestnovalue**. (Note: if you include a key in <keylist> more than once, only the last occurrence counts.)

<option>=<keylist> of a keylist option is redefined to **<option>+=<keylist>**. In other words, keylists behave additively by default. The rationale is that one usually wants to add keys to a keylist. The usual, non-additive behaviour can be accessed by **<option>’=<keylist>**.

Manipulating the keylist option using augmented assignments might have the side-effect of adding an empty key to the list.

type **<dimen>** contains a dimension.

The value given to a dimension option is automatically evaluated by **pgfm_{ath}**. In other words, **<option>=<value>** is implicitly understood as **<option>/ .pgfm_{ath}=<value>**.

For a <dimen> option <option>, the following additional keys (“augmented assignments”) are defined:

augmented assignment **<option>+=<value>** is equivalent to **<option>=<option>()+<value>**

augmented assignment **<option>-=<value>** is equivalent to **<option>=<option>()-<value>**

augmented assignment **<option>*=<value>** is equivalent to **<option>=<option>()*<value>**

augmented assignment **<option>:=<value>** is equivalent to **<option>=<option>()/<value>**

The evaluation of `<pgfmath>` can be quite slow. There are two tricks to speed things up *if* the `<pgfmath>` expression is simple, i.e. just a `TeX <dimen>`:

1. `pgfmath` evaluation of simple values can be sped up by prepending `+` to the value [2, §62.1];
2. use the key `<option>'=<value>` to invoke a normal `TeX` assignment.

The two above-mentioned speed-up tricks work for the augmented assignments as well. The keys for the second, `TeX`-only trick are: `'+`, `'-`, `'*`, `':` — note that for the latter two, the value should be an integer.

type `<count>` contains an integer.

The additional keys and their behaviour are the same as for the `<dimen>` options.

type `<boolean>` contains 0 (false) or 1 (true).

In the general case, the value given to a `<boolean>` option is automatically parsed by `pgfmath` (just as for `<count>` and `<dimen>`): if the computed value is non-zero, 1 is stored; otherwise, 0 is stored. Note that `pgfmath` recognizes constants `true` and `false`, so it is possible to write `<option>=true` and `<option>=false`.

If key `<option>` is given no argument, `pgfmath` evaluation does not apply and a true value is set. To quickly set a false value, use key `not <option>` (with no arguments).

3.6.2 Reading

Option and register values can be accessed using the four macros listed below, handlers `.option` and `.register` (§3.11) and `pgfmath` functions (3.15).

```
macro \forestoption{<option>}
macro \foresteoption{<option>}
macro \forestregister{<register>}
macro \foresteregister{<register>}
```

These macros expand to the value of the given option or register. Note that `\forestoption` and `\foresteoption` expand to the value of the given option of the *current node*; to access option values of a non-current node, use `pgfmath` functions.

In the context of `\edef`, `\forestoption` and `\forestregister` expand precisely to the token list of the option value, while `\foresteoption` and `\foresteregister` fully expand the value.

→ These macros can be useful in `TeX` code introduced by `TeX` or PGF's handler `.expanded` [2, §55.4.6].

3.6.3 Declaring

Using the following keys, users can also declare their own options and registers. The new options and registers will behave exactly like the predefined ones.

Note that the declaration of an option must provide a default value, while the declaration of a register must not do that. The default value of an option will be assigned to any newly created nodes; the existing nodes are not affected.

`declare toks=<option name><default value>` Declares a `<toks>` option.

`declare autowrapped toks=<option name><default value>` Declares an `<autowrapped toks>` option.

`declare keylist=<option name><default value>` Declares a `<keylist>` option.

`declare dimen=<option name><default value>` Declares a `<dimen>` option.

`declare count=<option name><default value>` Declares a `<count>` option.

`declare boolean=<option name><default value>` Declares a `<boolean>` option.

`declare toks register=<register name>` Declares a `<toks>` register.

`declare autowrapped toks register=<register name>` Declares an `<autowrapped toks>` register.

`declare keylist register=<register name>` Declares a `<keylist>` register.

declare dimen register=⟨register name⟩ Declares a ⟨dimen⟩ register.

declare count register=⟨register name⟩ Declares a ⟨count⟩ register.

declare boolean register=⟨register name⟩ Declares a ⟨boolean⟩ register.

Several scratch registers are predefined:

register **temptoksa**, **temptoksb**, **temptoksc**, **temptoksd** Predefined ⟨toks⟩ registers.

register **tempkeylista**, **tempkeylistb**, **tempkeylistc**, **tempkeylistd** Predefined ⟨keylist⟩ registers.

register **tempdima**, **tempdimb**, **tempdimc**, **tempdimd**, **tempdimx**, **tempdimy**, **tempdiml**, **tempdims** Predefined ⟨dimen⟩ registers.

register **tempcounta**, **tempcountb**, **tempcountc**, **tempcountd** Predefined ⟨count⟩ registers.

register **tempboola**, **tempboolb**, **tempboolc**, **tempboold** Predefined ⟨boolean⟩ registers.

3.7 Formatting the tree

3.7.1 Node appearance

The following options apply at stage **typeset nodes**. Changing them afterwards has no effect in the normal course of events.

option **align**=**left** | **center** | **right** | ⟨toks: tabular header⟩ { }

Creates a left/center/right-aligned multiline node, or a tabular node. In the **content** option, the lines of the node should be separated by `\\` and the columns (if any) by `&`, as usual.

The vertical alignment of the multiline/tabular node can be specified by option **base**.

special value	actual value
left	<code>@{}l@{ }</code>
center	<code>@{}c@{ }</code>
right	<code>@{}r@{ }</code>

top base
right aligned

left aligned
bottom base

```
\begin{forest} 1 sep+=2ex
[
  [special value&actual value\\hline
  \indexdef{value=align>left}&||\texttt{@\{ }l@{ } }\\
  \indexdef{value=align>center}&||\texttt{@\{ }c@{ } }\\
  \indexdef{value=align>right}&||\texttt{@\{ }r@{ } }\\
  ,align=ll,draw
  [top base\\right aligned, align=right,base=top]
  [left aligned\\bottom base, align=left,base=bottom]
]
\end{forest}
```

(53)

Internally, setting this option has two effects:

1. The option value (a **tabular** environment header specification) is set. The special values **left**, **center** and **right** invoke styles setting the actual header to the value shown in the above example.

→ If you know that the **align** was set with a special value, you can easily check the value using **if in align**.

2. Option **content format** is set to the following value:

```
\noexpand\begin{tabular}[\forestoption{base}]{\forestoption{align}}%
\forestoption{content}%
\noexpand\end{tabular}%
```

As you can see, it is this value that determines that options **base**, **align** and **content** specify the vertical alignment, header and content of the table.


option **base**=⟨toks: vertical alignment⟩ t

This option controls the vertical alignment of multiline (and in general, **tabular**) nodes created with **align**. Its value becomes the optional argument to the **tabular** environment. Thus, sensible values are **t** (the top line of the table will be the baseline) and **b** (the bottom line of the table will be the baseline). Note that this will only have effect if the node is anchored on a baseline, like in the default case of **anchor=base**.

For readability, you can use **top** and **bottom** instead of **t** and **b**. (top and bottom are still stored as **t** and **b**.)

option **content**= \langle autowrapped toks \rangle The content of the node. {}

Normally, the value of option **content** is given implicitly by virtue of the special (initial) position of content in the bracket representation (see §3.3). However, the option also be set explicitly, as any other option.



```

\begin{forest}
  delay={for tree={
    if n=1{content=L}
      {if n'=1{content=R}
        {content=C}}}}
  [[[] [] []] [] [] []]
\end{forest}

```

(54)

Note that the execution of the **content** option should usually be delayed: otherwise, the implicitly given content (in the example below, the empty string) will override the explicitly given content.



```

\begin{forest}
  for tree={
    if n=1{content=L}
      {if n'=1{content=R}
        {content=C}}}}
  [[[] [] []] [] [] []]
\end{forest}

```

(55)

option **content format**= \langle toks \rangle **\forestoption {content}**

When typesetting the node under the default conditions (see option **node format**), the value of this option is passed to the TikZ **node** operation as its \langle text \rangle argument [2, §16.2]. The default value of the option simply puts the content in the node.

This is a fairly low level option, but sometimes you might still want to change its value. If you do so, take care of what is expanded when. Most importantly, if you use a formatting command such as **\textbf** in the default setting of **node format**, be sure to precede it with **\noexpand**. For details, read the documentation of option **node format** and macros **\forestoption** and **\foresteoption**; for an example, see option **align**.

math content Changes **content format** so that the content of the node will be typeset in a math environment.

plain content Resets **content format** to the default value.

option **node format**= \langle toks \rangle **\noexpand\node(\forestoption{name}**
[\forestoption{node options}]{\foresteoption{content format}};

The node is typeset by executing the expansion of this option's value in a **tikzpicture** environment.

Important: the value of this option is first expanded using **\edef** and only then executed. Note that in its default value, **content format** is fully expanded using **\foresteoption**: this is necessary for complex content formats, such as **tabular** environments.

This is a low level option. Ideally, there should be no need to change its value. If you do, note that the TikZ node you create should be named using the value of option **name**; otherwise, parent-child edges can't be drawn, see option **edge path**.


node format'= \langle toks \rangle

Sets **node format**, automatically wrapping the given \langle toks \rangle by **\noexpand\node(\forestoption{name})** and **;**. Only the node options and content must therefore be given.

option **node options**= \langle keylist \rangle **anchor=base**


When the node is being typeset under the default conditions (see option **node format**), the content of this option is passed to TikZ as options to the TikZ **node** operation [2, §16].

This option is rarely manipulated manually: almost all options unknown to FOREST are automatically appended to **node options**. Exceptions are (i) **label** and **pin**, which require special attention in order to work; and (ii) **anchor**, which is saved in order to retain the information about the selected anchor.



option **phantom**= \langle boolean \rangle false

A phantom node and its surrounding edges are taken into account when packing, but not drawn. (This option applies in stage **draw tree**.)



```

\begin{forest}
  [VP[DP][V',phantom[V][DP]]]
\end{forest}

```

3.7.2 Node position

Most of the following options apply at stage **pack**. Changing them afterwards has no effect in the normal course of events. (Options **l**, **s**, **x**, **y** and **anchor** are exceptions; see their documentation for details).

option **anchor**= \langle toks: FOREST anchor \rangle base

This is essentially a TikZ option [see 2, §16.5.1] — it is **autoforwarded** to TikZ via option **node options** when the node is typeset (this option thus applies in stage **typeset nodes**) — but it is also saved by FOREST.

The effect of this option is only observable when a node has a sibling: the anchors of all siblings are s-aligned (if their **ls** have not been modified after packing).

In the TikZ code, you can refer to the node's anchor using FOREST's anchor **anchor**.

\langle toks: FOREST anchor \rangle can be any TikZ anchor. Additionally, FOREST defines several tree hierarchy related anchors; for details, see §3.14.

option **calign**=child|child edge|midpoint|edge midpoint|fixed angles|fixed edge angles center
first|last|center.

The packing algorithm positions the children so that they don't overlap, effectively computing the minimal distances between the node anchors of the children. This option (**calign** stands for child alignment) specifies how the children are positioned with respect to the parent (while respecting the above-mentioned minimal distances).

The child alignment methods refer to the primary and the secondary child, and to the primary and the secondary angle. These are set using the keys described just after **calign**.

calign=child s-aligns the node anchors of the parent and the primary child.

calign=child edge s-aligns the parent anchor of the parent and the child anchor of the primary child.

calign=first is an abbreviation for **calign=child**, **calign child=1**.


calign=last is an abbreviation for **calign=child**, **calign child=-1**.

`calign=midpoint` s-aligns the parent's node anchor and the midpoint between the primary and the secondary child's node anchor.

`calign=edge midpoint` s-aligns the parent's parent anchor and the midpoint between the primary and the secondary child's child anchor.

`calign=center` is an abbreviation for

`calign=midpoint, calign primary child=1, calign secondary child=-1.`




```
\begin{forest}
[center,calign=center[1]
[first,calign=first[A][B][C]][3][4][5][6]
[last,calign=last[A][B][C]][8]]
\end{forest}
```

`calign=fixed angles`: The angle between the direction of growth at the current node (specified by option `grow`) and the line through the node anchors of the parent and the primary/secondary child will equal the primary/secondary angle.

To achieve this, the block of children might be spread or further distanced from the parent.

`calign=fixed edge angles`: The angle between the direction of growth at the current node (specified by option `grow`) and the line through the parent's parent anchor and the primary/secondary child's child anchor will equal the primary/secondary angle.

To achieve this, the block of children might be spread or further distanced from the parent.



```
\begin{forest}
calign=fixed edge angles,
calign primary angle=-30,calign secondary angle=60,
for tree={l=2cm}
[CP[C][TP]]
\draw[dotted] (!1) -| coordinate(p) () (!2) -| ();
\path ()--(p) node[pos=0.4,left,inner sep=1pt]{-30};
\path ()--(p) node[pos=0.1,right,inner sep=1pt]{60};
\end{forest}
```

option `calign child=<count>` is an abbreviation for `calign primary child=<count>`.

option `calign primary child=<count>` Sets the primary child. (See `calign`.) 1
`<count>` is the child's sequence number. Negative numbers start counting at the last child.

option `calign secondary child=<count>` Sets the secondary child. (See `calign`.) -1
`<count>` is the child's sequence number. Negative numbers start counting at the last child.

option `calign angle=<count>` is an abbreviation for `calign primary angle=-<count>`, `calign secondary angle=<count>`.

option `calign primary angle=<count>` Sets the primary angle. (See `calign`.) -35

option `calign secondary angle=<count>` Sets the secondary angle. (See `calign`.) 35

option `calign with current` s-aligns the node anchors of the current node and its parent. This key is an abbreviation for:
for parent/.wrap pgfmath arg={calign=child,calign primary child=##1}{n}.


option `calign with current edge` s-aligns the child anchor of the current node and the parent anchor of its parent. This key is an abbreviation for:
for parent/.wrap pgfmath arg={calign=child edge,calign primary child=##1}{n}.

option `fit=tight|rectangle|band` tight


This option sets the type of the (s-)boundary that will be computed for the subtree rooted in the node, thereby determining how it will be packed into the subtree rooted in the node's parent. There are three choices:¹⁵

¹⁵Below is the definition of style `show boundary`. The use `path` trick is adjusted from T_EX Stackexchange question [Calling a previously named path in tikz](#).


- **fit=tight**: an exact boundary of the node's subtree is computed, resulting in a compactly packed tree. Below, the boundary of subtree L is drawn.



- **fit=rectangle**: puts the node's subtree in a rectangle and effectively packs this rectangle; the resulting tree will usually be wider.



- **fit=band**: puts the node's subtree in a rectangle of "infinite depth": the space under the node and its descendants will be kept clear.



option **grow**=⟨count⟩, **grow'**=⟨count⟩, **grow''**=⟨count⟩

270

The direction of the tree's growth at the node.

The growth direction is understood as in TikZ's tree library [2, §18.5.2] when using the default growth method: the (node anchor's of the) children of the node are placed on a line orthogonal to the current direction of growth. (The final result might be different, however, if **l** is changed after packing or if some child undergoes tier alignment.)


This option is essentially numeric (**pgfmath** function **grow** will always return an integer), but there are some twists. The growth direction can be specified either numerically or as a compass direction (**east**, **north east**, ...). Furthermore, like in TikZ, setting the growth direction using key **grow** additionally sets the value of option **reversed** to **false**, while setting it with **grow'** sets it to **true**; to change the growth direction without influencing **reversed**, use key **grow''**.

Between stages **pack** and **compute xy**, the value of **grow** should not be changed.

```

\makeatletter\tikzset{use path/.code={\tikz@addmode{\pgfsyssoftpath@setcurrentpath#1}
  \appto\tikz@preactions{\let\tikz@actions@path#1}}\makeatother
\forestset{show boundary/.style={
  before drawing tree={get min s tree boundary=\minboundary, get max s tree boundary=\maxboundary},
  tikz+={\draw[red,use path=\minboundary]; \draw[red,use path=\maxboundary];}}

```




option **ignore**= \langle boolean \rangle false

If this option is set, the packing mechanism ignores the node, i.e. it pretends that the node has no boundary. Note: this only applies to the node, not to the tree.

Maybe someone will even find this option useful for some reason ...

option **ignore edge**= \langle boolean \rangle false

If this option is set, the packing mechanism ignores the edge from the node to the parent, i.e. nodes and other edges can overlap it. (See §6.2 for some problematic situations.)



option **l**= \langle dimen \rangle The l-position of the node, in the parent's ls-coordinate system. (The origin of a node's ls-coordinate system is at its (node) anchor. The l-axis points in the direction of the tree growth at the node, which is given by option **grow**. The s-axis is orthogonal to the l-axis; the positive side is in the counter-clockwise direction from l axis.)

The initial value of l is set from the standard node. By default, it equals:

$$l \text{ sep} + 2 \cdot \text{outer ysep} + \text{total height}(\text{standard node})$$

The value of l can be changed at any point, with different effects.

- The value of l at the beginning of stage **pack** determines the minimal l-distance between the anchors of the node and its parent. Thus, changing l before packing will influence this process. (During packing, l can be increased due to parent's **l sep**, tier alignment, or **calign** methods **fixed angles** and **fixed edge angles**.)
- Changing l after packing but before stage **compute xy** will result in a manual adjustment of the computed position. (The augmented assignment operators can be useful here.)
- Changing l after the absolute positions have been computed has no effect in the normal course of events.

option **l sep**= \langle dimen \rangle The minimal l-distance between the node and its descendants.

This option determines the l-distance between the *boundaries* of the node and its descendants, not node anchors. The final effect is that there will be a **l sep** wide band, in the l-dimension, between the node and all its descendants.

The initial value of **l sep** is set from the standard node and equals

$$\text{height}(\text{strut}) + \text{inner ysep}$$

Note that despite the similar name, the semantics of **l sep** and **s sep** are quite different.


option **reversed**= \langle boolean \rangle false
 If **false**, the children are positioned around the node in the counter-clockwise direction; if **true**, in the clockwise direction. See also **grow**.

option **rotate**= \langle count \rangle 0
 This option is saved and **autoforwarded** to TikZ's `\node` command via **node options**.

option **s**= \langle dimen \rangle The s-position of the node, in the parent's ls-coordinate system. (The origin of a node's ls-coordinate system is at its (node) anchor. The l-axis points in the direction of the tree growth at the node, which is given by option **grow**. The s-axis is orthogonal to the l-axis; the positive side is in the counter-clockwise direction from l axis.)

The value of **s** is computed in stage **pack stage** and used in stage **compute xy stage**, so it only makes sense to (inspect and) change it in **before computing xy** and during packing (**before packing node** and **after packing node**). *Any value given before packing is overridden, and changing the value after computing xy has no effect.*

For example, consider the manual correction below. By default, B is closer to A than C because packing proceeds from the first to the last child — the position of B would be the same if there was no C. Adjusting **s** at the right moment, it is easy to center B between A and C.



option **s sep**= \langle dimen \rangle
 The subtrees rooted in the node's children will be kept at least **s sep** apart in the s-dimension. Note that **s sep** is about the minimal distance between node *boundaries*, not node anchors.

The initial value of **s sep** is set from the standard node and equals $2 \cdot \text{inner xsep}$.

Note that despite the similar name, the semantics of **s sep** and **l sep** are quite different.

option **tier**= \langle toks \rangle {}
 Setting this option to something non-empty “puts a node on a tier.” All the nodes on the same tier are aligned in the l-dimension.

Tier alignment across changes in growth direction is impossible. In the case of incompatible options, FOREST will yield an error.


Tier alignment also does not work well with **calign=fixed angles** and **calign=fixed edge angles**, because these child alignment methods may change the l-position of the children. When this might happen, FOREST will yield a warning.

option **x**= \langle dimen \rangle

option **y**= \langle dimen \rangle

x and **y** are the coordinates of the node in the “normal” (paper) coordinate system, relative to the root of the tree that is being drawn. So, essentially, they are absolute coordinates.

The values of **x** and **y** are computed in stage **compute xy**. It only makes sense to inspect and change them (for manual adjustments) afterwards (normally, in the **before drawing tree** hook, see §3.4.1.) **x** and **y** of the (formal) root node are exceptions, as they are not changed in stage **compute xy**.



```
\begin{forest}
  for tree={grow'=45,l=1.5cm}
  [A[B][C][D,before drawing tree={y-=4mm}[1][2][3][4][5]][E][F]]
\end{forest}
```

3.7.3 Edges


These options determine the shape and position of the edge from a node to its parent. They apply at stage `draw tree`.

option `child anchor`=⟨toks: FOREST anchor⟩ See `parent anchor`. {}

option `edge`=⟨keylist⟩ draw

When `edge path` has its default value, the value of this option is passed as options to the TikZ `\path` expression used to draw the edge between the node and its parent.

Also see key `no edge`.




```
\begin{forest} for tree={grow'=0,l=2cm,anchor=west,child anchor=west}, (67)
  [root
    [normal]
    [none,no edge]
    [dotted,edge=dotted]
    [dashed,edge=dashed]
    [dashed,edge={dashed,red}]
  ]
\end{forest}
```

option `edge label`=⟨toks: TikZ code⟩ {}

When `edge path` has its default value, the value of this option is used at the end of the edge path specification to typeset a node (or nodes) along the edge.

The packing mechanism is not sensitive to edge labels.



```
\begin{forest} (68)
  [VP
    [V,edge label={node[midway,left,font=\scriptsize]{head}}]
    [DP,edge label={node[midway,right,font=\scriptsize]{complement}}]
  ]
\end{forest}
```

option `edge path`=⟨toks: TikZ code⟩ \noexpand\path[\forestoption{edge}]
(!u.parent anchor)--(.child anchor)\forestoption{edge label};

This option contains the code that draws the edge from the node to its parent. By default, it creates a path consisting of a single line segment between the node's `child anchor` and its parent's `parent anchor`. Options given by `edge` are passed to the path; by default, the path is simply drawn. Contents of `edge label` are used to potentially place a node (or nodes) along the edge.

When specifying the edge path, the values of options `edge` and `edge label` can be used. Furthermore, two anchors, `parent anchor` and `child anchor`, are defined, to facilitate access to options `parent anchor` and `child anchor` from the TikZ code.

The node positioning algorithm is sensitive to edges, i.e. it will avoid a node overlapping an edge or two edges overlapping. However, the positioning algorithm always behaves as if the `edge path` had the default value — *changing the edge path does not influence the packing!* Sorry. (Parent-child edges can be ignored, however: see option `ignore edge`.)

edge path'=⟨toks: TikZ code⟩

Sets **edge path**, automatically wrapping the given path by `\noexpand\path[\forestoption{edge}]` and `\forestoption{edge label}`;

option **parent anchor**=⟨toks: FOREST anchor⟩ (Information also applies to option **child anchor**.) {}

FOREST defines anchors **parent anchor** and **child anchor** (which work only for FOREST and not also TikZ nodes, of course) to facilitate reference to the desired endpoints of child–parent edges. Whenever one of these anchors is invoked, it looks up the value of the **parent anchor** or **child anchor** of the node named in the coordinate specification, and forwards the request to the (TikZ) anchor given as the value.

The indented use of the two anchors is chiefly in **edge path** specification, but they can be used in any TikZ code.



```
\begin{forest}
  for tree={parent anchor=south,child anchor=north}
  [VP[V][DP]]
  \path[fill=red] (.parent anchor) circle[radius=2pt]
    (!1.child anchor) circle[radius=2pt]
    (!2.child anchor) circle[radius=2pt];
\end{forest}
```

(69)

The empty value (which is the default) is interpreted as in TikZ: as an edge to the appropriate border point. See also §3.14 for a list of additional anchors defined by FOREST.

no edge Clears the edge options (**edge'**={}) and sets **ignore edge**.

3.7.4 Information about node

The values of these options provide various information about the tree and its nodes.

alias=⟨toks⟩

alias'=⟨toks⟩ Sets the alias for the node's name.

Unlike **name**, **alias** is *not* an option: you cannot e.g. query its value via a `pgfmath` expression.

If the given alias clashes with an existing node name, **alias** will yield an error, while **alias'** will silently rename the node with this name to its default (`node@⟨id⟩`) value. Use an empty argument to reset the node's name to its default value.

Aliases can be used as the ⟨forest node name⟩ part of a relative node name and as the argument to the **name** step of a node walk. The latter includes the usage as the argument of the **for name** propagator.

Technically speaking, FOREST **alias** is *not* a TikZ alias! However, you can still use it as a “node name” in TikZ coordinates, since FOREST hacks TikZ's implicit node coordinate system to accept relative node names; see §3.13.

readonly option **id**=⟨count⟩ The internal id of the node.

readonly option **level**=⟨count⟩ The hierarchical level of the node. The root is on level 0.

readonly option **max x**=⟨dimen⟩

readonly option **max y**=⟨dimen⟩

readonly option **min x**=⟨dimen⟩

readonly option **min y**=⟨dimen⟩ Measures of the node, in the shape's coordinate system [see 2, §16.2, §48, §75] shifted so that the node anchor is at the origin.

In `pgfmath` expressions, these options are accessible as `max_x`, `max_y`, `min_x` and `min_y`.

readonly option **n**=⟨count⟩ The child's sequence number in the list of its parent's children.

The enumeration starts with 1. For a geometric root, **n** equals 0.

readonly option **n'**=⟨count⟩ Like **n**, but starts counting at the last child.

In `pgfmath` expressions, this option is accessible as `n_`.

option **name**=⟨toks⟩

`node@\meta{id}`

name'=⟨toks⟩ Sets the name of the node.

The expansion of ⟨toks⟩ becomes the ⟨forest node name⟩ of the node. The TikZ node created from the FOREST node will get the name specified by this option.

Node names must be unique. If a node with the given name already exists, **name** will yield an error, while **name'** will silently rename the node with this name to its default (**node@⟨id⟩**) value. Use an empty argument to reset the node's name to its default value.

readonly option **n children**=⟨count⟩ The number of children of the node.

In **pgfmath** expressions, this option is accessible as **n_children**.

3.7.5 Various

baseline The node's anchor becomes the baseline of the whole tree [cf. 2, §69.3.1].

In plain language, when the tree is inserted in your (normal T_EX) text, it will be vertically aligned to the anchor of the current node.

Behind the scenes, this style sets the alias of the current node to **forest@baseline@node**.

<pre> parent Baseline at the parent and baseline at the child. child </pre>	<pre> {\tikzexternaldisable Baseline at the \begin{forest} [parent,baseline,use as bounding box' [child]] \end{forest} and baseline at the \begin{forest} [parent [child,baseline,use as bounding box']] \end{forest}.} </pre>	(70)
---	--	------

<pre> begin draw/.code=⟨toks: T_EX code⟩ end draw/.code=⟨toks: T_EX code⟩ </pre>	<pre> \begin {tikzpicture} \end {tikzpicture} </pre>
--	--

The code produced by **draw tree** is put in the environment specified by **begin draw** and **end draw**. Thus, it is this environment, normally a **tikzpicture**, that does the actual drawing.

A common use of these keys might be to enclose the **tikzpicture** environment in a **center** environment, thereby automatically centering all trees; or, to provide the TikZ code to execute at the beginning and/or end of the picture.

Note that **begin draw** and **end draw** are *not* node options: they are **\pgfkeys'** code-storing keys [2, §55.4.3–4].

tikz key **/tikz/fit to**=⟨nodewalk⟩ Fits the TikZ node to the nodes in the given ⟨nodewalk⟩.

This key should be used like **/tikz/fit** of the TikZ's fitting library [see 2, §34]: as an option to TikZ's **node** operation, the obvious restriction being that **fit to** must be used in the context of some FOREST node. For an example, see footnote 7.

This key works by calling **/tikz/fit** and providing it with the the coordinates of the subtree's boundary.

The ⟨nodewalk⟩ inherits its history from the outer nodewalk (if there is one). Its every-step keylist is empty.

```

get min s tree boundary=⟨cs⟩
get max s tree boundary=⟨cs⟩

```

Puts the boundary computed during the packing process into the given ⟨cs⟩. The boundary is in the form of PGF path. The **min** and **max** versions give the two sides of the node. For an example, see how the boundaries in the discussion of **fit** were drawn.

option **label**=⟨toks: TikZ node⟩ The current node is labelled by a TikZ node.

The label is specified as a TikZ option **label** [2, §16.10]. Technically, the value of this option is passed to TikZ's as a late option [2, §16.14]. (This is so because FOREST must first typeset the nodes separately to measure them (stage **typeset nodes**); the preconstructed nodes are inserted in the big picture later, at stage **draw tree**.) Another option with the same technicality is **pin**.

option **pin**=⟨toks: TikZ node⟩ The current node gets a pin, see [2, §16.10]. The technical details are the same as for **label**.

use as bounding box The current node’s box is used as a bounding box for the whole tree.

use as bounding box’ Like **use as bounding box**, but subtracts the (current) inner and outer sep from the node’s box. For an example, see **baseline**.

option **tikz**=⟨toks: TikZ code⟩ “Decorations.” { }

The code given as the value of this option will be included in the **tikzpicture** environment used to draw the tree. The code given to various nodes is appended in a depth-first, parent-first fashion. The code is included after all nodes of the tree have been drawn, so it can refer to any node of the tree. Furthermore, relative node names can be used to refer to nodes of the tree, see §3.12.

By default, bracket parser’s afterthoughts feed the value of this option. See **afterthought**.

3.8 Nodewalks

A *nodewalk* is a sequence of *steps* describing a path through the tree. Most steps are defined relative to the current node, for example **parent** steps to the parent of the current node, and **n=2** steps to the second child of the current node, where “to make a step” means to change the current node. Thus, nodewalk **parent, parent, n=2** describes the path which first steps to the parent of the *origin* node, then to its grandparent and finally to the second child of the origin’s grandparent.

The origin of the nodewalk depends on how the nodewalk is invoked. When used after the **!** in a relative node name (§3.12), the origin is the node with the name given before **!**; when invoked by a spatial propagator such as **for nodewalk** (§3.4.3), the origin is the current node.

Formally, a ⟨nodewalk⟩ is a list of **pgfkeys** key–value pairs. Steps in a nodewalk are thus separated by commas. However, FOREST also recognizes *short-form* steps, whose names consist of a single character and which do not need to be separated by a comma. For example, nodewalk **parent, parent, n=2** can be concisely written as **uu2**. Long and short forms can be mixed freely, like this: **next, uu2, previous**.

Besides nodewalk keys, a ⟨nodewalk⟩ can also contain node keys (or even TikZ keys).¹⁶ These keys do their usual function, but within the context of the current node of the nodewalk: **parent, s=2em, parent, text=red** sets the parent’s **s** to 2em and the grandparent’s text color to red. It is worth noting that node keys include **TeX**, which makes it possible to execute any T_EX code while nodewalking.

Some steps target a single node, like above-mentioned **parent** and **n**. Others, called multi-steps, describe mini-walks themselves: for example **children** visits each child of the node in turn, and **tree** visits each of the node’s descendants (including the node itself). The path of many steps is determined by the geometric relations of the tree, or the value of some option. However, there are also keys for embedding nodewalks (**nodewalk**, **branch**, etc.), saving and loading nodewalks, sorting them, or even re-walking the history of steps made (like in a web browser).¹⁷ Finally, if all this is not enough, you can define your own steps, see §3.8.8.

Each nodewalk has an associated *every-step keylist*: a keylist of node keys¹⁸ which get executed after each step of the nodewalk. The every-step keylist of the current nodewalk is contained in register **every step** and can be changed at any point during the nodewalk. Its value at the start of the nodewalk depends on how the nodewalk was invoked. In most cases (e.g. **nodewalk** or prefix **for**-based spatial propagators), it is given explicitly as an argument to the key that executes the nodewalk. However, see **Nodewalk** for

¹⁶The precise algorithm for keyname resolution in nodewalks is as follows.

- First, FOREST searches for the given ⟨keyname⟩ in the **/forest/nodewalk** path. If found (a long-form step or a nodewalk style), it is executed.
- Next, it is checked whether ⟨keyname⟩ is a sequence of short-form steps; if so, they are executed.
- Otherwise, ⟨key⟩ is executed in the **/forest** path. This includes both FOREST’s and TikZ’s keys. The latter are usually forwarded to TikZ via **node options**.

There are some clashes between node key and nodewalk step names. For example, **l** is both a ⟨dimen⟩ option and a short form of the step to the last child. According to the rules above, the nodewalk step will take precedence in case of a clash. Use nodewalk key **options** to execute a clashing node key.

¹⁷Note that nesting operation (§3.8.4) and history (§3.8.5) steps, or embedding nodewalks under these steps doesn’t work, for most combinations, as many of them internally manipulate nodewalk history.

¹⁸When executing the **every step** keylist, FOREST switches into the **/forest** path, which makes it impossible to directly include a nodewalk into the every-step keylist. The reason is performance. Every time a **/forest/nodewalk** key is not found, the short-form nodewalk recognition algorithm is executed, and this algorithm is slow. As **every step** is used a lot (it is for example used every invocation of every spatial propagator) and the keys in **every step** are usually node options from **/forest** path, FOREST would spend way too much time checking if a given node option is actually a short-form nodewalk.

If you need to execute nodewalk keys within the every-step keylist, use node key **Nodewalk**.

information on how the every-step keylist of an embedded nodewalk can interact with the every-step keylist of its parent nodewalk.

Each nodewalk step can be either *real* or *fake*. Fake steps only change the current node. Real steps also trigger execution of the every-step keylist and update of history. Fake steps are sometimes useful as a “computational tool”. They can be introduced explicitly using `fake`; some other keys (like some history nodewalk keys, §3.8.5) introduce fake steps implicitly.

In some cases, the nodewalk might step “out of the tree”. (Imagine using `parent` at the root of the tree, or `n=42` at a node with less than 42 children.) Our official term will be that the nodewalk stepped on an *invalid node*; what happens formally is that the current node is changed to the node with `id=0`. Normally, such an event raises an error. However, the full story is told by `on invalid`.

Nodewalks can be hard to follow, especially when designing styles. FOREST does its best to help. First, it logs the nodewalk stack in case of error. Second, if package option `debug` is given, it logs every step made.

3.8.1 Single-step keys

Single-step nodewalk keys visit a single node. If the node a single-step is trying to visit does not exist, the current node is set to the invalid node (i.e. node with `id=0`). This can be useful for looping, see §3.9. Use `last valid` or `last valid'` to return to the node that was current before the “unsuccessful” single-step.

For each single-step key, propagator `for <step>` is also defined. `for <step>=<keylist>` is equivalent to `for={<step>}{<keylist>}`. If the step takes an argument, then its `for <step>` propagator takes two and the argument of the step precedes the `<keylist>`. See also §3.4.3.

Linear order below means the order of nodes in the bracket representation, i.e. depth-first parent-first first-child-first.

- step* `current` an “empty” step: the current node remains the same¹⁹
- step* `first` the first child
- step* `first leaf`, `first leaf'` the first leaf (terminal node) of the current node’s descendants (`first leaf`) or subtree (`first leaf'`), in the linear order
- step* `id=<id>` the node with the given id; this step does not depend on the current node
- step* `last` the last child
- step* `last leaf`, `last leaf'` the last leaf (terminal node) of the current node’s descendants (`last leaf`) or subtree (`last leaf'`), in the linear order
- step* `n=n` the *n*th child; counting starts at 1²⁰
- step* `n'=n` the *n*th child, starting the count from the last child
- step* `name=<name>` the node with the given name or alias; this step does not depend on the current node
- step* `next` the next sibling
- step* `next leaf` the next node (in the linear order) which is a leaf (the current node need not be a leaf)
- step* `next node` the next node of the entire tree, in the linear order
- step* `next on tier=<tier>` the next node (in the linear order) on the given tier; if no tier is given, assume the tier of the current node
- step* `origin` the starting node of the nodewalk; note that the starting point does not automatically count as a step: if you want to step on it, use this key (or `current`, at the beginning of the nodewalk)
- step* `parent` the parent
- step* `previous` the previous sibling
- step* `previous leaf` the previous node (in the linear order) which is a leaf (the current node need not be a leaf)

¹⁹While it might at first sight seem stupid to have an empty step, this is not the case. For example, using propagator `for current` derived from this step, one can process a `<keylist>` constructed using `.wrap (n) pgfmath arg(s)` or `.wrap value`.

²⁰Note that `n` without an argument is a short form of `next`.

step **previous node** the previous node of the entire tree, in the linear order

step **previous on tier**=⟨tier⟩ the previous node (in the linear order) on the given tier; if no tier is given, assume the tier of the current node

step **root** the root node, i.e. the ancestor of the current node without the parent; note that this key *does* depend on the current node

step **root'** the formal root node (see **set root** in §3.10); this key does not depend on the current node

step **sibling** the sibling
(don't use if the parent doesn't have exactly two children ...)

step **to tier**=⟨tier⟩ the first ancestor of the current node (or the node itself) on the given ⟨tier⟩

3.8.2 Multi-step keys

Multi-step keys visit several nodes, in general. If a multi-step key visits no nodes, the current node remains unchanged.

For each multi-step key, spatial propagator **for** ⟨step⟩ is also defined, see §3.4.3.

Many of the keys below have a **reversed** variant. Those keys reverse the order of *children*. Note that in general, this differs from operation key **reverse**, which reverses the order of the entire embedded nodewalk.

Linear order below means the order of nodes in the bracket representation, i.e. depth-first parent-first first-child-first.

step **children, children reversed**

Visit all the children of the current node.

step **tree, tree reversed**

step **tree children-first, tree children-first reversed**

step **tree breadth-first, tree breadth-first reversed**


Visit the current node and all its descendants.

The above keys differ in the order the nodes are visited. The basic key, **tree**, traverses the nodes in the depth-first, parent-first first-child-first order, i.e. the order in which they are given in the bracket representation: so it visits the parent before its children and it visits the children from the first to the last.

reversed variants reverse the order of *children*, visiting them from the last to the first (from the viewpoint of the bracket representation).

children-first variants visit the children before the parent.

breadth-first variants behave like **level** steps below: they first visit level 0 nodes, then level 1 nodes etc.



```

\forestset{
  enumerate/.style={
    tempcounta=1,
    for #1={
      content/.pgfmath=tempcounta,
      tempcounta+=1
    }
  }
}
\newcommand\enumtree[1]{%
\begin{forest}
  [#1,1 sep=0,for n=1{
    l=0,no edge,delay={enumerate=#1}}
  ]
\end{forest}
}
\renewcommand\arraystretch{2}
\begin{tabular}{cc}
  \enumtree{tree}&
  \enumtree{tree reversed}\\
  \enumtree{tree children-first}&
  \enumtree{tree children-first reversed}\\
  \enumtree{tree breadth-first}&
  \enumtree{tree breadth-first reversed}
\end{tabular}

```

step **descendants**, **descendants reversed**

step **descendants children-first**, **descendants children-first reversed**

step **descendants breadth-first**, **descendants breadth-first reversed**

Visit all the descendants of the current node.

Like the **tree** keys, but the current node is not visited.

step **relative level** < , **relative level** , **relative level** > =⟨count⟩

step **relative level reversed** <, **relative level reversed**, **relative level reversed** >=⟨count⟩

step **level** < , **level** , **level** > =⟨count⟩

step **level reversed** <, **level reversed**, **level reversed** >=⟨count⟩

Visits the nodes in the subtree of the current node whose level (depth) is less than *or equal to*, equal to, or greater than *or equal to* the given level.

The **relative** variants consider the level as relative to the current node: relative level of the current node is 0; relative level of its children is 1, of its grandchildren 2, etc. The absolute variants consider the depth with respect to the (geometric) root, i.e. as returned by node option **level**.

The nodes are traversed in the breadth-first order. The **reversed** variants reverse the order of the children within each level, but the levels are still traversed from the highest to the deepest.

step **preceding siblings**

following siblings

step **current and preceding siblings**

current and following siblings

step **preceding siblings reversed**

following siblings reversed

step **current and preceding siblings reversed**

current and following siblings reversed

step **siblings**

step **siblings reversed**

Visit preceding, following or all siblings; visit the current node as well or not; visit in normal or reversed order.

step **ancestors**

step **current and ancestors**

Visit the ancestors of the current node, starting from the parent/current node, ending at the root node.

step **preceding nodes** **following nodes**

step **current and preceding nodes** **current and following nodes**

Visit all preceding or following nodes of the entire tree, in the linear order; visit the current node as well or not.

3.8.3 Embedded nodewalks

An embedded nodewalk is a nodewalk within a nodewalk. The embedded nodewalk has its own every-step keylist. While stepping through the inner nodewalk, the every-step keylist of the outer nodewalk is not executed. Modifying the every-step keylist of the inner walk (by **every step**) does not influence the outer nodewalk.

After the embedded nodewalk finished, its final current node becomes the current node of the outer nodewalk. This is true even if the final node was reached by a fake step.

→ As node keys can be used within nodewalks, one can use spatial propagators (§3.4.3) like **for nodewalk** to embed a nodewalk which (silently) returns to the current node of the outer nodewalk.

An embedded nodewalk does not count as a step of the outer nodewalk (except if noted otherwise, see **group**). This means that the every-step keylist of the outer nodewalk is not executed at the final node of the embedded nodewalk. In other words, the step made by the embedded nodewalk as a unit is fake.

Embedded nodewalks also have their own origin and history. Nodewalks can be nested to an arbitrary level.

step **Nodewalk**=⟨keylist: config⟩⟨nodewalk⟩⟨keylist: every-step⟩

Walks an (embedded) ⟨nodewalk⟩ starting at the current node.

From the perspective of the outer nodewalk, the embedded nodewalk is an (implicitly) fake step (and cannot be made real by **real**): the last node visited by the embedded ⟨nodewalk⟩ becomes the new current node of the outer nodewalk, even if it is invalid.

The ⟨config⟩ argument serves to specify the interaction between the outer and embedded nodewalk. It can contain the following keys:

Nodewalk option **every step**={independent|inherited|shared}

independent

Nodewalk option **history**={independent|inherited|shared}

shared

The following table shows what happens to the every-step keylist and history depending on the value of **every step** and **history**, respectively. State B is ⟨every-step⟩ for every step and empty for history.

	independent	inherited	shared
state of the outer nodewalk	A	A	A
initial state of the inner nodewalk	B	A	A
...			
final state of the inner nodewalk	C	C	C
state of the outer nodewalk	A	A	C

As shown in the table above, argument ⟨every-step⟩ is used to initialize the embedded nodewalk's every-step keylist when it is independent of the outer nodewalk. In other cases, this argument is ignored (use {}).

Nodewalk option **on invalid**={error|fake|step|inherited}

inherited

Like **on invalid**, but local to this nodewalk. The additional alternative **inherited** (which is the default) means to behave as specified by **on invalid** (or the package default, **error**, if no **on invalid** was given).

step **nodewalk**=⟨nodewalk⟩⟨keylist: every-step⟩

This key is a shorthand for

Nodewalk={**every step**=independent,**history**=independent}<nodewalk><keylist: every-step>

→ **for nodewalk** is also defined.

step **nodewalk'**=<nodewalk>

This key is a shorthand for

Nodewalk={**every step**=inherited,**history**=independent}<nodewalk><keylist: every-step>

→ **for nodewalk'** is also defined.

step **group**=<nodewalk>

Treat <nodewalk> as a single step of the (outer) nodewalk, i.e. the outer every-step keylist is executed only at the end of the embedded nodewalk. The embedded <nodewalk> inherits history from the outer nodewalk. Using this key is equivalent to writing

Nodewalk={**every step**=independent,**history**=inherited}<nodewalk>{**current**

→ It is safe to modify the every-step keylist of <nodewalk>.

→ **for group** is also defined.

nodewalk key **filter**=<nodewalk><pgfmath: condition>

Executes the every-step keylist of the outer nodewalk for every step in the inner <nodewalk> after which the given pgfmath condition is true.

This is the definition of **filter**:

```
filter/.style 2 args={% #1 = nodewalk, #2 = condition
  nodewalk/.expanded={\unexpanded{#1}}{if={\unexpanded{#2}}{\forestnodewalkeverystep}{}}
},
```

→ Do not change the every-step keylist of the (inner) <nodewalk>: added keys will get executed at every further step of the <nodewalk>, regardless whether condition applies or not.

nodewalk key **branch**={<nodewalk_{1n}>}

nodewalk key **branch'**={<nodewalk_{1n}>}

A “cartesian product” of any number of nodewalks. At every step of <nodewalk_i>, <nodewalk_{i+1}> is executed.

Both variants inherit the **every step** keylist of the containing nodewalk. More precisely, in the **branch'** variant this keylist is executed for every step at every level, while in the **branch** variant, this keylist is executed only for the innermost steps.

→ It is safe to add keys to the every-step keylist of the embedded nodewalks, but not to remove them, as this will impair the functionality of **branch**. In other words, only use **+every step** and **every step+** inside <nodewalk_i>.

For an example, see **c-commanded**.

3.8.4 Operations

Most of the following keys have a **walk and ...** variant, which first walks the given nodewalk and then performs the desired operation. All operation keys except ... **in nodewalk** variants can be prefixed by **for**.

step **reverse**=<nodewalk>

step **walk and reverse**=<nodewalk>

Visits the nodes of the given <nodewalk> in the reversed order.

nodewalk key **save**=<toks: name><nodewalk>

step **walk and save**=⟨toks: name⟩⟨nodewalk⟩

Saves the given ⟨nodewalk⟩ under the given name.

step **load**=⟨toks: name⟩ Walks the nodewalk saved under the given name.

Note that it is node **ids** that are saved: loading a named nodewalk with in a context of a different current node, or even with a tree whose geometry has changed (see §3.10) will still visit exactly the nodes that were visited when the nodewalk was saved.

step **sort**=⟨nodewalk⟩

step **sort'**=⟨nodewalk⟩

step **walk and sort**=⟨nodewalk⟩

step **walk and sort'**=⟨nodewalk⟩

Walks the nodes of the nodewalk in the order specified by the last invocation of **sort by**. The **sort** variants sort in the ascending order, the **sort'** variants in the descending order. The **walk and sort** variants first visit the nodes in the order specified by the given ⟨nodewalk⟩.

sort by={⟨pgfmath⟩,...,⟨pgfmath⟩}

Sets the sorting order used by all keys comparing nodes: **sort**, **min** and **max** key families in the nodewalk namespace, and the **sort** key family in the option namespace (dynamic tree).

For each node being ordered, an “*n*-dimensional coordinate” is computed by evaluating the given list of **pgfmath** expressions in the context of that node.²¹ Nodes are then ordered by the usual sort order for multi-dimensional arrays: the first item is the most important, the second item is the second most important, etc.

Simply put, if you want to sort first by the number of children and then by content, say **sort by**={**nchildren**, **content**}.

In the simplest case, the given ⟨pgfmath⟩ expressions are simply node options. However, as any **pgfmath** expression is allowed in the sort key, you can easily sort by the product of the content of the current node and the content of its first child: **sort by**={**content**()***content**("!1")}. Note, however, that the value returned by these expression must be numeric, i.e. alphabetic comparison of strings is not implemented.

step **min**=⟨nodewalk⟩, **max**=⟨nodewalk⟩

step **walk and min**=⟨nodewalk⟩, **walk and max**=⟨nodewalk⟩

step **mins**=⟨nodewalk⟩, **maxs**=⟨nodewalk⟩

step **walk and mins**=⟨nodewalk⟩, **walk and maxs**=⟨nodewalk⟩

Visit the node(s) in the given ⟨nodewalk⟩ with a minimum/maximum value with respect to the sort order previously specified by **sort by**.

Variants **mins**/**maxs** visit all the nodes that with the minimum/maximum value of the sorting key; variants **min**/**max** visit only the first such node (first in the order specified by the given nodewalk).

step **min in nodewalk**, **max in nodewalk**

step **mins in nodewalk**, **maxs in nodewalk**

step **min in nodewalk'**, **max in nodewalk'**

These keys search for the minimum/maximum among the nodes that were already visited in the current nodewalk.

Keys **mins in nodewalk** and **maxs in nodewalk** visits all nodes that reach the minimum/maximum, while keys **min in nodewalk** and **max in nodewalk** variants visit only the first such node.

Keys **min in nodewalk'** and **max in nodewalk'** visit the first minimal/maximal node by moving back in the history, see **back**.

²¹Don't worry, lazy evaluation is used.

3.8.5 History

FOREST keeps track of nodes visited in a nodewalk and makes it possible to revisit them, in a fashion similar to clicking the back and forward button in a web browser.

These keys cannot be prefixed by `for`.

```
step back=<count: n>
step jump back=<count: n>
step walk back=<count: n>
```

Move n steps back in the history. In the `back` variant, all steps are fake; in the `step back` variant, the final step is real; and in the `walk back` variant, all steps are real.

Note that as the origin is not a part of the history, these keys will *not* step there (unless `current` was the first step of your nodewalk). (Use `origin` to move to the origin of the nodewalk.)

```
step forward=<count: n>
step jump forward=<count: n>
step walk forward=<count: n>
```

Move n steps forward in the history. In the `forward` variant, all steps are fake; in the `step forward` variant, the final step is real; and in the `walk forward` variant, all steps are real.

```
save history=<toks: back name><toks: forward name>
```

Saves the backwards and forwards history under the given names. (Load them using `load`.) The backwards history is saved in the reverse order of how it was walked, i.e. outward from the perspective of the current position in the nodewalk.

3.8.6 Miscellaneous

The following nodewalk keys are not steps. Rather, they influence the behaviour of nodewalk steps in various ways. The keys in this section having `<nodewalk>` arguments do not start a new nodewalk in the sense of §3.8.3; the given nodewalk steps rather become a part of the current nodewalk.

```
register every step=<keylist> Contains the every-step keylist of the current nodewalk.
```

```
nodewalk key fake=<nodewalk>
nodewalk key real=<nodewalk>
```

The `<nodewalk>` embedded under `fake` consists of “fake” steps: while the current node is changed, every-step keylist is not executed and the history is not updated.

Note that these keys do not introduce an embedded nodewalk. The given `<nodewalk>` will not have its own history and every-step keylist.

`real` undoes the effect of `fake`, but cannot make real the implicitly fake steps, such as the return to the origin in spatial propagators like `for nodewalk`. `fake` and `real` can be nested without limit.

```
step last valid
step last valid'
```

If the current node is valid, these keys do nothing. If the current node of the nodewalk is invalid (i.e. its `id` is 0), they step to the last valid visited node. If there was no such node, they step to the origin of the nodewalk.

The variant *without* `'` makes a fake step. More precisely, it behaves as if both `fake` and `on invalid=fake` are in effect.

```
nodewalk key on invalid={error|fake|step}<nodewalk> error
```

This key determines what should happen if a nodewalk step landed on the invalid node, i.e. the node with `id=0`.

There is a moment within the step when the current node is changed but the step itself is not yet really done, is “still fake”, i.e. the history is not yet updated and the every-step keylist is not yet executed. If the new current node is invalid, this key determines what should happen next.

`on invalid=error` produces an error;

`on invalid=fake` does nothing: history is not updated and the every-step keylist is not executed, thus making the step essentially fake;
`on invalid=step` makes a step, either real or fake, depending on the environment.

Loops with the implicit `id=0` condition (§3.9) automatically switch to `on invalid=fake` mode.

nodewalk key `options`=⟨keylist: node keys⟩

Execute the given node options in the context of the current node.

There is not much need to use this key, as any keys that are not (long) steps or sequences of short steps are automatically used as FOREST node options any way, but there are still usage cases, for example whenever the names of node options and (long) steps are the same, or in a style that wants to ensure there is no overlap.

nodewalk key `strip fake steps`=⟨nodewalk⟩

If ⟨nodewalk⟩ ends with fake steps, return to the last node current before those steps were made. For details, see `define long step`.

3.8.7 Short-form steps

All short forms of steps are one token long. When using them, there is no need to separate them by commas. Here's the list of predefined short steps and their corresponding long-form steps.

short step `1, 2, 3, 4, 5, 6, 7, 8, 9` the first, ..., ninth child — `n=1,...,9`

short step `l` the last child — `last`

short step `u` the parent (up) — `parent`

short step `p` the previous sibling — `previous`

short step `n` the next sibling — `next`

short step `s` the sibling — `sibling`

short step `P` the previous leaf — `previous leaf`

short step `N` the next leaf — `next leaf`

short step `F` the first leaf — `first leaf`

short step `L` the last leaf — `last leaf`

short step `>` the next node on the current tier — `next on tier`

short step `<` the previous node on the current tier — `previous on tier`

short step `c` the current node — `current`

short step `o` the origin — `origin`

short step `r` the root node — `root`

short step `R` the formal root node — `root'`

short step `b` back one fake step in history — `back=1`

short step `f` forward one fake step in history — `forward=1`

short step `v` last valid node in the current nodewalk, fake version — `last valid`

short step `*⟨count: n⟩⟨keylist⟩` repeat keylist *n* times — `repeat=⟨count: n⟩⟨keylist⟩`

`{⟨keylist⟩}` put keylist in a group — `group=⟨keylist⟩`

3.8.8 Defining steps

You can define your own steps, both long and short, or even redefine predefined steps. Note, though, that it is not advisable to redefine long steps, as their definitions are interdependent; redefining short steps is always ok, however, as they are never used in the code of the package.

define long step=⟨name⟩⟨options⟩⟨nodewalk⟩

Define a long-form step named ⟨name⟩ as equivalent to ⟨nodewalk⟩. ⟨options⟩ control the exact behaviour or the defined step.

n args=⟨number⟩

1

make for=⟨boolean⟩

true

Should we make a **for** prefix for the step?


strip fake steps=⟨boolean⟩

true

Imagine that ⟨nodewalk⟩ ends with fake steps. Now, fake steps are usually just a computational tool, so we normally wouldn't want the current node after the walk to be one of them. As far as the outer world is concerned, we want the node to end at the last real step. However, simply appending **last valid** to our style will not work. Imagine that the nodewalk results in no steps. In this case, we'd want to remain at the origin of our empty nodewalk. However, imagine further that the (outer) step just before the empty nodewalk was fake. Then **last valid** will not step to the correct node: instead of staying at the origin, it will go to the node that the last real step prior to our nodewalk stepped to. In case there was no such real step, we'd even step to the invalid node (normally getting an error).

Defining the step using **strip fake steps** ensures the correct behaviour described above. Set **strip fake steps**=false only when the fake steps at the end of the nodewalk at important to you.

→ See also nodewalk key **strip fake steps**.



```
\forestset{
  define long step={children from to}{n args=2}{
    if={#1>#2}{n=#1,while={n(<#2){next}}
  }
}
\begin{forest}
  for children from to={2}{5}{draw}
  [root[1][2][3][4][5][6]]
\end{forest}
```

(72)

define short step=⟨token: short step⟩⟨n args⟩⟨nodewalk⟩

Define short step taking n arguments as the given ⟨nodewalk⟩. Refer to the arguments in the usual way, via #1, ...

To (re)define braces, {}, write **define short step**={group}{1}{...}.

3.9 Conditionals and loops

All conditionals take arguments ⟨true keylist⟩ and ⟨false keylist⟩, and all loops take an argument ⟨keylist⟩. The interpretation of the keys in these keylists depends on the environment the conditional/loop appears in. If it is a part of a nodewalk specification, the keys are taken to be nodewalk keys (§3.8), otherwise node keys (§3.5).

All the loops and conditionals can be nested safely.

→ Except in special circumstances, you probably don't want to embed keys from the **where** family within a **for tree**, as this results in two nested loops. It is more usual to use an **if** family key there. For an example where using **where** actually does the wrong thing, see question **Smaller roofs for forest** on T_EX Stackexchange.

conditional **if**=⟨pgfmath condition⟩⟨true keylist⟩⟨false keylist⟩

If ⟨pgfmath condition⟩ evaluates to **true** (non-zero), ⟨true keylist⟩ is processed (in the context of the current node); otherwise, ⟨false keylist⟩ is processed.

For a detailed description of **pgfmath** expressions, see [2, part VI]. (In short: write the usual mathematical expressions.)

conditional **if** **<option>**=<value><true keylist><false keylist>

A simple conditional is defined for every <option>: if <value> equals the value of the option at the current node, <true keylist> is executed; otherwise, <false keylist>.

conditional **if** **<boolean option>**=<true keylist><false keylist>

Execute <true keylist> if <boolean option> is true; otherwise, execute <false keylist>.

conditional **if in** **<toks option>**=<toks><true keylist><false keylist>

Checks if <toks> occurs in the option value; if it does, <true keylist> are executed, otherwise <false keylist>.

This conditional is defined only for <toks> options, see §3.6.1.

conditional **if nodewalk valid**=<keylist: test nodewalk><true keylist><false keylist>

If the test nodewalk finished on a valid node, <true keylist> is processed (in the context of the current node); otherwise, <false keylist> is processed.

conditional **if nodewalk empty**=<keylist: test nodewalk><true keylist><false keylist>

If the test nodewalk contains no (real) steps, <true keylist> is processed (in the context of the current node); otherwise, <false keylist> is processed.

conditional **if in saved nodewalk**=<nodewalk><toks: nodewalk name><true keylist><false keylist>

If the node at the end of <nodewalk> occurs in the saved nodewalk, <true keylist> is processed (in the context of the current node); otherwise, <false keylist> is processed.

propagator **if have delayed**=<true keylist><false keylist> If any options were delayed in the current cycle (more precisely, up to the point of the execution of this key), process <true keylist>, otherwise process <false keylist>. (**delay n** will trigger “true” for the intermediate cycles.)

This key assumes that the processing order of the innermost invocation of **process keylist** or **process keylist'** is given by **processing order**. If this is not the case, explicitly supply the processing order using **if have delayed'**.

propagator **if have delayed'**=<nodewalk><true keylist><false keylist> Like **if have delayed**, but assume the processing order given by <nodewalk>.

propagator **where**=<value><true keylist><false keylist>

conditional **where** **<option>**=<value><true keylist><false keylist>

conditional **where in** **<toks option>**=<toks><true keylist><false keylist>

step **where nodewalk valid**=<toks: nodewalk name><true keylist><false keylist>

step **where nodewalk empty**=<toks: nodewalk name><true keylist><false keylist>

step **where in saved nodewalk**=<nodewalk><toks: nodewalk name><true keylist><false keylist>

These keys execute their corresponding **if ... conditional** for every node in the subtree of the current node (including the node itself). In other words:

where ...<arg₁>...<arg₁>/.**style={for tree={if ...=<arg₁>...<arg₁>}}**

loop **repeat**=<number><keylist>

The <keylist> is processed <number> times.

The <number> expression is evaluated using **pgfmath**.

loop **while**=<pgfmath condition><keylist>

loop **do while**=<pgfmath condition><keylist>

loop **until**=<pgfmath condition><keylist>

loop **do until**=⟨pgfmath condition⟩⟨keylist⟩

while loops cycle while the condition is true, **until** loops terminate when the condition becomes true.

The **do** variants check the condition after processing the ⟨keylist⟩; thus, the keylist is executed at least once. The variants without the **do** prefix check the condition before processing the ⟨keylist⟩, which might therefore not be processed at all.

When ⟨pgfmath condition⟩ is an empty string, condition **valid** is implicitly used, and ⟨keylist⟩ is implicitly embedded in **on invalid=fake**. Thus, the **while** loops will cycle until they “walk out of the tree”, and **until** loops will cycle until they “walk into the tree.”

→ If a loop “walks out of the tree”, you can get it back in using **last valid** or **strip fake steps**.

tried: 15, 20, 10, 14, 20, 13, 1,

```

graph TD
    1[1] --- 2
    1 --- 3
    1 --- 4
    1 --- 5
    1 --- 15
    2 --- 10
    2 --- 14
    3 --- 20
    4 --- 13
    5 --- 1

```

```

\pgfmathsetseed{1234}
\begin{forest}
  try/.style={root',content+={#1,\ },n=#1},
  delay={
    for nodewalk={do until={}}{try/.pgfmath={random(1,20)}}{draw}{},
  },
  [tried:\ [1] [2] [3] [4] [5]]
\end{forest}

```

(73)

```

loop while nodewalk valid=⟨nodewalk⟩⟨keylist⟩
loop do while nodewalk valid=⟨nodewalk⟩⟨keylist⟩
loop until nodewalk valid=⟨nodewalk⟩⟨keylist⟩
loop do until nodewalk valid=⟨nodewalk⟩⟨keylist⟩
loop while nodewalk empty=⟨nodewalk⟩⟨keylist⟩
loop do while nodewalk empty=⟨nodewalk⟩⟨keylist⟩
loop until nodewalk empty=⟨nodewalk⟩⟨keylist⟩
loop do until nodewalk empty=⟨nodewalk⟩⟨keylist⟩

```

⟨nodewalk⟩ is embedded within **on invalid=fake**.

loop **break**=*n* Break out of the loop.

0

The loop is only exited after all the keys in the current cycle have been processed.

The optional argument *n* ($n \geq 0$) specifies which level of embedding to break from; the default is to break out of the innermost loop.

3.10 Dynamic tree

The following keys can be used to change the geometry of the tree by creating new nodes and integrating them into the tree, moving and copying nodes around the tree, and removing nodes from the tree.

The ⟨node⟩ that will be (re)integrated into the tree can be specified in the following ways:

⟨empty⟩: uses the last non-integrated (i.e. created/removed/replaced) node.

⟨node⟩: a new node is created using the given bracket representation (the node may contain children, i.e. a tree may be specified), and used as the argument to the key.

The bracket representation must be enclosed in brackets, which will usually be enclosed in braces to prevent them being parsed while parsing the “host tree.”

→ Unlike the bracket representation in a **forest** environment, the bracket representation of a dynamically created node *must* start with [. Specifically, it cannot begin with a preamble or the action character.

⟨relative node name⟩: the node ⟨relative node name⟩ resolves to will be used.

A dynamic tree operation is made in two steps:


- If the argument is given by a ⟨node⟩ argument, the new node is created immediately, i.e. while the dynamic tree key is being processed. Any options of the new node are implicitly **delayed**.
- The requested changes in the tree structure are actually made between the cycles of keylist processing.

- Such a two-stage approach is employed because changing the tree structure during the dynamic tree key processing would lead to an unmanageable order of keylist processing.
- A consequence of this approach is that nested dynamic tree keys take several cycles to complete. Therefore, be careful when using `delay` and dynamic tree keys simultaneously: in such a case, it is often safer to use `before typesetting nodes` instead of `delay`, see example (74).
- Examples: title page (in style `random tree`) and (85) (in style `xlist`).

Here is the list of dynamic tree keys:

dynamic tree **append**=⟨empty⟩ | [⟨node⟩] | ⟨relative node name⟩

The specified node becomes the new final child of the current node. If the specified node had a parent, it is first removed from its old position.



```

\begin{forest}
  before typesetting nodes={for tree={
    if n=1{content=L}
      {if n'=1{content=R}
        {content=C}}}}
    [,repeat=2{append=[
      ,repeat=3{append={[]}}
    ]}}]
\end{forest}

```

(74)

dynamic tree **create**=[⟨node⟩]

Create a new node. The new node becomes the last node.

dynamic tree **create'**=[⟨node⟩]

Create a new node and process its given options immediately. The new node becomes the last node.

dynamic tree **insert after**=⟨empty⟩ | [⟨node⟩] | ⟨relative node name⟩

The specified node becomes the new following sibling of the current node. If the specified node had a parent, it is first removed from its old position.

dynamic tree **insert before**=⟨empty⟩ | [⟨node⟩] | ⟨relative node name⟩

The specified node becomes the new previous sibling of the current node. If the specified node had a parent, it is first removed from its old position.

dynamic tree **prepend**=⟨empty⟩ | [⟨node⟩] | ⟨relative node name⟩

The specified node becomes the new first child of the current node. If the specified node had a parent, it is first removed from its old position.

dynamic tree **remove**

The current node is removed from the tree and becomes the last node.

The node itself is not deleted: it is just not integrated in the tree anymore. Removing the root node has no effect.

dynamic tree **replace by**=⟨empty⟩ | [⟨node⟩] | ⟨relative node name⟩

The current node is replaced by the specified node. The current node becomes the last node.

If the specified node is a new node containing a dynamic tree key, it can refer to the replaced node by the ⟨empty⟩ specification. This works even if multiple replacements are made.

If **replace by** is used on the root node, the “replacement” becomes the root node (`set root` is used).

If given an existing node, most of the above keys *move* this node (and its subtree, of course). Below are the versions of these operations which rather *copy* the node: either the whole subtree (') or just the node itself ('').

dynamic tree **append'**, **insert after'**, **insert before'**, **prepend'**, **replace by'**

Same as versions without ' (also the same arguments), but it is the copy of the specified node and its subtree that is integrated in the new place.


dynamic tree **append''**, **insert after''**, **insert before''**, **prepend''**, **replace by''**

Same as versions without '' (also the same arguments), but it is the copy of the specified node (without its subtree) that is integrated in the new place.

→ You might want to **delay** the processing of the copying operations, giving the original nodes the chance to process their keys first!

dynamic tree **copy name template**=⟨empty⟩ | ⟨macro definition⟩ (empty)

Defines a template for constructing the **name** of the copy from the name of the original. ⟨macro definition⟩ should be either empty (then, the **name** is constructed from the **id**, as usual), or an expandable macro taking one argument (the name of the original).



```
\begin{forest}
  copy name template={copy of #1}
  [CP, delay={prepend'=subject}
    [VP [DP, name=subject [D] [NP]] [V' [V] [DP]]]]
  \draw[->,dotted] (subject)--(copy of subject);
\end{forest}
```

(75)

dynamic tree **set root**=⟨empty⟩ | [⟨node⟩] | ⟨relative node name⟩

The specified node becomes the new *formal* root of the tree.

Note: If the specified node has a parent, it is *not* removed from it. The node becomes the root only in the sense that the default implementation of stage-processing will consider it a root, and thus typeset/pack/draw the (sub)tree rooted in this root. The processing of keys such as **for parent** and **for root** is not affected: **for root** finds the real, geometric root of the current node. To access the formal root, use nodewalk step **root'**, or the corresponding propagator **for root'**.

dynamic tree **sort**, **sort'** Sort the children of the current node, using the currently active sort key specified in **sort by** (see §3.8.4). **sort** sorts in ascending and **sort'** in descending order.

3.11 Handlers

handler **.option**=⟨option⟩

The result is the value of ⟨option⟩ at the current node.

handler **.register**=⟨register⟩

The result is the value of ⟨register⟩.

handler **.pgfmath**=⟨pgfmath expression⟩

The result is the evaluation of ⟨pgfmath expression⟩ in the context of the current node.

→ If you only need to access an option or register value, using **.option** or **.register** is much faster than using **.pgfmath**.

handler **.wrap value**=⟨macro definition⟩

The result is the (single) expansion of the given ⟨macro definition⟩. The defined macro takes one parameter. The current value of the handled option will be passed as that parameter.

handler **.wrap n pgfmath args**=⟨macro definition⟩⟨arg 1⟩...⟨arg n⟩

The result is the (single) expansion of the given ⟨macro definition⟩. The defined macro takes n parameters, where $n \in \{2, \dots, 8\}$. Expressions ⟨arg 1⟩ to ⟨arg n⟩ are evaluated using **pgfmath** and passed as arguments to the defined macro.

handler **.wrap pgfmath arg**=⟨macro definition⟩⟨arg⟩

Like **.wrap n pgfmath args** would work for $n = 1$.


handler **.process args**=⟨argument types⟩⟨arg 1⟩...⟨arg n⟩

The result is a list of processed arguments. Arguments are processed individually according to their given type. The types are given sequentially in ⟨argument types⟩, one character (no spaces) for each argument. The meanings of the characters are given in the table below. The exception to the one character – one argument rule are characters connected by +, which apply iteratively (in the given order) to a single argument. If the argument type list is shorter than the number of argument, the remaining arguments are assumed to require no processing.

- _ no processing
- o expand once
- x fully expand
- O argument is an option name
- R argument is a register name
- P argument is a pgfmath expression
- r the argument should be a comma-separated list: reverse it
- + chain processors)

Example: **split option** is defined by preprocessing the first argument of **split** as an option.

```
split option/.style n args=3{split/.process args={0}{#1}{#2}{#3}}
```



3.11.1 Aggregate functions

Aggregate functions are defined as handlers over options. They walk a nodewalk, use the values of visited options to calculate something, and store the result in the handled option.

Aggregate functions cannot be nested.

aggregate **.count**=⟨nodewalk⟩

Store the number of nodes visited in the nodewalk into the handled option.

aggregate **.sum**=⟨pgfmath⟩⟨nodewalk⟩

aggregate **.average**=⟨pgfmath⟩⟨nodewalk⟩

aggregate **.product**=⟨pgfmath⟩⟨nodewalk⟩

aggregate **.min**=⟨pgfmath⟩⟨nodewalk⟩

aggregate **.max**=⟨pgfmath⟩⟨nodewalk⟩

Calculate the value of ⟨pgfmath⟩ expression at each visited node. Store the sum / average / product / minimum / maximum of these values into the handled option.

aggregate **.aggregate**=⟨pgfmath: start value⟩⟨pgfmath: every step⟩⟨pgfmath: after walk⟩⟨nodewalk⟩

The generic aggregate function. First, the result is set to ⟨pgfmath: start value⟩. Then, the given nodewalk is walked. After each step of the ⟨nodewalk⟩, ⟨pgfmath: every step⟩ expression is evaluated in the context of the new current node and stored as the result. After the walk, the current node is reset to the origin. ⟨pgfmath: after walk⟩ expression is then evaluated in its context and stored as the result.

Use (appropriately escaped) **#1** to refer to the current value of the result in ⟨pgfmath: every step⟩ and ⟨pgfmath: after walk⟩. Use count register **aggregate n** to refer to the current step number (in ⟨pgfmath: every step⟩) or the total number of steps (in ⟨pgfmath: after walk⟩)

Example 1: see [s](#).


Example 2: the definition of **.average** below. Note that as we are using **.aggregate** inside a style definition, **##1** must be used to refer to the current value of the result.

```

/handlers/.average/.style 2 args={
/handlers/.aggregate=
{0}
{((#1)+(#1))}
{##1/\forestregister{aggregate n}}
{#2}
}

```

Example 3: randomly generate the content of leaves; the content of a parent is the sum of it's children's content.



```

\begin{forest}
delay={
  aggregate postparse=int,
  for tree children-first={
    if n children=0
    {content/.pgfmath={random(0,100)}}
    {content/.sum={content}{children}}
  }
}
[[[[] [] []] [] [] [] []] [] [] []]
\end{forest}

```

(77)

register **aggregate** **n**=⟨count⟩ In the every-step expression of an aggregate function, refers to the (real) step number in the aggregate's ⟨nodewalk⟩. In the after-walk expression, refers to the total number of (real) steps made.

aggregate **postparse**=none|int|print|macro

Roughly speaking, how should the result be formatted? For details, see [3, §89].

none No formatting.

int The result is an integer.

print Use **pgf**'s number printing extension, see [3, §93].

macro Use a custom macro. Specify the macro using **aggregate postparse macro**=⟨cs⟩.

3.12 Relative node names

⟨relative node name⟩=[⟨forest node name⟩][!⟨nodewalk⟩]

⟨relative node name⟩ refers to the **FOREST** node at the end of the ⟨nodewalk⟩ starting at node named ⟨forest node name⟩. If ⟨forest node name⟩ is omitted, the walk starts at the current node. If ⟨nodewalk⟩ is omitted, the “walk” ends at the start node. (Thus, an empty ⟨relative node name⟩ refers to the current node.)

The ⟨nodewalk⟩ inherits its history from the outer nodewalk (if there is one). Its every-step keylist is empty.

Relative node names can be used in the following contexts:

- **FOREST**'s **pgfmath** option functions (§3.15) take a relative node name as their argument, e.g. **content**("!u") and **content**("!parent") refer to the content of the parent node.
- An option of a non-current node can be set by ⟨relative node name⟩.⟨option name⟩=⟨value⟩, see §3.6.1.
- The **forest** coordinate system, both explicit and implicit; see §3.13.

3.13 The forest coordinate system

Unless package options **tikzcs**hack is set to **false**, **TikZ**'s implicit node coordinate system [2, §13.2.3] is hacked to accept relative node names.²²

The explicit **forest** coordinate system is called simply **forest** and used like this: (**forest cs**:⟨forest cs spec⟩); see [2, §13.2.5]. ⟨forest cs spec⟩ is a keylist; the following keys are accepted.

²²Actually, the hack can be switched on and off on the fly, using **\iforesttikzcs**hack.

forest cs **name**=⟨node name⟩ The node with the given name becomes the current node. The resulting point is its (node) anchor.

forest cs **id**=⟨node id⟩ The node with the given name becomes the current node. The resulting point is its (node) anchor.

forest cs **go**=⟨nodewalk⟩ Walk the given nodewalk, starting at the current node. The node at the end of the walk becomes the current node. The resulting point is its (node) anchor. The embedded ⟨nodewalk⟩ inherits history from the outer nodewalk.

forest cs **anchor**=⟨anchor⟩ The resulting point is the given anchor of the current node.

forest cs **l**=⟨dimen⟩

forest cs **s**=⟨dimen⟩ Specify the **l** and **s** coordinate of the resulting point.

The coordinate system is the node's ls-coordinate system: its origin is at its (node) anchor; the l-axis points in the direction of the tree growth at the node, which is given by option **grow**; the s-axis is orthogonal to the l-axis; the positive side is in the counter-clockwise direction from l axis.

The resulting point is computed only after both **l** and **s** were given.

Any other key is interpreted as a ⟨relative node name⟩[.⟨anchor⟩].

3.14 Anchors

FOREST defines several anchors which can be used with any TikZ node belonging to a FOREST tree (manually added TikZ nodes are thus excluded).

anchor **parent anchor**

anchor **child anchor**

anchor **anchor**

These anchors point to coordinates determined by node options **parent anchor**, **child anchor** and **anchor**.

anchor **parent, parent'**

anchor **parent first, parent first'**

anchor **first, first'**

anchor **children first, children first'**

anchor **children, children**

anchor **children last, children last**

anchor **last, last**

anchor **parent last, parent last** Growth direction based anchors.

TikZ's "compass anchors" **east**, **north** etc. resolve to coordinates on the border of the node facing east, north etc. (for the shapes that define these anchors). The above FOREST's anchors are similar in that they also resolve to coordinates on the border of the node. However, the "cardinal directions" are determined by the **growth** direction of the tree in the node, so that

- anchor **parent** faces the parent node;
- anchor **children** faces the children;
- anchor **first** faces the first child;
- anchor **last** faces the last child.

Combinations like **parent children** work like combinations of compass directions, e.g. **north west**. These anchors work as expected even if the node is **rotated**, or if the children are **reversed**.

The ' variants refer precisely to the point where the cardinal growth direction intersects the border. Variants without ' snap to the closest compass anchor of the node.

For simple examples, see definitions of **sn edges** and **roof**; for more involved examples, see the **edges** library.

3.15 Additional pgfmath functions

For every option and register, FOREST defines a pgfmath function with the same name, with the proviso that all non-alphanumeric characters in the option/register name are replaced by an underscore `_` in the pgfmath function name.

Pgfmath functions corresponding to options take one argument, a `<relative node name>` (see §3.12) expression, making it possible to refer to option values of non-current nodes. The `<relative node name>` expression must be enclosed in double quotes in order to prevent pgfmath evaluation: for example, to refer to the content of the parent, write `content("!u")`. To refer to the option of the current node, use empty parentheses: `content()`.²³

If the `<relative node name>` resolves to the invalid node, these functions will return empty token list (for `<toks>` options), 0pt (for `<dimen>` options) or 0 (for `<count>` options).

Note that the nodewalk in the relative node name inherits its history from the outer nodewalk (if there is one), so strange but useful constructions like the following are possible.

```

\begin{forest}
  for tree={no edge},
  before typesetting nodes={
    for nodewalk={
      c,
      every step={
        tikz/.wrap pgfmath arg=
          {\draw[<-] ()--(#1);}
          {name("!b")}}
      },
      2!{up1},ancestors
    }{}
  },
  [1[2[3]] [4[5]]]
\end{forest}

```

(78)

Boolean function `valid` returns true if the node's `id` $\neq 0$, i.e. if the node is a real, valid node; see §3.4.3 and §3.8. Boolean function `invalid` is a negation of `valid`.

```

pgfmath function min_l=(<nodewalk: node>,<nodewalk: context node>)
pgfmath function min_s=(<nodewalk: node>,<nodewalk: context node>)
pgfmath function max_l=(<nodewalk: node>,<nodewalk: context node>)
pgfmath function max_s=(<nodewalk: node>,<nodewalk: context node>)

```

These functions return the minimum/maximum value of `l/s` of node at the end of `<nodewalk: node>` in the context (i.e. growth direction) of node at the end of `<nodewalk: context node>`.

Three string functions are also added to pgfmath: `strequal` tests the equality of its two arguments; `instr` tests if the first string is a substring of the second one; `strcat` joins an arbitrary number of strings.

Some random notes on pgfmath: (i) `&&`, `||` and `!` are boolean “and”, “or” and “not”, respectively. (ii) The equality operator (for numbers and dimensions) is `==`, *not* `=`. And some examples:

```

/ — /home — /home/joe — /home/joe/TeX
      |
      | — /home/saso — /home/saso/TeX
      |
      | — /home/a user with a long name — /home/a user with a long name/TeX
      |
      | — /usr

```


(79)

²³In most cases, the parentheses are optional, so `content` is ok. A known case where this doesn't work is preceding an operator: `1+1cm` will fail.

```

\begin{forest}
  for tree={grow'=0,calign=first,l=0,l sep=2em,child anchor=west,anchor=base
    west,fit=band,tier/.pgfmath=level()},
  fullpath/.style={if n=0{}{content/.wrap 2
    pgfmath args={##1/##2}{content("!u")}{content()}}},
  delay={for tree=fullpath,content=/},
  before typesetting nodes={for tree={content=\strut#1}}
  [
    [home
      [joe
        [\TeX]]
      [saso
        [\TeX]]
      [a user with a long name
        [\TeX]]]
    [usr]]
\end{forest}

```




```

% mark non-phrasal terminal nodes
\begin{forest}
  delay={for tree={if=
    {!\instr("P",content) && n_children==0}
    {fill=yellow}
    {}
  }}
  [CP[DP][C'][C][TP[DP][T'][T][VP[DP][V'[V][DP]]]]]]
\end{forest}

```

(80)



```

% roof terminal phrases
\begin{forest}
  where n children=0{tier=word,
    if={\instr("P",content("!u"))}{no edge,
      tikz={\draw (!.north west)--
        (!.north east)--(!u.south)--cycle;
      }}{}}
  [VP[DP[Mary]][V'[V[loves]][DP[her cat]]]]
\end{forest}

```

(81)

3.16 Standard node

macro `\forestStandardNode`(node)(environment fingerprint)(calibration procedure)(exported options)

This macro defines the current *standard node*. The standard node declares some options as *exported*. When a new node is created, the values of the exported options are initialized from the standard node. At the beginning of every `forest` environment, it is checked whether the *environment fingerprint* of the standard node has changed. If it did, the standard node is *calibrated*, adjusting the values of exported options. The *raison d'être* for such a system is given in §2.4.1.

In (node), the standard node's content and possibly other options are specified, using the usual bracket representation. The (node), however, *must not contain children*. The default: [dj].

The (environment fingerprint) must be an expandable macro definition. Its expansion should change whenever the calibration is necessary.

(calibration procedure) is a keylist (processed in the /forest path) which calculates the values of exported options.

(exported options) is a comma-separated list of exported options.

This is how the default standard node is created:

```

\forestStandardNode[dj]
{
  {%
    \forestOve{\csname forest@id@of@standard node\endcsname}{content},%
    \the\ht\strutbox,\the\pgflinewidth,%
    \pgfkeysvalueof{/pgf/inner ysep},\pgfkeysvalueof{/pgf/outer ysep},%
    \pgfkeysvalueof{/pgf/inner xsep},\pgfkeysvalueof{/pgf/outer xsep}%
  }
  {
    l sep={\the\ht\strutbox+\pgfkeysvalueof{/pgf/inner ysep}},
    l={l_sep()+abs(max_y()-min_y())+2*\pgfkeysvalueof{/pgf/outer ysep}},
    s sep={2*\pgfkeysvalueof{/pgf/inner xsep}}
  }
  {l sep,l,s sep}
}

```

3.17 Externalization

Externalized tree pictures are compiled only once. The result of the compilation is saved into a separate .pdf file and reused on subsequent compilations of the document. If the code of the tree (or the context, see below) is changed, the tree is automatically recompiled.

Externalization is enabled by:

```

\usepackage[external]{forest}
\tikzexternalize

```

Both lines are necessary. TikZ’s externalization library is automatically loaded if necessary.

external/optimize Parallels `/tikz/external/optimize`: if `true` (the default), the processing of non-current trees is skipped during the embedded compilation.

external/context If the expansion of the macro stored in this option changes, the tree is recompiled.

external/depends on macro=`<cs>` Adds the definition of macro `<cs>` to `external/context`. Thus, if the definition of `<cs>` is changed, the tree will be recompiled.

FOREST respects or is compatible with several (not all) keys and commands of TikZ’s externalization library. In particular, the following keys and commands might be useful; see [2, §32].

- `/tikz/external/remake next`
- `/tikz/external/prefix`
- `/tikz/external/system call`
- `\tikzexternalize`
- `\tikzexternalenable`
- `\tikzexternaldisable`

FOREST does not disturb the externalization of non-FOREST pictures. (At least it shouldn’t ...)

The main auxiliary file for externalization has suffix `.for`. The externalized pictures have suffices `-forest-n` (their prefix can be set by `/tikz/external/prefix`, e.g. to a subdirectory). Information on all trees that were ever externalized in the document (even if they were changed or deleted) is kept. If you need a “clean” `.for` file, delete it and recompile. Deleting `-forest-n.pdf` will result in recompilation of a specific tree.

Using `draw tree` and `draw tree’` multiple times *is* compatible with externalization, as is drawing the tree in the box (see `draw tree box`). If you are trying to externalize a `forest` environment which utilizes `TeX` to produce a visible effect, you will probably need to use `TeX’` and/or `TeX’’`.

4 Libraries

This chapter contains not only the reference of commands found in libraries and some examples of their usage, but also their definitions. This is done in the hope that these definitions, being mostly styles, will be useful as examples of the core features of the package. I even managed to comment them a bit ...

Disclaimer. At least in the initial stages of a library’s development, the function and interface of macros and keys defined in a library might change without backwards compatibility support!

```
1 \RequirePackage{forest}
```

4.1 linguistics

```
2 \ProvidesForestLibrary{linguistics}[2015/11/14 v0.1]
```

Defaults:

```
3 \forestset{
4   libraries/linguistics/defaults/.style={
5     default preamble={
```

Edges of the children will “meet” under the node:

```
6     sn edges,
```

The root of the tree will be aligned with the text ... or, more commonly, the example number.

```
7     baseline,
```

Enable (centered) multi-line nodes.


```
8     for tree={align=center},
9   },
10 },
11 }
```

There’s no linguistics without c-command²⁴ ...

step **c-commanded** Visit all the nodes c-commanded by the current node.

step **c-commanders** Visit all the c-commanders of the current node, starting from the closest.

“manual” c-command:



```
‘manual’ c-command:\\[1ex]
\begin{forest}
[VP
[DP[John]]
[V'
[V, draw, for c-commanded={draw,circle}
[sent]
]
[DP[Mary]]
[DP[D[a]] [NP[letter]]]
]
]
\end{forest}
```

(82)

See how **branch'** is used to define c-commanded, and how **while nodewalk valid** and **fake** are combined in the definition of c-commanders.

```
12 \forestset{
13   define long step={c-commanded}{style}{branch'={siblings,descendants}},
14   define long step={c-commanders}{style}{while nodewalk valid={parent}{siblings,fake=parent}},
15 }
```

sn edges

In linguistics, most people want the parent-child edge to go from the south of the parent to the north of the child. This is achieved by this (badly named) style, which makes the entire (sub)tree have such edges.

²⁴The definition of c-command is as follows: a node c-commands its siblings and their subtrees.

(83)

```

graph TD
    VP --> DP1[DP]
    VP --> Vp[V']
    Vp --> V[V]
    Vp --> DP2[DP]

```

```

\begin{forest}
  sn edges
  [VP
    [DP]
    [V'
      [V]
      [DP]
    ]
  ]
\end{forest}

```

```

16 \forestset{
17   sn edges/.style={
18     for tree={
19       parent anchor=children, child anchor=parent
20     }
21   },
22 }

```

A note on implementation. Despite its name, this style does not refer to the **south** and **north** anchor of the parent and the child node directly. If it did so, it would only work for trees with standard linguistic **grow=-90**. So we rather use FOREST's growth direction based anchors: **children** always faces the children and **parent** always faces the parent, so the edge will always be between them, and the normal, upward growing trees will look good as well.

bad!

good!

(84)

```

\begin{forest}
  [bad! [VP, no edge, for tree={grow=90, edge=red},
    for tree={parent anchor=south, child anchor=north} % bad
    [DP] [V' [V] [DP]]]]
\end{forest}
\begin{forest}
  [good! [VP, no edge, for tree={grow=90, edge=green},
    sn edges % good!
    [DP] [V' [V] [DP]]]]
\end{forest}

```

roof Makes the edge to parent a triangular roof.

```

23 \forestset{
24   roof/.style={edge path'={%
25     (.parent first)--(!u.children)--(.parent last)--cycle
26   }
27 },
28 }

```

nice empty nodes

We often need empty nodes: tree (85a) shows how they look like by default: ugly.

First, we don't want the gaps: we change the shape of empty nodes to coordinate. We get tree (85b).


Second, the empty nodes seem too close to the other (especially empty) nodes (this is a result of a small default **s sep**). We could use a greater **s sep**, but a better solution seems to be to use **calign=node angle**. The result is shown in (85c).

However, at the transitions from empty to non-empty nodes, tree (85c) seems to zigzag (although the base points of the spine nodes are perfectly in line), and the edge to the empty node left to VP seems too long (it reaches to the level of VP's base, while we'd prefer it to stop at the same level as the edge to VP itself). The first problem is solved by substituting **node angle** for **edge angle**; the second one, by anchoring siblings of empty nodes at north. Voil, (85d)!


```

\forestset{
  xlist/.style={
    phantom,
    for children={no edge,replace by={[,append,
      delay={content/.wrap pgfmath arg={\@alph{##1}.}{n()+#1}}
    ]}}
  },
  xlist/.default=0
}
\begin{forest}
  [,xlist,
  for tree={after packing node={s+=0.1pt}}, % hack!!!
  [CP,
    [] [[] [[] [VP[DP[John]] [V' [V[loves]] [DP[Mary]]]]]]]] % (a)
  [CP, delay={where content={}{shape=coordinate}}{}] % (b)
    [] [[] [[] [VP[DP[John]] [V' [V[loves]] [DP[Mary]]]]]]
  [CP, for tree={calign=fixed angles},
    delay={where content={}{shape=coordinate}}{}
    [] [[] [[] [VP[DP[John]] [V' [V[loves]] [DP[Mary]]]]]]
  [CP, nice empty nodes
    [] [[] [[] [VP[DP[John]] [V' [V[loves]] [DP[Mary]]]]]]
  ]
  \end{forest}

```



```

29 \forestset{
30   nice empty nodes/.style={
31     for tree={calign=fixed edge angles},
32     delay={where content={}{shape=coordinate},for parent={
33       for children={anchor=north}}{}},
34   },
35 }

```

draw brackets Outputs the bracket representation of the tree.

draw brackets compact

draw brackets wide These keys control whether the brackets have extra spaces around them (**wide**) or not (**compact**).

```

36 \providecommand\text[1]{\mbox{\scriptsize#1}}
37 \forestset{
38   draw brackets compact/.code={\let\drawbracketsspace\relax},
39   draw brackets wide/.code={\let\drawbracketsspace\space},
40   draw brackets/.style={

```

There's stuff to do both before (output the opening bracket and the content) and after (output the closing bracket) processing the children, so we use `for tree'`.

```
41     for tree'={
42         TeX={[%
```

Complication: `content format` must be expanded in advance, to correctly process tabular environments implicitly loaded by `align=center`, which is the default in this library. (Not that one would want a multiline output in the bracket representation, but it's better than crashing.)

```
43         \edef\forestdrawbracketscontentformat{\foresteoption{content format}}%
44     },
45     if n children=0{
46         TeX={\drawbracketsspace\forestdrawbracketscontentformat\drawbracketsspace}
47     }{
48         TeX={\textsubscript{\text{\forestdrawbracketscontentformat}}\drawbracketsspace}
49     },
50     }{
51         TeX={[]\drawbracketsspace},
52     }
53 },
54 draw brackets wide
55 }
```

4.1.1 GP1


GP1

For Government Phonology (v1) representations. Here, the big trick is to evenly space `xs` by having a large enough `outer xsep` (adjustable), and then, before drawing (timing control option `before drawing tree`), setting `outer xsep` back to 0pt. The last step is important, otherwise the arrows between `xs` won't draw!


An example of an “embedded” GP1 style:

```
\begin{forest}
myGP1/.style={
  GP1,
  delay={where tier={x}{
    for children={content=\textipa{##1}}{}}{
    tikz={\draw[dotted](.south)--
      (!1.north west)--(!1.north east)--cycle;},
    for children={l+=5mm,no edge}
  }
}
[VP [DP [John,tier=word,myGP1
  [O[x[dZ]]]
  [R[N[x[6]]]]
  [O[x[n]]]
  [R[N[x]]]
]] [V' [V[loves,tier=word,myGP1
  [O[x[l]]]
  [R[N[x[a]]]]
  [O[x[v]]]
  [R[N[x]]]
  [O[x[z]]]
  [R[N[x]]]
]] [DP [Mary,tier=word,myGP1
  [O[x[m]]]
  [R[N[x[e]]]]
  [O[x[r]]]
  [R[N[x[i]]]]
]]]
\end{forest}%
```

(86)



And an example of annotations.



```

56 \newbox\standardnodestrutbox
57 \setbox\standardnodestrutbox=\hbox to 0pt{\phantom{\forestOve{standard node}{content}}}
58 \def\standardnodestrut{\copy\standardnodestrutbox}
59 \forestset{
60   GP1/.style 2 args={
61     for n={1}{baseline},
62     s sep=0pt, l sep=0pt,
63     for descendants={
64       l sep=0pt, l=#1,
65       anchor=base,calign=first,child anchor=north,
66       inner xsep=1pt,inner ysep=2pt,outer sep=0pt,s sep=0pt,
67     },
68     delay={
69       if content={}{\phantom}{for children={no edge}},
70       for tree={
71         if content={0}{tier=OR}{},
72         if content={R}{tier=OR}{},
73         if content={N}{tier=N}{},
74         if content={x}{
75           tier=x,content={\$ \times \$},outer xsep={#2},
76           for tree={calign=center},
77           for descendants={content format={\noexpand\standardnodestrut\forestoption{content}}},
78           before drawing tree={outer xsep=0pt,delay={typeset node}},
79           s sep=4pt
80         }{},
81       },
82     },
83     before drawing tree={where content={}{parent anchor=center,child anchor=center}{}},
84   },
85   GP1/.default={5ex}{8.0pt},
86   associate/.style={%
87     tikz+={\draw[densely dotted](!)--(!#1);}},
88   spread/.style={
89     before drawing tree={tikz+={\draw[dotted](!)--(!#1);}},

```

```

90     govern/.style={
91       before drawing tree={tikz+={\draw[->](!)->(!#1);}},
92     p-govern/.style={
93       before drawing tree={tikz+={\draw[->](.north) to[out=150,in=30] (!#1.north);}},
94     no p-govern/.style={
95       before drawing tree={tikz+={\draw[->,loosely dashed](.north) to[out=150,in=30] (!#1.north);}},
96     encircle/.style={before drawing tree={circle,draw,inner sep=0pt}},
97     fen/.style={pin={font=\footnotesize,inner sep=1pt,pin edge=<-]10:\textsc{Fen}}},
98     el/.style={content=\textsc{\textbf{##1}}},
99     head/.style={content=\textsc{\textbf{\underline{##1}}}}
100   }

```

4.2 edges

101 \ProvidesForestLibrary{edges}[2015/11/14 v0.1]

forked edge


Sets a forked edge to the current node. Arbitrary growth direction and node rotation are supported. Using this key does *not* change the current values of `parent anchor` and `child anchor`.

forked edges

Sets forked edges to the entire (sub)tree rooted in the current node. Arbitrary growth direction and node rotation are supported.

`parent anchor` and `child anchor` are set to `children` and `parent`, respectively.

option **fork sep** The `l`-distance between the parent anchor and the fork.



```

\begin{forest}
  for tree={grow'=0,draw},
  forked edges,
[/
  [home
    [saso
      [Download]
      [TeX]
    ]
    [alja]
    [joe]
  ]
  [usr
    [bin]
    [share]
  ]
]
\end{forest}

```

(88)

See how `parent anchor` and `parent anchor` are used in the definition of `forked edge` to easily take care of arbitrary `grow` and `rotate`.

```

102 \forestset{
103   declare dimen={fork sep}{0.5em},
104   forked edge/.style={
105     edge={rotate/.pgfmath=grow()},
106     edge path'={(!u.parent anchor) -- ++(\forestoption{fork sep},0) |- (.child anchor)},
107   },
108   forked edges/.style={
109     for tree={parent anchor=children},
110     for descendants={child anchor=parent,forked edge}
111   },
112 }

```

folder The children of the node are drawn like folders.


All growth directions are supported (well, cardinal directions work perfectly; the others await the sensitivity of packing to `edge path`), as well as node rotation and `reversed` order of children.

The outlook of the folder can be influenced by setting standard FOREST's options `l sep` and `s sep` any time before packing, or `l` and `s` after packing. Setting `l` and `s` before packing will have no influence on the layout of the tree.

`register folder indent=<dimen>`

`.45em`

Specifies the shift of the parent's side of the edge in the `l`-direction.



```

\begin{forest}
  for tree={grow'=0,folder,draw}
  [/
    [home
      [saso
        [Download]
        [TeX]
      ]
      [alja]
      [joe]
    ]
    [usr
      [bin]
      [share]
    ]
  ]
\end{forest}

```

(89)

```


113 \forestset{
114   declare dimen register=folder indent,
115   folder indent=.45em,
116   folder/.style={
117     parent anchor=parent last,
118     anchor=parent first,
119     calign=child,
120     calign primary child=1,
121     for children={
122       child anchor=parent,
123       anchor=parent first,
124       edge={rotate/.pgfmath=grow()},
125       edge path'/.expanded={
126         ([xshift=\forestregister{folder indent}]!u.parent anchor) |- (.child anchor)
127       },
128     },
129     after packing node={
130       if n children=0{}{
131         tempdiml=l_sep()-l("!1"),
132         tempdims={-abs(max_s("", "")-min_s("", ""))-s_sep()},
133         for children={
134           l+=tempdiml,
135           s+=tempdims()*(reversed()-0.5)*2,
136         },
137       },
138     },
139   }
140 }

```

5 Gallery

5.1 Decision tree

The following example was inspired by a question on T_EX Stackexchange: [How to change the level distance in tikz-qtree for one level only?](#). The question is about `tikz-qtree`: how to adjust the level distance for the first level only, in order to avoid first-level labels crossing the parent-child edge. While this example solves the problem (by manually shifting the offending labels; see `e1o` below), it does more: the preamble is setup so that inputting the tree is very easy.



(90)

```
\forestset{
  declare toks={elo}{}, % Edge Label Options
  anchors/.style={anchor=#1,child anchor=#1,parent anchor=#1},
  dot/.style={tikz+={\fill (.child anchor) circle[radius=#1];}},
  dot/.default=2pt,
  decision edge label/.style n args=3{
    edge label/.expanded={node[midway,auto=#1,anchor=#2,\forestoption{elo}]{\strut$\unexpanded{#3}$}}
  },
  decision/.style={if n=1
    {decision edge label={left}{east}{#1}}
    {decision edge label={right}{west}{#1}}
  },
  decision tree/.style={
    for tree={
      s sep=0.5em,l=8ex,
      if n children=0{anchors=north}{
        if n=1{anchors=south east}{anchors=south west}},
      math content,
    },
    anchors=south, outer sep=2pt,
    dot=3pt,for descendants=dot,
    delay={for descendants={split option={content}{;}{content,decision}}},
  }
}
\begin{forest} decision tree
  [N,plain content
    [I;{p_1=0.5},plain content,elo={yshift=4pt}
      [{5,1};a]
      [II;b,plain content
        [{1,2};m]
        [{2,3};n]
      ]
    ]
    [II;{p_2=0.5},plain content,elo={yshift=4pt}
      [;c
        [{1,0};z]
        [{2,2};t]
      ]
      [;d
        [{3,1};z]
        [{0,0};t]
      ]
    ] {\draw[dashed](!1.anchor)--(!2.anchor) node[pos=0.5,above]{I};}
  ]
\end{forest}
```

5.2 forest-index

The indexing system used to document the FOREST package uses the package itself quite heavily. While this might be a bit surprising at first sight, as indexing draws no trees, the indexing package illustrates the usage of some of the more exotic features and usage-cases of the FOREST package, which is why its source

is included in this documentation.²⁵

This package has three main functions:

- It is possible to index subentries using a *short form* of their index key, i.e. without referring to their ancestor entries. For example, instead of writing `\index{option>content}` one can simply write `\index{content}`. (Obviously, the subentry must “content” be defined as belonging to entry “option” first. This is done using `\indexdef{option>content}`.) This works for all keys which are a subentry of a single entry.
- All subentries are automatically entered as main entries as well, with a qualifier of which entry they belong to. So, `\index{option>content}` produces two index entries: entry “option” with subentry “content” and entry “content option”. This works for an arbitrary number of subentry levels.
- Entries can be given options that format the appearance of the entry and/or its descendants in both text and index. (Entries that format the appearance of their descendants are called categories below.)
- If `hyperref` package is loaded, the following hyperlinks are created besides the standard ones linking the page numbers in index to text: (i) entries in text link to the definition in text, (ii) definitions in the text link to the index entry, (iii) categories in index are cross-linked.

The FOREST package mainly enters the picture with respect to the entry formatting. A simple (narrow) tree is built containing an entry and all its ancestors. Formatting instructions are then processed using FOREST’s option processing mechanisms.

Finally, note that this package might change without retaining backwards compatibility, and that changes of this package will not be entered into the changelog.

Identification.

```
1 \ProvidesPackage{forest-index}
2 \RequirePackage{forest}
```

Remember the original L^AT_EX’s `\index` command.

```
3 \let\forestindex@LaTeX@index\index
```

The user interface macros

<code>\index</code>	<code>\index</code> is the general purpose macro. <code>\indexdef</code> and <code>\indexex</code> are shorthands for indexing definitions and examples. <code>\indexitem</code> is a combination of <code>\indexdef</code> and the <code>\item</code> of the <code>lstdoc</code> package. It automatically indexes the command being documented. <code>\indexset</code> neither typesets or indexes the entry, but only configures it; it is usually used to configure categories. All these macros parse their arguments using <code>xparse</code> . The arguments, listed in the reverse order:
<code>\indexdef</code>	
<code>\indexex</code>	
<code>\indexitem</code>	
<code>\indexset</code>	

- The final argument, which is the only mandatory argument, is a comma-separated list of index keys.
- The boolean switch `>` just before the mandatory argument signals that the keys are given in the full form. Otherwise, keys without a level separator are considered short.
- Indexing options are given by the `[optional]` argument.
- The first (optional) argument of:
 - `\indexitem`: specifies the default value of the command.
 - `\index`: is used to provide “early” options.

Among the options of these commands, three keylists are of special importance: `index key format`, `index form format` and `print format`. These hold instructions on how to format the index key, the form of the entry in the index and the form of the entry in the main text. They work by modifying the contents of an `(autowrapped toks)` register `result`.

An example: how macros are indexed in this documentation. Style `macro` defined below does everything needed to format a macro name: it detokenizes the given name (in case the name contains some funny characters), prefixes the backslash, wraps in in the typewriter font, adds color and hyperlink (the final two styles are defined in below this package). Note the usage of `\protect`: it is needed because we want to use these styles to format entries not just in the main next, but also in the index.

²⁵Indexing with this package makes the compilation very slow, so I cannot whole-heartedly recommend it, but I still hope that it will make a useful example.

```
\forestset{
  detokenize/.style={result=\protect\detokenize{##1}},
  tt/.style={result=\protect\texttt{##1}},
  macro/.style={detokenize, +result={\char\escapechar}, tt, print in color, hyper},
}
```

Then, we configure the main level entry “macro”: the child of this entry will be formatted (both in index and in the main text) using the previously defined style.

```
\indexset
  [for first={format=macro}]
  >{macro}
```

Usage is then simple: we write `\indexex{macro>forestoption}` (or simply `\indexex{forestoption}` to get `\forestoption`.

```
4 \DeclareDocumentCommand\indexdef{0}{ t> m}{%
5   \IfBooleanTF{#2}
6     {\let\forestindex@resolvekey\forestindex@resolvekey@long}
7     {\let\forestindex@resolvekey\forestindex@resolvekey@shortorlong}%
8   \forestindex@index{definition}{#1}{#3}}
9 \DeclareDocumentCommand\indexex{0}{ t> m}{%
10  \IfBooleanTF{#2}
11    {\let\forestindex@resolvekey\forestindex@resolvekey@long}
12    {\let\forestindex@resolvekey\forestindex@resolvekey@shortorlong}%
13  \forestindex@index{example}{#1}{#3}}
14 \DeclareDocumentCommand\indexitem{D(){} 0{} t> m}{%
15  \IfBooleanTF{#3}
16    {\let\forestindex@resolvekey\forestindex@resolvekey@long}
17    {\let\forestindex@resolvekey\forestindex@resolvekey@shortorlong}%
18  \forestindex@index{definition}{default={#1},print format=item,#2}{#4}}
19 \DeclareDocumentCommand\indexset{0}{ t> m}{%
20  \IfBooleanTF{#2}
21    {\let\forestindex@resolvekey\forestindex@resolvekey@long}
22    {\let\forestindex@resolvekey\forestindex@resolvekey@shortorlong}%
23  \forestindex@index{not print,not index,definition}{set={#1}}{#3}}
24 \DeclareDocumentCommand\index{D(){} 0{} t> m}{%
25  \IfBooleanTF{#3}
26    {\let\forestindex@resolvekey\forestindex@resolvekey@long}
27    {\let\forestindex@resolvekey\forestindex@resolvekey@shortorlong}%
28  \forestindex@index{#1}{#2}{#4}}%
29 }
```

All UI macros call this macro.

#1 early option keylist

#2 late option keylist

#3 a comma-sep list of forest index key (full or short form). A key can be given an argument using `key=argument` syntax. How the argument is used is up to the user. For example, the “environment” entry of the FOREST documentation uses it to typeset the contents of the environment:

```
\indexitem{environment>forest={[\texttt{(\} \meta{stages} \texttt{)}] \meta{tree}}}
```

```
30 \def\forestindex@index#1#2#3{%
```

Partition the index keylist into single keys.

```
31 \forcsvlist{\forestindex@forkey{#1}{#2}}{#3}%
32 }
33 \def\forestindex@forkey#1#2#3{%
```

Short-key resolution. The result is stored into `\forestindex@fullkey`.

```
34 \forestindex@resolvekey{#3}%
```

Call the central processing command, style `@index`. See how `.process args` is used to expand (once) the last argument.

```
35 \forestset{@index/.process args={__o}{#1}{#2}{\forestindex@fullkey}}%
36 }
37 \forestset{
```


Declarations

Should we print and/or index the entry? For example, `\index[not print]{...}` will index silently (as L^AT_EX's `\index` command does).

```
38 declare boolean register=print,
39 declare boolean register=index,
```

Options `name`, `content`, `key` and `argument` hold info about the current entry. We need to declare only the latter two, the former two we steal from FOREST.

```
40 declare toks={key}{},
41 declare toks={argument}{},
```

These options will hold first the initial, and then the calculated values of the index key, index form and the form in text. When (late) options are executed, these options are initialized to the value of option `key`; it is safe to modify them at this point. Afterwards, they will be further processed by keylists `index key format`, `index form format` and `print format`, respectively.

```
42 declare toks={index key}{},
43 declare toks={index form}{},
44 declare toks={print form}{},
```

The customization of entries' appearance is done by specifying the following three keylists. The keylists work by modifying register `result`.

```
45 declare keylist={index key format}{},
46 declare keylist={index form format}{},
47 declare keylist={print format}{},
48 declare autowrapped toks register=result,
```

Some shorthands.

```
49 format/.style={print format'={#1}, index format'={#1}},
50 format/.style={print format={#1}, index format={#1}},
51 format+/.style={print format+={#1}, index format+={#1}},
52 +format/.style={+print format={#1}, +index format={#1}},
53 form/.style={print form={#1},index form={#1}},
54 form+/.style={print form+={#1},index form+={#1}},
55 +form/.style={+print form={#1},+index form={#1}},
```

Entry types are normal (default), definition, example. Only definitions are special, as their options are automatically saved.

```
56 declare toks register=index entry type,
57 definition/.style={index entry type=definition},
58 normal/.style={index entry type=normal},
59 example/.style={index entry type=example},
60 normal,
```

This option is used internally to store the hyper ids.

```
61 declare toks={index@hypertarget}{},
62 every index begin/.style={},
63 every index end/.style={},
```

Some formatting tools need to know whether we're typesetting text or index: this info is stored in the `stage` register.

```
64 declare toks register=stage,
```

`declare`
`toks`
`register`

The central processing command

- #1 early option keylist (these are only used to define category “@unknown” at the end of this package)
- #2 late option keylist
- #3 index key (full form)

```
65 @index/.style n args={3}{
```

Set the defaults.

```
66 print, index, index entry type=normal, set'={},
```

Create the tree structure: `[entry[subentry[subsubentry...]]]`. Three options of every node created:

- `key` contains the key of the (sub)entry
- `name` contains the full path to the (sub)entry
- `arguments` contains the arguments given to the (sub)entry's key

- `content` contains the full key, with arguments for all but the most deeply embedded subentry

`for nodewalk` is used because `create@subentry@node` walks down the created tree. At `if n=0` below, we're thus positioned at the lowest node.

```
67   for nodewalk={
```

The components of the full key are separated using `split`, with different keys being executed for the first component and the rest.

```
68   split={#3}{>}{create@main@entry@node, create@subentry@node},
```

Remove the argument from the most deeply embedded subentry.

```
69   if n=0{
70     content/.option=key,
71   }{
72     content/.wrap 2 pgfmath args={##1>##2}{content("!parent")}{key},
73   }
74 }{ },
75 for root'={
```

Option `print form` is what will be typeset in the text. Option `index key` is the key that will be used for sorting the index. Option `index form` is what will be typeset in the index. All these are initialized to the `key`. See how `.option` is used to assign an option value to another option.

```
76   for tree={
77     print form/.option=key,
78     index key/.option=key,
79     index form/.option=key,
80   },
```

Below, `on invalid` is set to `fake` at four points. This is so we won't get in trouble when `\indexsetting` the categories: when the category formatting code will try to step into the child, it will fail as the child does not exist when `\indexset` is called for the category; but we ignore the failure.

Go to the the most deeply embedded subentry.

```
81   for first leaf'={
```

Execute every index options and the given early options.

```
82     on invalid={fake}{
83       every index begin,
84       #1,
85     },
```

Ancestors are walked in the `reverse` order (top down). At every node, the saved configuration is executed (if it exists).

```
86     for reverse={ancestors}{on invalid={fake}{@@index/\forestooption{name}/.try}},
```

We don't execute the saved configuration for definitions, as definitions are where the configuration is set.

```
87     if index entry type={definition}{%
88       on invalid={fake}{@@index/\forestooption{name}/.try},
89     },
```

Execute late (well, normal) options. See the discussion about early options above.

```
90     on invalid={fake}{
91       #2,
92       every index end
93     },
```

Remember the given config for the rest of the document.

```
94     if set={}{save@session},
```

If we're at a definition, save the config into the auxiliary file.

```
95     if index entry type={definition}{save@foridx}{},
96   },
97   stage={},
```

Create hyperlink targets of the form `.entry.subentry.subsubentry...`

FOREST points: (i) the generic conditional `if`, (ii) handler `.wrap 2 pgfmath args`, (iii) long `nodewalk` in the relative node name, which is an argument to a `pgfmath` option function, automatically created for the `index@hypertarget` option declared in this package.

```
98   if={index()||print()}{
99     index@hypertarget/.expanded={.\forestooption{index key}},
```

```

100     for descendants={
101         index@hypertarget/.wrap 2 pgfmath args={##1.##2}%
102         {index@hypertarget("!parent")}{index_key},
103     },
104 }{},
Index.
105     if index={
106         begingroup,
107         stage=index,
For each (sub)entry, format the index key using the instructions in index key format.
108     for tree={
109         result/.option=index key,
110         process keylist'={index key format}{current},
111         index key/.register=result,
112     },
For each (sub)entry, format the index form using the instructions in index form format.
113     for tree={
114         result/.option=index form,
115         process keylist'={index format}{current},
116         index form/.register=result,
117     },
Create an index entry for all nodes where index form is non-empty.
118     where index form={}{ }{
All the ancestor nodes with an non-empty index form will be appended (in script size, as a hyperlink) to
the index form of the current node.
119     if n=0{
120         temptoksb={},
121     }{
122         temptoksc={},
123         for ancestors={
124             if index form={}{ }{
125                 temptoksb+/.expanded={\forestregister{temptoksc}%
126                 \noexpand\protect\noexpand\hyperlinknocolor{%
127                 \forestoption{index@hypertarget}}{\forestoption{index form}}},
128                 temptoksc={, \space},
129             },
130         },
131         if temptoksb={}{ }{
132             +temptoksb={\protect\space\begin group\protect\scriptsize},
133             temptoksb+={\end group},
134         },
135     },
136     temptoksa={},
137     result={},
138     if n children=0{tempboola}{not tempboola},
139     where index form={}{ }{
If the (outer) current node has no children, make it the hypertarget that the definitions in text will point
to.
140         if tempboola={temptoksd/.expanded={\noexpand\protect\noexpand\hypertarget{%
141         \forestoption{index@hypertarget}}{}}}{temptoksd={}},
Add the (inner) current node to the index entry of the (outer) current node.
142         result+/.expanded={%
143             \forestregister{temptoksa}%
144             \forestoption{index key}%
145             =\forestoption{index form}%
146             \forestregister{temptoksd}%
147             \forestregister{temptoksb}%
148         },
149         temptoksa={>},
150         temptoksb={},
151     },

```

Do the actual indexing.

```

152     result+/.expanded={|indexpagenumber\forestregister{index entry type}},
153     TeX/.expanded={\noexpand\forestindex@LaTeX@index{\forestregister{result}}},
154 },
155 endgroup
156 }{ },
157 if print={
158     begingroup,
159     stage=print,

```

For each (sub)entry, format the print form using the instructions in print form format.

```

160     for tree={
161         result/.option=print form,
162         process keylist'={print format}{current},
163         print form/.register=result,
164     },

```

Typeset the entry in the text.

```

165         for first leaf'={TeX={\forestoption{print form}}},
166         endgroup,
167     }{ },
168 }
169 },

```

Create the main entry node and set to be the root.

```

170 create@main@entry@node/.style={% #1 = subentry
171     set root={[]},
172     do dynamics, for root'={process delayed=tree},
173     root',
174     setup@entry@node={#1}
175 },

```

Create a subentry node and move into it.

```

176 create@subentry@node/.style={
177     append={[]},
178     do dynamics, for root'={process delayed=tree},
179     n=1,
180     setup@entry@node={#1}
181 },

```

Parse #1 into key and argument, and assign name and content.

```

182 setup@entry@node/.style={
183     options={
184         split={#1}{=}{key,argument},
185         if n=0{
186             name'/.option=key,
187             content={#1},
188         }{
189             name'/.wrap 2 pgfmath args={##1>##2}{name("!parent")}{key},
190             content/.wrap pgfmath arg={##1>#1}{content("!parent")},
191         },
192     }
193 },
194 }

```

Saving and loading the options

```

195 \forestset{

```

This register holds whatever we need to remember.

```

196 declare keylist register=set,

```

Autoforward register Besides storing the keylist in the register, also immediately execute it..

```

197 Autoforward register={set}{##1},

```

Remember things by saving them in a global style.

```

198 save@session/.style={@@index/\forestoption{name}/.global style/.register=set},

```

Save thinks to the auxiliary file.

```

199   save@foridx/.style={
    Don't save entries of unknown category.
200     if={strequal(name("!root"),"@unknown")}{-}{
    Don't save if nothing is set.
201       if set={-}{-}{
202         TeX={%
203           \immediate\write\forestindex@out{%
204             \string\indexloadsettings{\forestoption{name}}{\forestregister{set}}}%
205           }%
206         },
207       },
    Save the full form of the key in the auxiliary file. Obviously, do it only for subentries. The full form contains
    whatever arguments were given to the non-last component.
208     if={strequal(key(),content())}{-}{
209       TeX={%
210         \immediate\write\forestindex@out{%
211           \string\indexdefineshortkey{\forestoption{key}}{\forestoption{content}}}%
212         }%
213       }
214     }
215   },
216 },
217 }

```

Load settings from the auxiliary file into the global style. Warn if anything was configured more than once (e.g. by `\indexdefining` the same key twice).

```

218 \def\indexloadsettings#1#2{%
219   \pgfkeysifdefined{/forest/@@index/#1/.@cmd}{%
220     \forestindex@loadsettings@warning{#1}%
221   }{}%
222   \forestset{@@index/#1/.global style={#2}}%
223 }
224 \def\forestindex@loadsettings@warning#1{%
225   \PackageWarning{forest-index}{Forest index key "#1" was configured more than once!
226     I'm using the last configuration.}%
227 }

```

Load the full form of a short key from the auxiliary file. Out of kindness for the end user, remember all the full keys corresponding to a short key: this will make a more informative warning below.

```

228 \def\indexdefineshortkey#1#2{%
229   \def\forestindex@temp@short{#1}%
230   \def\forestindex@temp@long{#2}%
231   \ifx\forestindex@temp@short\forestindex@temp@long
232   \else
233     \ifcsdef{index@long@#1}{%
234       \global\cslet{index@long@#1}\relax
235       \csgappto{index@alllong@#1}{, #2}%
236     }{%
237       \global\csgdef{index@long@#1}{#2}%
238       \global\csgdef{index@alllong@#1}{#2}%
239     }%
240   \fi
241 }

```

Short key resolution

Nothing to do for a long key.

```

242 \def\forestindex@resolvekey@long#1{\def\forestindex@fullkey{#1}}

```

Decide whether a key is short or long based on the absence or presence of the level separator `>`.

```

243 \def\forestindex@resolvekey@shortorlong#1{%
244   \pgfutil@in@>{#1}%
245   \ifpgfutil@in@
246     \expandafter\def\expandafter\forestindex@fullkey
247   \else
248     \expandafter\forestindex@resolvekey@short

```

```

249 \fi
250 {#1}%
251 }

```

Before resolving the short key, we need to split the user input into the key and the argument. The latter is then appended to the full key (which can, in principle, contain arguments for other components as well).

```

252 \def\forestindex@resolvekey@short#1{%
253   \forestset{split={#1}{=}{index@resolveshortkey@key,index@resolveshortkey@arg}}%
254 }
255 \forestset{
256   index@resolveshortkey@key/.code={%
257     \ifcvoid{index@long@#1}{%
258       \forestindex@resolveshortkey@warning{#1}%
259       \def\forestindex@fullkey{@unknown>#1}%
260     }{%
261       \letcs\forestindex@fullkey{index@long@#1}%
262     }%
263   },
264   index@resolveshortkey@arg/.code={%
265     \appto\forestindex@fullkey{=#1}%
266   },
267 }
268 \def\forestindex@resolveshortkey@warning#1{%
269   \PackageWarning{forest-index}{Cannot resolve short forest index key "#1".
270     These are the definitions I found (from the previous run):
271     "\csuse{index@alllong@#1}"}%
272 }

```

Formatting styles

Define default colors for index entry types and provide a style that typesets the entry in text (but not index) in the desired color.

```

273 \forestset{
274   normal color/.initial=blue,
275   definition color/.initial=red,
276   example color/.initial=darkgreen,
277   print in color/.style={if stage={print}{result=\protect\textcolor{%
278     \pgfkeysvalueof{/forest/#1 color}}{##1}}{}}{,
279   print in color/.default=\forestregister{index entry type},

```

Use this style in ... format keylists if you want the index entries to be hyperlinks to the definition, and the definition to be a hyperlink to the index.

```

280   hyper/.style={
281     if stage={index}{%
282       if index entry type={definition}{
283         result/.expanded={\noexpand\hypertarget{\forestoption{name}}%
284           {\noexpand\hyperlink{\forestoption{index@hypertarget}}{\forestregister{result}}}}
285       }{
286         result/.expanded={\noexpand\hyperlink{\forestoption{name}}{\forestregister{result}}
287       }
288     }
289   },
290 }

```

Color page numbers in the index, with or without hyperref package.

```

291 \ifdef\hyperpage{%
292   \newcommand\indexpagenumbernormal[1]{%
293     \hypersetup{linkcolor=\pgfkeysvalueof{/forest/normal color}}\hyperpage{#1}}
294   \newcommand\indexpagenumberdefinition[1]{%
295     \hypersetup{linkcolor=\pgfkeysvalueof{/forest/definition color}}\hyperpage{#1}}
296   \newcommand\indexpagenumberexample[1]{%
297     \hypersetup{linkcolor=\pgfkeysvalueof{/forest/example color}}\hyperpage{#1}}
298 }{
299   \newcommand\indexpagenumbernormal[1]{%
300     \textcolor{\pgfkeysvalueof{/forest/normal color}}{#1}}
301   \newcommand\indexpagenumberdefinition[1]{%

```

```

302 \textcolor{\pgfkeysvalueof{/forest/definition color}}{#1}}
303 \newcommand\indexpagenumberexample[1]{%
304 \textcolor{\pgfkeysvalueof{/forest/example color}}{#1}}
305 }

```

Provide dummy `\hyper...` commands if `hyperref` is not loaded.

```

306 \providecommand\hyperlink[2]{#2}
307 \providecommand\hypertarget[2]{#2}
308 \providecommand\hypersetup[1]{%

```

This is used by entry qualifiers: we want them to be hyperlinks, but black.

```

309 \newcommand\hyperlinknocolor[2]{\hypersetup{linkcolor=black}\hyperlink{#1}{#2}}

```

Use style `item` to have the index entry (in text) function as the `\item` of a `lstdoc`'s `syntax` environment.

```

310 \forestset{
311 declare toks register=default,
312 default={},
313 item/.style={result/.wrap 4 pgfmath args={%
314 \item[,##2,##3]{##4}%
315 }-{}{default}{print_form("!parent")}{result},
316 },
317 }

```

Utilities

We will need a global version of several `pgfkeys` commands.

```

318 \pgfkeys{/handlers/.global style/.code=\pgfkeys{\pgfkeyscurrentpath/.global code=\pgfkeysalso{#1}}}
319 \pgfkeysdef{/handlers/.global code}{\pgfkeysglobaldef{\pgfkeyscurrentpath}{#1}}
320 \long\def\pgfkeysglobaldef#1#2{%
321 \long\def\pgfkeys@temp##1\pgfeov{#2}%
322 \pgfkeysgloballet{#1/.@cmd}{\pgfkeys@temp}%
323 \pgfkeysglobalsetvalue{#1/.@body}{#2}%
324 }
325 \def\pgfkeysgloballet#1#2{%
326 \expandafter\global\expandafter\let\csname pgfk@#1\endcsname#2%
327 }
328 \long\def\pgfkeysglobalsetvalue#1#2{%
329 \pgfkeys@temptoks{#2}\expandafter\xdef\csname pgfk@#1\endcsname{\the\pgfkeys@temptoks}%
330 }

```

Begin and end group, `FOREST`-style:

```

331 \forestset{
332 begingroup/.code={\begingroup},
333 endgroup/.code={\endgroup},
334 }

```

Initialize

Declare category “@unknown”.

```

335 \index(not print,not index)[%
336 set={
337 index key=unknown,
338 form={\textbf{unknown!!}},
339 for first={format={result/.expanded=\noexpand\textbf{\forestregister{result}}??}}
340 },
341 ]>{@unknown}

```

Load the auxiliary file made in the previous compilation, and open it for writing to save data from this compilation.

```

342 \def\forestindex@filename{\jobname.foridx}
343 \IfFileExists{\forestindex@filename}{%
344 \input\forestindex@filename
345 }-{}%
346 \newwrite\forestindex@out
347 \immediate\openout\forestindex@out=\forestindex@filename
348 \AtEndDocument{%

```

```

349 \immediate\closeout\forestindex@out
350 }
351 \endinput

```

6 Past, present and future

Roadmap What’s planned for future releases?

- filling up the libraries
- faster externalization
- custom-edge aware packing algorithm and a more flexible (successor of) `calign`
- support for specialized `forest` environments, including:
 - selectable input parser,
 - namespaces (different function, different options),
 - better support for different output types.

In short, everything you need to make FOREST your favourite spreadsheet! ;-)

- code cleanup and extraction of sub-packages possibly useful to other package writers

6.1 Changelog

6.1.1 v2.0

v2.0 (2015/11/??)

Backwards incompatible changes (*without* a `compat` key — sorry!):

- The unintended and undocumented way to specify defaults using `\forestset{.style={...}}` (see question [Making a certain tree style the default for forest](#) at T_EX SE) does not work anymore. (Actually, it has never truly worked, and that’s why it has not `compat` key.) Use `default preamble`.
- Renamed augmented assignment operator `<option>-` for prepending to `<toks>` and `<keylist>` options `+<option>`. A new `<option>-` is defined for keylist options and means “delete key from keylist.”
- Short nodewalk steps are not simply styles anymore: use `define short step` to define them.

Backwards incompatible changes with a `compat` key:

```

1.0-most/.style={
  1.0-triangle,1.0-linear,1.0-nodewalk,1.0-ancestors,
  1.0-fittotree,1.0-for,1.0-forall
},
1.0-all/.style={
  1.0-most,
  1.0-ignoreinvalidsteps,1.0-rotate,1.0-stages,1.0-name
},

```

`compat=1.0-stages`

Processing of `given options`, which is now exposed, and the new keylists `default preamble` and `preamble` is now included at the start of the default `stages` style. When changing `stages`, the instruction to process these keylists must now be given explicitly.

`compat=1.0-forstep`

In v1.0, a spatial propagator `for <step>` could never fail. This turned out to be difficult to debug. In this version, when a propagator steps “out of the tree”, an error is raised by default. Check out [on invalid](#) to learn how to simulate the old behaviour without using this compatibility key.

compat=1.0-rotate

This version of the package introduces option `rotate` and `autoforwards` it to `node options`. This is needed to handle the new FOREST anchors (§3.14). However, in some rare cases (like the tree on the title page of this manual) it can lead to a discrepancy between the versions, as the time when the value given to `rotate` is processed is different. `1.0-rotate` removes option `rotate`.

compat=1.0-name

Documentation of v1.0 requested that node names be unique, but this was not enforced by the package, sometimes leading to errors. v2.0 enforces node name uniqueness. If this causes problems, use this compatibility key. In most cases using `name` instead of `name` should fix the problem without using compatibility mode.

These keys have been renamed:

old	new	compat key
node walk	for nodewalk ²⁶	1.0-nodewalk
for	for group	1.0-for
for all next	for following siblings	1.0-forall
for all previous	for preceding siblings	1.0-forall
for ancestors'	for current and ancestors	1.0-ancestors
(for) linear next	(for) next node	1.0-linear
(for) linear previous	(for) previous node	1.0-linear
triangle	roof (library <code>linguistics</code>)	1.0-triangle
/tikz/fit to tree	/tikz/fit to=tree ²⁷	1.0-fittotree
begin forest, end forest	none (use <code>stages</code>)	1.0-stages
end forest, end forest	none (use <code>stages</code>)	1.0-stages

Good news:

- Added temporal propagators `before packing node` and `after packing node`.
- *Much* improved nodewalks, see §3.8 and §3.4.3.
- Implemented looping mechanisms and more conditionals, see §3.9.
- Implemented library support and started filling up the libraries:
 - `linguistics`: `sn edges`, `nice empty nodes`, `draw brackets`, `c-commanded` and `c-commanders`
 - `edges`: `forked edges` and `folder`
- Implemented aggregate functions, see §3.11.1.
- Added key `default preamble`.
- Implemented anchors `parent`, `children`, `first`, `last`, etc.
- Added key `split` and friends.
- Implemented sorting of children, see §3.10.
- Introduced registers, see §3.6.
- Implemented handlers `.option`, `.register` and `.process args`.
- Implemented several friends to `process keylist`, introduced `processing orders` and `draw tree method`.
- Added the optional argument (`<stages>`) to the `forest` environment and `\Forest` macro.
- Implemented `autoforwarding`.
- Implemented flexible handling of unknown keys using `unknown to`.
- Implemented `pgfmath` functions `min_l`, `max_l`, `min_s`, `max_s`.
- Implemented augmented assignment operator `<keylist option>-` for removing keys from keylists.
- Implemented a generalized `/tikz/fit to` key.
- Implemented a very slow FOREST-based indexing system (used to index this documentation) and included it in the gallery (§5.2).

²⁶Nodewalks are much improved in v2.0, so some syntax and keys are different than in v1.0!

²⁷The v1.0 key `/tikz/fit to tree` also set `inner sep=0`; the v2.0 key `/tikz/fit to` does not do that.

- Added some minor keys: `edge path'`, `node format'`, `create'` and `plain content`.
- Added some developer keys: `copy command key`, `typeout`.

Bugfixes:

- In computation of numeric tree-structure info, when called for a non-root node.
- TikZ's externalization internals (signature of `\tikzexternal@externalizefig@systemcall@uptodatech`) have changed: keep up to date, though only formally.
- `delay` was not behaving additively.
- `name`, `alias` and `baseline` didn't work properly when setting them for a non-current node.
- Augmented assignments for count options were leaking `'.0pt'`.
- `create` didn't work properly in some cases.
- `triangle` (now `roof` in `linguistics`) didn't use `cycle` in the edge path

6.1.2 v1.0

v1.0.10 (2015/07/22)

- Bugfix: a left-over debugging `\typeout` command was interfering with a `forest` within `tabular`, see [this question on TeX.SE](#).
- A somewhat changed versioning scheme ...

v1.09 (2015/07/15)

- Bugfix: child alignment was not done in nodes with a single child, see [this question on TeX.SE](#).

v1.08 (2015/07/10)

- Fix externalization (compatibility with new `tikz` features).

v1.07 (2015/05/29)

- Require package `elocalloc` for local boxes, which were previously defined by package `etex`.

v1.06 (2015/05/04)

- Load `etex` package: since v2.1a, `etoolbox` doesn't do it anymore.

v1.05 (2014/03/07)

- Fix the node boundary code for rounded rectangle. (Patch contributed by Paul Gaborit.)

v1.04 (2013/10/17)

- Fixed an [externalization bug](#).

v1.03 (2013/01/28)

- Bugfix: options of dynamically created nodes didn't get processed.
- Bugfix: the bracket parser was losing spaces before opening braces.
- Bugfix: a family of utility macros dealing with affixing token lists was not expanding content correctly.
- Added style `math content`.
- Replace key `tikz preamble` with more general `begin draw` and `end draw`.
- Add keys `begin forest` and `end forest`.

v1.02 (2013/01/20)

- Reworked style `stages`: it's easier to modify the processing flow now.
- Individual stages must now be explicitly called in the context of some (usually root) node.
- Added `delay n` and `if have delayed`.
- Added (experimental) `pack'`.
- Added reference to the [style repository](#).

v1.01 (2012/11/14)

- Compatibility with the `standalone` package: temporarily disable the effect of `standalone's` package option `tikz` while typesetting nodes.

- Require at least the [2010/08/21] (v2.0) release of package `etoolbox`.
- Require version [2010/10/13] (v2.10, rcs-revision 1.76) of PGF/TikZ. Future compatibility: adjust to the change of the “not yet positioned” node name (2.10 @ → 2.10-csv PGFINTERNAL).
- Add this changelog.

v1.0 (2012/10/31) First public version

Acknowledgements Many thanks to the [T_EX SE community](#) and all the people who have provided comments, sent patches and/or reported bugs! I can happily report that the list grows too fast to maintain ... I'll rather work on the package! ;-) And anyway, you know who you are ... thanks!

6.2 Known bugs

If you find a bug (there are bound to be some ...), please contact me at saso.zivanovic@guest.arnes.si.

System requirements

This package requires L^AT_EX and eT_EX. If you use something else: sorry.

The requirement for L^AT_EX might be dropped in the future, when I get some time and energy for a code-cleanup (read: to remedy the consequences of my bad programming practices and general disorganization).

The requirement for eT_EX will probably stay. If nothing else, FOREST is heavy on boxes: every node requires its own ... and consequently, I have freely used eT_EX constructs in the code ...

pgf internals

FOREST relies on some details of PGF implementation, like the name of the “not yet positioned” nodes. Thus, a new bug might appear with the development of PGF. If you notice one, please let me know.

Edges cutting through sibling nodes

In the following example, the R–B edge crosses the AAA node, although `ignore edge` is set to the default `false`.

```

\begin{forest}
  calign=first
  [R[AAAAAAAAAA\AAAAAAAAAA\AAAAAAAAAA,align=center,base=bottom] [B]]
\end{forest}

```

(91)

This happens because s-distances between the adjacent children are computed before child alignment (which is obviously the correct order in the general case), but child alignment non-linearly influences the edges. Observe that the with a different value of `calign`, the problem does not arise.

```

\begin{forest}
  calign=last
  [R[AAAAAAAAAA\AAAAAAAAAA\AAAAAAAAAA,align=center,base=bottom] [B]]
\end{forest}

```

(92)

While it would be possible to fix the situation after child alignment (at least for some child alignment methods), I have decided against that, since the distances between siblings would soon become too large. If the AAA node in the example above was large enough, B could easily be pushed off the paper. The bottomline is, please use manual adjustment to fix such situations.

Orphans

If the `l` coordinates of adjacent children are too different (as a result of manual adjustment or tier alignment), the packing algorithm might have nothing to say about the desired distance between them: in this sense, node C below is an “orphan.”

```


\begin{forest}
  for tree={s sep=0,draw},
  [R[A] [B] [C,l*=2] [D] [E]]
\end{forest}

```

(93)

To prevent orphans from ending up just anywhere, I have decided to vertically align them with their preceding sibling — although I’m not certain that’s really the best solution. In other words, you can rely that the sequence of s-coordinates of siblings is non-decreasing.

The decision also influences a similar situation illustrated below. The packing algorithm puts node E immediately next to B (i.e. under C): however, the monotonicity-retaining mechanism then vertically aligns it with its preceding sibling, D.



```

\begin{forest}
  for tree={s sep=0,draw},
  [R[A[B,tier=bottom]] [C] [D] [E,tier=bottom]]
\end{forest}

```

(94)

Obviously, both examples also create the situation of an edge crossing some sibling node(s). Again, I don’t think anything sensible can be done about this, in general.

References

- [1] Donald E. Knuth. *The TeXbook*. Addison-Wesley, 1996.
- [2] Till Tantau. *TikZ & PGF, Manual for Version 2.10*, 2007.
- [3] Till Tantau. *TikZ & PGF, Manual for Version 3.0.0*, 2013.

Color legend: **definition**, **example**, **other**. If an entry belongs to a library, the library name is given in parenthesis. All page numbers are hyperlinks, and definitions in text are hyperlinked to this index.

Symbols	A
! 8, 8, 9, 10, 12, 17, 18, 36, 40, 41, 43, 49, 58, 60, 60, 61, 66, 69	action character bracket key 19, 19, 20, 22, 22
<autowrapped toks option>' augmented assignment .. 31	after packing node propagator 26, 27, 27, 39, 81
<count option>' augmented assignment 32	afterthought style 22, 29, 43
<dimen option>' augmented assignment 32	.aggregate aggregate 57
<keylist option>' augmented assignment 31	aggregate
<count option>'* augmented assignment 32	.aggregate 57
<dimen option>'* augmented assignment 32	.average 57, 57
<count option>' + augmented assignment 32	.count 57
<dimen option>' + augmented assignment 32	.max 57
<count option>' - augmented assignment 32	.min 57
<dimen option>' - augmented assignment 32	.product 57
<count option>' : augmented assignment 32	.sum 57, 58
<dimen option>' : augmented assignment 32	aggregate n register 57, 58
* short step 51	aggregate postparse node key 58, 58
<count option>* augmented assignment 32	aggregate postparse macro node key 58
<dimen option>* augmented assignment .. 12, 31, 38, 83	aggregate postparse value
+(autowrapped toks option) augmented assignment .. 31	int 58
+(keylist option) augmented assignment 31, 48, 80	macro 58
+(toks option) augmented assignment 31, 31, 80	none 58
<autowrapped toks option>+ augmented assignment .. 31	print 58
<count option>+ augmented assignment 32	alias node key 1, 41, 82
<dimen option>+ augmented assignment 1, 16, 27, 31, 66	alias' node key 41
<keylist option>+ augmented assignment 31, 48, 69	align option 13, 13, 15, 33, 33, 33, 34, 66, 83
<toks option>+ augmented assignment 31, 31	align value
+(autowrapped toks option)' augmented assignment . 31	center 15, 33, 66, 83
<autowrapped toks option>+ ' augmented assignment . 31	left 33
<count option>- augmented assignment 32	right 33
<dimen option>- augmented assignment 31, 39	all compat option 21
<keylist option>- augmented assignment 31, 80, 81	ancestors step 46
<count option>: augmented assignment 32	anchor anchor 35, 59, 69
<dimen option>: augmented assignment 31	anchor forest cs 59
< short step 51	anchor option 10, 10, 14, 29, 33, 34, 34, 35, 35, 40, 59, 60, 64, 69
> short step 51	anchor
<relative node name> . <option> assignment 31	anchor 35, 59, 69
<option> assignment 31	child anchor 40, 41, 41, 59
<option> assignment 31	children 59, 64, 68, 81
1.0-ancestors compat option 81	children first 59
1.0-fittotree compat option 81	children first' 59
1.0-for compat option 81	children last 59
1.0-forall compat option 81	first 59, 81
1.0-forstep compat option 21, 80	first' 59
1.0-linear compat option 81	last 59, 81
1.0-name compat option 81	north 64
1.0-nodewalk compat option 81	parent 59, 64, 68, 81
1.0-rotate compat option 81	parent anchor 40, 41, 41, 59, 68
1.0-stages compat option 80, 81	parent first 59
1.0-triangle compat option 81	parent first' 59
	parent last 59
	parent' 59
	south 64
	append dynamic tree 1, 55, 55, 57
	append' dynamic tree 55
	append'' dynamic tree 55
	assignment
	<relative node name> . <option> 31
	<option> 31
	<option> 31
	augmented assignment
	<autowrapped toks option>' 31
	<count option>' 32

<code><dimen option>'</code>	32	<code>\bracketset</code> macro	19, 20, 22
<code><keylist option>'</code>	31	<code>branch</code> nodewalk key	43, 48
<code><count option>'*</code>	32	<code>branch'</code> nodewalk key	48, 63
<code><dimen option>'*</code>	32	<code>break</code> loop	54
<code><count option>'+</code>	32		
<code><dimen option>'+</code>	32	C	
<code><count option>'–</code>	32	<code>c</code> short step	51
<code><dimen option>'–</code>	32	<code>c-commanded</code> (linguistics) step	63
<code><count option>':</code>	32	<code>c-commanded</code> step	20, 48, 63, 81
<code><dimen option>':</code>	32	<code>c-commanders</code> (linguistics) step	63
<code><count option>*</code>	32	<code>c-commanders</code> step	81
<code><dimen option>*</code>	12, 31, 38, 83	<code>calign</code> option	5, 5, 18,
<code>+<autowrapped toks option></code>	31		24, 27, 35, 36, 36, 38, 39, 60, 64, 69, 80, 83, 83
<code>+<keylist option></code>	31, 48, 80	<code>calign</code> angle option	36
<code>+<toks option></code>	31, 31, 80	<code>calign</code> child option	36
<code><autowrapped toks option>+</code>	31	<code>calign</code> primary angle option	36, 36, 36
<code><count option>+</code>	32	<code>calign</code> primary child option	36, 36
<code><dimen option>+</code>	1, 16, 27, 31, 66	<code>calign</code> secondary angle option	36, 36, 36
<code><keylist option>+</code>	31, 48, 69	<code>calign</code> secondary child option	36
<code><toks option>+</code>	31, 31	<code>calign</code> value	
<code>+<autowrapped toks option>'</code>	31	center	36
<code><autowrapped toks option>+'</code>	31	child	35
<code><count option>–</code>	32	child edge	35
<code><dimen option>–</code>	31, 39	edge midpoint	36
<code><keylist option>–</code>	31, 80, 81	first	5, 5, 27, 35, 83
<code><count option>:</code>	32	fixed angles	36, 38, 39, 64
<code><dimen option>:</code>	31	fixed edge angles	36, 36, 38, 39, 64
<code>Autoforward</code> node key	29, 29	last	35, 83
<code>autoforward</code> node key	29, 35, 39, 81	midpoint	36
<code>Autoforward register</code> node key	29, 76	<code>calign</code> with current option	36
<code>autoforward register</code> node key	29	<code>calign</code> with current edge option	36
<code>autoforward register'</code> node key	29	center align value	15, 33, 66, 83
<code>autoforward'</code> node key	29	center calign value	36
<code><autowrapped toks></code> type (of options and registers)	31, 31, 71	child calign value	35
<code>.average</code> aggregate	57, 57	child anchor anchor	40, 41, 41, 59
		child anchor option	5,
			5, 7, 34, 40, 40, 40, 41, 59, 60, 64, 68, 69
B		child edge calign value	35
<code>b</code> short step	51	children anchor	59, 64, 68, 81
<code>b</code> base value	33	children step	1, 6, 13, 15, 17, 18, 27, 43, 45, 58, 64, 66
<code>back</code> step	49, 50, 51	children first anchor	59
<code>band</code> fit value	37, 37	children first' anchor	59
<code>base</code> option	13, 13, 33, 33, 33, 83	children last anchor	59
<code>base</code> value		children reversed step	45
b	33	closing bracket bracket key	22
bottom	13, 33, 83	<code>compat</code> package option	21, 80, 81
t	33	<code>compat</code> option	
top	13, 33	1.0-ancestors	81
<code>baseline</code> node key	13, 15, 42, 42, 43, 82	1.0-fittotree	81
<code>before</code> computing xy propagator	23, 27, 39, 39	1.0-for	81
<code>before</code> drawing tree propagator	1, 23, 26, 27, 39, 39	1.0-forall	81
<code>before</code> packing propagator	23, 27	1.0-forstep	21, 80
<code>before</code> packing node propagator	26, 27, 27, 39, 81	1.0-linear	81
<code>before</code> typesetting nodes propagator		1.0-name	81
	1, 17, 23, 27, 55, 60, 69	1.0-nodewalk	81
<code>begin</code> draw node key	42, 82	1.0-rotate	81
<code><boolean></code> type (of options and registers)	32	1.0-stages	80, 81
<code>bottom</code> base value	13, 33, 83	1.0-triangle	81
bracket key		all	21
action character	19, 19, 20, 22, 22	most	21
closing bracket	22	silent	21
new node	22	<code>compute</code> xy stage	23, 24, 37–39
opening bracket	22	<code>compute</code> xy stage style	23, 39
set afterthought	22	conditional	
<code>\bracketResume</code> macro	22	if <code><boolean option></code>	53

first leaf step	44, 51	forward step	50, 51
first leaf' step	44, 74		
first' anchor	59	G	
fit option	13, 36, 37, 42, 60	get max s tree boundary node key	42
/tikz/fit to tikz key	9, 9, 21, 42, 81	get min s tree boundary node key	42
fit value		given options propagator	22, 23, 26, 80
band	37, 37	go forest cs	59
rectangle	37, 37	GP1 (linguistics) node key	66
tight	37, 37	GP1 node key	4, 5, 23, 24, 30
fixed angles calign value	36, 38, 39, 64	group step	47, 48, 48, 51, 81
fixed edge angles calign value	36, 36, 38, 39, 64	grow option	9, 9, 27, 34, 36, 37, 37, 38, 39, 59, 64, 68
folder (edges) node key	68	grow' node key	37, 37, 39, 40, 60, 68, 69
folder node key	69, 81	grow'' node key	37, 37, 37
folder indent (edges) register	69		
following nodes step	47	H	
following siblings step	46, 81	handler	
following siblings reversed step	46	.option	32, 56, 56, 74, 81
for (step) propagator	1, 5, 6, 6, 7, 10–17, 17, 18, 20, 21–23, 27, 27, 27, 28, 34, 36, 37, 39–41, 41, 43–45, 47, 48, 50, 52, 54, 55, 56, 58, 60, 61, 64, 66, 68, 69, 74, 80, 81, 83, 84	.pgfmath	1, 13, 16, 17, 18, 27, 31, 34, 37, 56, 58, 60
for propagator	13, 44	.process args	56, 57, 72, 81
for -1 propagator	28	.register	32, 56, 56, 81
for -2 propagator	28	.wrap n pgfmath args	17, 17, 44, 56, 56, 60, 69, 74
for -3 propagator	28	.wrap pgfmath arg	17, 27, 44, 56, 60, 69
for -4 propagator	28	.wrap value	6, 31, 44, 56
for -5 propagator	28	history Nodewalk option	47, 48
for -6 propagator	28		
for -7 propagator	28	I	
for -8 propagator	28	id forest cs	59
for -9 propagator	28	id option	44, 49, 50, 56, 60
for 1 propagator	28	id readonly option	41
for 2 propagator	28	id step	44
for 3 propagator	28	if (boolean option) conditional	53
for 4 propagator	28	if (option) conditional	6, 17, 18, 27, 34, 52, 58, 69
for 5 propagator	28	if conditional	7, 17, 17, 52, 52, 52, 61, 74
for 6 propagator	28	if propagator	1
for 7 propagator	28	if have delayed propagator	26, 53, 53, 82
for 8 propagator	28	if have delayed' propagator	53, 53
for 9 propagator	28	if in (toks option) conditional	33, 53
for tree' propagator	28, 66	if in saved nodewalk conditional	53
\Forest macro	21, 81	if nodewalk empty conditional	53
/forest path	43	if nodewalk valid conditional	53
forest environment	3, 7, 19, 21, 24, 29, 54, 61, 62, 81	ignore option	38
forest cs		ignore edge option	38, 38, 40, 41, 83
anchor	59	inherited on invalid value	47
go	59	insert after dynamic tree	55
id	59	insert after' dynamic tree	55
l	59, 68, 69	insert after'' dynamic tree	56
name	58	insert before dynamic tree	55
s	59	insert before' dynamic tree	55
/forest/nodewalk path	43	insert before'' dynamic tree	56
\forestapplylibrarydefaults macro	20	instr pgfmath function	60
\forestcompat macro	21	int aggregate postparse value	58
\foresteoption macro	32, 32, 34	invalid pgfmath function	60
\foresteregister macro	32		
\forestnovalue macro	31	J	
\forestoption macro	16, 16, 32, 32, 34, 40, 72	jump back step	50
\forestregister macro	32	jump forward step	50
\forestset macro	7, 19, 22, 24, 29		
\forestStandardNode macro	16, 61	K	
fork sep (edges) option	68	(keylist) type (of options and registers)	26, 31, 31
forked edge (edges) node key	68		
forked edges (edges) node key	68	L	
forked edges node key	68, 81	L short step	51
		l forest cs	59, 68, 69
		l option	1, 10, 10, 11, 11, 12, 12, 13, 15, 15, 16, 17, 23, 24, 27, 35, 36, 37, 38, 38–40, 59, 60, 60, 66, 69, 69, 83, 83

child anchor	5,	pgfmath function	
5, 7, 34, 40, 40, 40, 41, 59, 60, 64, 68, 69		instr	60
content	1, 6, 6, 7, 13, 16–18, 20, 22, 27, 29, 30,	invalid	60
33, 33, 34, 37, 49, 54, 55, 58, 60, 60, 61, 64, 66, 69		max_l	60, 81
content format	27, 33, 34, 34, 66	max_s	60, 81
edge	1, 13, 17, 40, 40, 40, 41	min_l	60, 81
edge label	17, 40, 40, 40	min_s	60, 81
edge path	34, 40, 40, 41, 68	strcat	60, 69
fit	13, 36, 37, 42, 60	strequal	57, 60, 69
fork sep (edges)	68	valid	54, 60
grow	9, 9, 27, 34, 36, 37, 37, 38, 39, 59, 64, 68	.pgfmath handler	
id	44, 49, 50, 56, 60	1, 13, 16, 17, 18, 27, 31, 34, 37, 56, 58, 60	
ignore	38	phantom option	8, 9, 12, 13, 16, 17, 20, 35, 35
ignore edge	38, 38, 40, 41, 83	pin option	34, 42, 42
l	1, 10, 10,	plain content node key	34, 82
11, 11, 12, 12, 13, 15, 15, 16, 17, 23, 24, 27,		preamble register	22, 23, 29, 80
35, 36, 37, 38, 38–40, 59, 60, 60, 66, 69, 69, 83, 83		preceding nodes step	47
l sep	13, 15, 15, 16, 27, 33, 34, 38, 38, 60, 69	preceding siblings step	46, 81
label	34, 42, 43	preceding siblings reversed step	46
level	12, 13, 17, 20, 46, 60	prepend dynamic tree	55
n	13, 16, 17, 17, 34, 41, 44, 51, 52, 55, 69	prepend' dynamic tree	55
n'	34, 55	prepend'' dynamic tree	56
name	8, 8, 15, 22, 34, 37, 41, 41, 56, 81, 82	previous step	44, 51
node format	34, 34	previous leaf step	44, 51
node options	29, 34, 34, 35, 39, 43, 81	previous node step	44, 81
nodewalk	74	previous on tier step	45, 51
parent anchor	5, 5, 7, 34, 40, 41, 59, 64, 68, 69	print aggregate postparse value	58
phantom	8, 9, 12, 13, 16, 17, 20, 35, 35	.process args handler	56, 57, 72, 81
pin	34, 42, 42	process delayed node key	26
reversed	37, 38, 59, 68	process keylist node key	23, 25, 25, 26, 53, 81
rotate	29, 39, 59, 68, 81	process keylist register node key	23, 25, 26, 26
s	10, 23, 24, 27, 35, 39, 39, 57, 59, 60, 69	process keylist' node key	25, 25, 26, 53
s sep	1,	process keylist'' node key	25
10, 10, 11, 12, 12, 13, 15, 39, 64, 69, 69, 83, 84		(keylist option) processing order nodewalk style	25, 26
tier	5, 5, 6, 6, 7, 30, 39, 60, 61, 66, 84	processing order nodewalk style	6, 24, 25, 26, 53, 81
tikz	8, 9, 9, 10, 18, 24, 25, 43, 60, 61, 66, 69	.product aggregate	57
x	23, 24, 35, 39	propagator	
y	1, 23, 24, 35, 39, 39	after packing node	26, 27, 27, 39, 81
options nodewalk key	43, 51	before computing xy	23, 27, 39, 39
origin step	44, 50, 51	before drawing tree	1, 23, 26, 27, 39, 39
P			
P short step	51	before packing	23, 27
p short step	8, 51	before packing node	26, 27, 27, 39, 81
pack stage	23, 24, 35, 37, 38	before typesetting nodes	1, 17, 23, 27, 55, 60, 69
pack stage style	23, 39	delay	6, 6, 16–18, 20, 25, 26, 26, 30, 34,
pack' node key	24, 27, 82	37, 54, 54, 55, 55, 56, 57, 58, 60, 61, 64, 69, 82	
package option		delay n	26, 26, 53, 82
compat	21, 80, 81	for (step)	1, 5, 6, 6,
debug	21, 44	7, 10–17, 17, 18, 20, 21–23, 27, 27, 27, 28, 34,	
external	19, 21	36, 37, 39–41, 41, 43–45, 47, 48, 50, 52, 54, 55,	
tikzcshack	21, 58	56, 58, 60, 61, 64, 66, 68, 69, 74, 80, 81, 83, 84	
tikzinstallkeys	21	for	13, 44
parent anchor	59, 64, 68, 81	for -1	28
parent step	43, 44, 44, 51, 56, 64	for -2	28
parent anchor anchor	40, 41, 41, 59, 68	for -3	28
parent anchor option	5, 5, 7, 34, 40, 41, 59, 64, 68, 69	for -4	28
parent first anchor	59	for -5	28
parent first' anchor	59	for -6	28
parent last anchor	59	for -7	28
parent' anchor	59	for -8	28
path		for -9	28
/forest	43	for 1	28
/forest/nodewalk	43	for 2	28
		for 3	28
		for 4	28
		for 5	28

for 6	28	repeat loop	1, 51, 53, 55
for 7	28	replace by dynamic tree	55
for 8	28	replace by' dynamic tree	55
for 9	28	replace by'' dynamic tree	56
for tree'	28, 66	reverse step	45, 48, 74
given options	22, 23, 26, 80	reversed option	37, 38, 59, 68
if	1	right align value	33
if have delayed	26, 53, 53, 82	roof (linguistics) node key	64
if have delayed'	53, 53	roof node key	59, 81, 82
where	7, 17, 34, 53	root step	45, 51, 56
		root' step	23, 25, 45, 51, 54, 56
		rotate option	29, 39, 59, 68, 81
R		S	
R short step	51	s forest cs	59
r short step	51	s option	10, 23, 24, 27, 35, 39, 39, 57, 59, 60, 69
readonly option		s short step	8, 51
id	41	s sep option	1, 10, 10, 11, 12, 12, 13, 15, 39, 64, 69, 69, 83, 84
level	41	save nodewalk key	48
max x	27, 41	save history node key	50
max y	41	set afterthought bracket key	22
min x	27, 41	set root dynamic tree	25, 45, 55, 56
min y	41	short step	
n	41	*	51
n children	6, 6, 13, 17, 18, 27, 42, 49, 58, 61, 69	<	51
n'	41	>	51
real nodewalk key	47, 50	1	8, 13, 28, 51
rectangle fit value	37, 37	2	8, 28, 51
.register handler	32, 56, 56, 81	3	8, 28, 51
register		4	8, 28, 51
aggregate n	57, 58	5	8, 28, 51
default preamble	7, 23, 29, 80, 81	6	8, 28, 51
every step	43, 47, 48, 50	7	8, 28, 51
folder indent (edges)	69	8	8, 28, 51
preamble	22, 23, 29, 80	9	8, 28, 51
tempboola	33	b	51
tempboolb	33	c	51
tempboolc	33	F	51
tempboold	33	f	51
tempcounta	33	L	51
tempcountb	33	l	8, 51
tempcountc	33	N	51
tempcountd	33	n	8, 51
tempdima	33	o	51
tempdimb	33	P	51
tempdimc	33	p	8, 51
tempdimd	33	R	51
tempdiml	33	r	51
tempdims	33	s	8, 51
tempdimx	33	u	8, 17, 51
tempdimy	33	v	51
tempkeylista	33	sibling step	45, 51
tempkeylistb	33	siblings step	46
tempkeylistc	33	siblings reversed step	46
tempkeylistd	33	silent compat option	21
temptoksa	33	sn edges (linguistics) node key	63
temptoksb	33	sn edges node key	7, 59, 81
temptoksc	33	sort dynamic tree	49, 56
temptoksd	33	sort step	49, 49
relative level step	46	sort by node key	49, 49, 56
relative level < step	46	sort' dynamic tree	56
relative level > step	46	sort' step	49
relative level reversed step	46	south anchor	64
relative level reversed < step	46	split node key	29, 57, 57, 74, 81
relative level reversed > step	46		
<relative node name>	17, 18, 31, 54, 58, 59, 60		
remove dynamic tree	55		

split option node key	29, 57, 69	mins	49
split register node key	29	mins in nodewalk	49
stage		n	43, 44, 52, 54
compute xy	23, 24, 37–39	n'	44
draw tree	23, 24, 25, 35, 40, 42	name	41, 44
draw tree'	24, 25	next	44, 51, 52
pack	23, 24, 35, 37, 38	next leaf	44, 51
typeset nodes	23, 24, 24, 33, 35, 42	next node	44, 81
typeset nodes'	24	next on tier	44, 51
stages style	21, 23, 24, 27, 80–82	Nodewalk	28, 43, 47, 48
step on invalid value	51	nodewalk	28, 43, 47, 47, 48, 50, 54, 60, 74
step		nodewalk'	48, 48
ancestors	46	origin	44, 50, 51
back	49, 50, 51	parent	43, 44, 44, 51, 56, 64
c-commanded	20, 48, 63, 81	preceding nodes	47
c-commanded (linguistics)	63	preceding siblings	46, 81
c-commanders	81	preceding siblings reversed	46
c-commanders (linguistics)	63	previous	44, 51
children	1, 6, 13, 15, 17, 18, 27, 43, 45, 58, 64, 66	previous leaf	44, 51
children reversed	45	previous node	44, 81
current	37, 44, 44, 50, 51	previous on tier	45, 51
current and ancestors	1, 46, 81	relative level	46
current and following nodes	47	relative level <	46
current and following siblings	46	relative level >	46
current and following siblings reversed	46	relative level reversed	46
current and preceding nodes	47	relative level reversed <	46
current and preceding siblings	46	relative level reversed >	46
current and preceding siblings reversed	46	reverse	45, 48, 74
descendants	5, 13, 15–17, 34, 46, 69	root	45, 51, 56
descendants breadth-first	46	root'	23, 25, 45, 51, 54, 56
descendants breadth-first reversed	46	sibling	45, 51
descendants children-first	46	siblings	46
descendants children-first reversed	46	siblings reversed	46
descendants reversed	46	sort	49, 49
first	44	sort'	49
first leaf	44, 51	to tier	45
first leaf'	44, 74	tree	1, 5, 7, 9, 9, 10–12, 14–17, 17, 18, 25, 28, 34, 36, 37, 39–41, 43, 45, 52, 55, 60, 61, 64, 68, 69, 81, 83, 84
following nodes	47	tree breadth-first	45
following siblings	46, 81	tree breadth-first reversed	45
following siblings reversed	46	tree children-first	28, 45, 58
forward	50, 51	tree children-first reversed	45
group	47, 48, 48, 51, 81	tree reversed	45
id	44	walk and max	49
jump back	50	walk and maxs	49
jump forward	50	walk and min	49
last	44, 51	walk and mins	49
last leaf	44, 51	walk and reverse	48
last leaf'	44	walk and save	48
last valid	44, 50, 51, 52, 54	walk and sort	49
last valid'	44, 50	walk and sort'	49
level	46	walk back	50
level <	46	walk forward	50
level >	46	where in saved nodewalk	53
level reversed	46	where nodewalk empty	53
level reversed <	46	where nodewalk valid	53
level reversed >	46	strcat pgfmath function	60, 69
load	49, 50	strequal pgfmath function	57, 60, 69
max	49, 49	strip fake steps nodewalk key	51, 52, 54
max in nodewalk	49	strip fake steps define long step option	52
max in nodewalk'	49	style	
maxs	49	afterthought	22, 29, 43
maxs in nodewalk	49	compute xy stage	23, 39
min	49, 49	draw tree method	25, 81
min in nodewalk	49		
min in nodewalk'	49		

draw tree stage	23, 24	$\langle \text{dimen} \rangle$	31
pack stage	23, 39	$\langle \text{keylist} \rangle$	26, 31, 31
stages	21, 23, 24, 27, 80–82	$\langle \text{toks} \rangle$	31, 31
typeset nodes stage	23	timeout node key	30, 82
.sum aggregate	57, 58	typeset node node key	1, 24, 27
T			
t base value	33	typeset nodes stage	23, 24, 24, 33, 35, 42
tempboola register	33	typeset nodes processing order nodewalk style	24
tempboolb register	33	typeset nodes stage style	23
tempboolc register	33	typeset nodes' stage	24
tempboold register	33	U	
tempcounta register	33	u short step	8, 17, 51
tempcountb register	33	unautoforward node key	29
tempcountc register	33	unknown key error node key	30
tempcountd register	33	unknown to node key	30, 30, 81
tempdima register	33	until loop	53
tempdimb register	33	until nodewalk empty loop	54
tempdimc register	33	until nodewalk valid loop	54
tempdimd register	33	use as bounding box node key	43, 43
tempdiml register	33	use as bounding box' node key	42, 43
tempdims register	33	\useforestlibrary macro	20
tempdimx register	33	V	
tempdimy register	33	v short step	51
tempkeylista register	33	valid pgfmath function	54, 60
tempkeylistb register	33	W	
tempkeylistc register	33	walk and max step	49
tempkeylistd register	33	walk and maxs step	49
temptoksa register	33	walk and min step	49
temptoksb register	33	walk and mins step	49
temptoksc register	33	walk and reverse step	48
temptoksd register	33	walk and save step	48
TeX node key	30, 30, 30, 32, 43, 62	walk and sort step	49
TeX' node key	30, 62	walk and sort' step	49
TeX'' node key	30, 30, 62	walk back step	50
tier option	5, 5, 6, 6, 7, 30, 39, 60, 61, 66, 84	walk forward step	50
tight fit value	37, 37	where $\langle \text{option} \rangle$ conditional	6, 6, 17, 17, 20, 30, 52, 53, 61, 64, 66
tikz option	8, 9, 9, 10, 18, 24, 25, 43, 60, 61, 66, 69	where propagator	7, 17, 34, 53
tikz key		where in $\langle \text{toks option} \rangle$ conditional	37, 53
/tikz/fit to	9, 9, 21, 42, 81	where in saved nodewalk step	53
tikzcshack package option	21, 58	where nodewalk empty step	53
tikzinstallkeys package option	21	where nodewalk valid step	53
to tier step	45	while loop	52, 53
$\langle \text{toks} \rangle$ type (of options and registers)	31, 31	while nodewalk empty loop	54
top base value	13, 33	while nodewalk valid loop	54, 63
tree step	1, 5, 7, 9, 9, 10–12, 14–17, 17, 18, 25, 28, 34, 36, 37, 39–41, 43, 45, 52, 55, 60, 61, 64, 68, 69, 81, 83, 84	.wrap n pgfmath args handler	17, 17, 44, 56, 56, 60, 69, 74
tree breadth-first step	45	.wrap pgfmath arg handler	17, 27, 44, 56, 60, 69
tree breadth-first reversed step	45	.wrap value handler	6, 31, 44, 56
tree children-first step	28, 45, 58	X	
tree children-first reversed step	45	x option	23, 24, 35, 39
tree reversed step	45	Y	
type (of options and registers)		y option	1, 23, 24, 35, 39, 39
$\langle \text{autowrapped toks} \rangle$	31, 31, 71		
$\langle \text{boolean} \rangle$	32		
$\langle \text{count} \rangle$	32		