

User's Guide to biblatex-philosophy

Bibliography styles for (Italian) users of biblatex

vo.9e – 2014/02/12

Ivan Valbusa

Dipartimento di Filosofia, Pedagogia e Psicologia

Università degli Studi di Verona

ivan dot valbusa at univr dot it

Abstract

This package provides a small collection of bibliography and citation styles for use with Philipp Lehman's `biblatex` package. The styles follow the most popular conventions of the Italian publications but can be used in other languages too. They offer some useful features to compose detailed bibliographic entries including the translation data of foreign texts, annotations etc. Many options allow you to change the style defaults.

Contents

1	Use	2			
2	Syles features	2			
2.1	philosophy-classic	3	13.1.4	Fields formats	15
2.2	philosophy-modern	3	13.1.5	The orig- macros (depre- cated)	16
2.3	philosophy-verbose	3	13.1.6	New macros	17
			13.1.7	The related field mechanism	21
			13.1.8	Bibliography drivers	22
3	Translations and original editions	3	13.2	philosophy-classic.bbx	36
			13.2.1	Initial settings	36
4	Classical and undated works	4	13.2.2	New macros	37
			13.2.3	Internal commands for crossreferences	39
5	Crossreferences	4	13.2.4	The nodate option	39
6	Languages	5	13.3	philosophy-modern.bbx	39
			13.3.1	Initial settings	39
7	Style-specific fields	5	13.3.2	New lengths	39
			13.3.3	New commands	39
8	Options	6	13.3.4	New macros	40
8.1	Global options	6	13.3.5	Internal commands for crossreferences	41
8.2	Style-specific options	7	13.3.6	The restoreclassic option	41
8.2.1	philosophy-classic and modern	7	13.4	philosophy-verbose.bbx	43
8.2.2	philosophy-verbose	8	13.4.1	Initial settings	43
9	New commands	8	13.4.2	Internal commands for crossreferences	43
10	New lengths	8	13.5	philosophy-classic.cbx	44
11	New citation commands	8	13.5.1	Initial settings	44
			13.5.2	Author-title macros	45
12	Backward compatibility	9	13.5.3	Author-year macros	46
12.1	Deprecated fields	9	13.5.4	Citation commands	48
12.2	Deprecated options	10	13.6	philosophy-modern.cbx	49
13	The Code	13	13.7	philosophy-verbose.cbx	49
13.1	philosophy-standard.bbx	13	13.7.1	Initial settings	49
13.1.1	Global options	13	13.7.2	New macros	51
13.1.2	Name format	14	13.7.3	Citation commands	51
13.1.3	New internal commands	14	13.8	italian-philosophy.lbx	52
			13.9	english-philosophy.lbx	52

Copyright notice

Copyright © 2009–2014 Ivan Valbusa. This package is author-maintained. Permission is granted to copy, distribute and/or modify this software under the terms of the LaTeX Project Public License, version 1.3c.* This software is provided “as is”, without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose.

A brief history

The first step toward the creation of the philosophy-modern style (used for this documentation) was the request of Lorenzo Pantieri in the G_UI_T Forum: <http://www.guit.sssup.it/phpbb/viewtopic.php?t=6472>.[†] Now this is the bibliography style of *L’arte di scrivere con L^AT_EX*, the most popular Italian guide to L^AT_EX (Pantieri and Gordini 2011).

Acknowledgements

I would like to thank who took part in the debate on G_UI_T Web site and the authors of the styles which inspired biblatex-philosophy, specifically: Dominik Waßenhoven (2011), James Clawson (2010) and Sander Gliboff (2010).

Feedback

If you have any questions, feedback or requests please email me. My mail address is at the top of this document. If you need specific features not already implemented, remember to attach the example files.

1 Use

To ensure Italian-style quotation marks, you need to call the babel and csquotes packages in the preamble of your L^AT_EX document:

```
\usepackage[italian]{babel}
\usepackage[style=italian]{csquotes}
\usepackage[style=philosophy-⟨style⟩,backend=biber]{biblatex}
\addbibresource{⟨bibfile⟩.bib}
```

Replace ⟨style⟩ with classic, modern or verbose, and ⟨bibfile⟩ with the name of your bibliography file (“bib” must be declared).

To uniform the style of quotation marks in multilingual bibliographies typeset using the babel=other package option, you can use the following commands:

```
\DeclareQuoteAlias{italian}{french}
\DeclareQuoteAlias{italian}{german}
\DeclareQuoteAlias{italian}{...}
```

The philosophy styles require biber so remember to configure your editor properly. If you prefer bibtex you have to declare it with the backend=bibtex option but some bibliography drivers will not work properly.

2 Syles features

This package provides two author-year bibliography styles suitable for both text and footnotes citations (philosophy-classic and philosophy-modern; henceforth classic e modern) and a verbose style appropriate for bibliographies supplied in the footnotes (philosophy-verbose; henceforth verbose).

These styles aim to match the needs of the Italian writers, particularly those concerned in the humanities (for example the comma is used to distinguish the units of the entry). Only the English and Italian support is available for now but you can use the styles with all the languages supported by babel (or polyglossia) adding simple redefinitions in the preamble of your document (section 6).

*<http://www.ctan.org/tex-archive/macros/latex/base/lppl.txt>.

[†]See the discussion on <http://www.guit.sssup.it/phpbb/viewtopic.php?t=6717>.

2.1 The philosophy-classic style

The classic style is a standard author-year style that uses commas instead of dots to separate the parts of the entry:

Donald E. Knuth (1984-1986), *Computers & Typesetting*, 5 vols., Addison-Wesley, Reading, Mass.
 – (1984) *Computers & Typesetting*, vol. A: *The T_EXbook*, Addison-Wesley, Reading, Mass.
 – (1986a) *Computers & Typesetting*, vol. B: *T_EX: The Program*, Addison-Wesley, Reading, Mass.
 – (1986b) *Computers & Typesetting*, vol. C: *The METAFONTbook*, Addison-Wesley, Reading, Mass.
 – (1986c) *Computers & Typesetting*, vol. D: *METAFONT: The Program*, Addison-Wesley, Reading, Mass.
 – (1986d) *Computers & Typesetting*, vol. E: *Computer Modern Typefaces*, Addison-Wesley, Reading, Mass.

It is associated to a compact citation scheme which allows to cite multiple entries of the same author and/or published in the same year, omitting some redundant informations:

Knuth (1984, 1986a,b,c,d)

2.2 The philosophy-modern style

The modern style uses the classic style for the citations but produces a fancy bibliography divided into blocks, which is particularly suited for bibliographies with many entries for the same author:

Donald E. Knuth
 1984/1986 *Computers & Typesetting*, 5 vols., Addison-Wesley, Reading, Mass.
 1984 *Computers & Typesetting*, vol. A: *The T_EXbook*, Addison-Wesley, Reading, Mass.
 1986a *Computers & Typesetting*, vol. B: *T_EX: The Program*, Addison-Wesley, Reading, Mass.
 1986b *Computers & Typesetting*, vol. C: *The METAFONTbook*, Addison-Wesley, Reading, Mass.
 1986c *Computers & Typesetting*, vol. D: *METAFONT: The Program*, Addison-Wesley, Reading, Mass.
 1986d *Computers & Typesetting*, vol. E: *Computer Modern Typefaces*, Addison-Wesley, Reading, Mass.

2.3 The philosophy-verbose style

This style is aimed for citations given in the footnotes and follows the most popular scheme used in the Italian humanities.

It prints a full citation similar to a bibliography entry when an item is cited for the first time, and a short citation afterwards, using the title (possibly shortened in the `shorttitle` field), followed by the string “cit.”. Citing the same entry two times, in the second one the string “Ivi” is used; citing the same place of the previous citation you will have “Ibidem”:

- ¹ Cfr. Cartesio, *Discorso sul metodo*, trad. e introd. di Lucia Urbani Ulivi, 1^a ed., testo francese a fronte, Bompiani, Milano 2002, p. 43.
- ² Ivi, p. 26.
- ³ Ibidem.
- ⁴ Settimo Termini, «Vita morte e miracoli di Alan Mathison Turing», in *Vite matematiche. Protagonisti del '900 da Hilbert a Wiles*, a cura di Claudio Bartocci et al., Springer-Verlag Italia, Milano 2007, pp. 59-61.
- ⁵ Cartesio, *Discorso sul metodo* cit., p. 35.

When there is only one entry for the same author, with the `singletitle=true` option the string “op. cit.” is used instead of the (short) title followed by “cit.”:

- ⁶ Cartesio, op. cit., p. 35.

All the scholarly abbreviations (*latinities*) but “cit.” are printed by default in normal font. With the `latinemph` option (section 8.2.2) you can get them in italic shape.

3 Translations and original editions

The philosophy styles use the mechanism provided by the `related` field to typeset complex entries comprising both the original publication data and the translation data (☞ Poincaré 1968).[‡]

[‡]Previous versions of the styles provided a different mechanism to manage translations. This feature is now deprecated and it is still supported only for backward compatibility. See section 12.1 for details.

Jules-Henri Poincaré (1968), *La science et l'hypothèse*, Flammarion, Paris; trans. as *La scienza e l'ipotesi*, ed. by Corrado Sinigaglia, Bompiani, Milano 2003.

```
@book{Poincare:1968-ORIG,
  author   = {Jules-Henri Poincaré},
  title    = {La science et l'hypothèse},
  publisher = {Flammarion},
  location = {Paris},
  date     = {1968},
  related  = {Poincare:1968-ITA}}
```

```
@book{Poincare:1968-ITA,
  author   = {Jules-Henri Poincaré},
  editor    = {Corrado Sinigaglia},
  title    = {La scienza e l'ipotesi},
  publisher = {Bompiani},
  location = {Milano}}
```

Since Biber 1.6 you can have cascading relations too (☞ Popper 1934).

```
@Book{key1,
  ...
  related = {key2},
  ...
}

@Book{key2,
  ...
  related = {key3},
  ...
}

@Book{key3,
  ...
}
```

The related entry is preceded by the `translationas` string which defaults to “trad. it.” for Italian documents and “trans. as” for English documents. If you want to change it, use the `relatedstring` field. For example:

```
@book{Poincare:1968-ORIG,
  author   = {Jules-Henri Poincaré},
  ...
  related   = {Poincare:1968-ITA},
  relatedstring = {ed.~it.}}
```

4 Classical and undated works

The treatment of the classical works and other writings with uncertain or omitted date is particularly difficult and inevitably imposes some choices.

If there is a critical edition you should cite it directly, such as ☞ Heidegger (2001). If you do not like this anachronistic label you may use the `shorthand` field, such as ☞ Kant (1968b [henceforth cited as KpV]). Note that a “shorthand intro” is automatically printed when the entry is cited for the first time and omitted afterwards. To turn off this capability load the option `shorthandintro=false`. In this case you will need a list of shorthands (`\printshorthands` command). If you do not like these solutions you can use the `entrysubtype` field with `classic` value (see section 7) or the `\sdcite` command (section 11).

5 Crossreferences

The philosophy styles allow you to manage entries referring to other entries through the `crossref` fields. This is very useful when you have to cite two or more `@incollection` of the same `@collection` (☞ Corrocher 2009; Federspil and Vettor 2009). In this way the `@collection` is printed in the bibliography and is cross-referenced inside the `@incollection`, using the corresponding author-year label (the mechanism is the same for `@inbook` items).

When you have to cite only one `@incollection` of a single `@collection` you have three choices:

1. use the `crossref` field (☞ Rossitto 1977; Termini 2007). In this case all the `@collection` data are automatically printed inside the `@incollection` entry;
2. put the `@collection` data in the fields of the `@incollection` entry (☞ Valbusa 2007). In this case the `@incollection` is self-contained;
3. put the `@collection` data in the fields of the `@incollection` entry and put the `@collection` label in the `xref` field of the `@incollection` (☞ Kant 1968c,d).

With the `verbose` style, when citing `@incollections` entries, the data of the `@collection` are printed entirely in the first citation and shortened afterwards. Anyway in the final bibliography the `@incollection` is always complete of all the informations about the corresponding `@collection`.

6 Using the styles with other languages

The philosophy styles can be used for both Italian and English documents simply loading the `babel` package (or `polyglossia`).

In order to use the styles with different languages, you have to define all the string not defined in the language used in the preamble of your document. This is a sample code for using the styles in german documents:

```
\NewBibliographyString{edorig,cit,reviewof,nodate}
\DefineBibliographyStrings{german}{%
  inherit      = {german},
  translationas = {deut\adddotsspace \"}Ubers\adddot},
  edorig       = {...},
  cit          = {...},
  reviewof     = {...},
  nodate       = {...}}
```

7 Style-specific fields

library field (literal)

This field is printed at the end of the entry, in a new period. It is aimed for secondary informations such as the location of the texts, historical notes, etc. (☞ Heidegger 2001).

annotation/annote field (literal)

This field is printed in a new paragraph at the very end of the entry. It requires the `annotation` package option. The default font can be changed redefining the `\annotationfont` command (section 9). See the examples in the references of this documentation.

nameaddon field (literal)

An addon to be printed immediately after the author name in the bibliography. It is useful for those author known with alias, Latinized names, etc. (☞ Komensky 1969).

entrysubtype field (literal)

This feature is active only for the `classic` and `modern` styles. With the `classic` value the citation commands will produce an author-title label. This is useful for citing works from classical antiquity, such as ☞ Aristotle 1929:

```
@book{aristotle:physics,
  entrysubtype = {classic},
  author       = {Aristotle},
  title        = {Physics},
  ...
}
```

In the bibliography the entry is printed with the author-year label, but with the `skipbib` option in the `options` field you can exclude it from the bibliography.

8 Options

8.1 Global options

`relatedformat=semicolon, parens, brackets` default: semicolon

`semicolon` The “related” entry data are preceded by a semicolon.

`parens` Puts the “related” entry data data in parentheses.

`brackets` Same as the previous option but with brackets.

`shorthandintro=true, false` default: true

`true` Prints a language-specific expression such as “hence- forth cited as [<shorthand>]” to introduce shorthands on the first citation. You can overwrite the default expression using the `shorthandintro` field. Note that the alternative expression must include the shorthand.

Kant (1968a [[henceforth cited as KpV](#)])

`false` Does not print the intro to the shorthand. This option requires a list of shorthands (`\printshorthand` command).

`scauthors=true, false` default: false

Prints the names (author, editor, etc.) at the beginning of the entry in small caps shape, both in citations and in bibliography:

If you want *all* the names (translator, commentator, etc.) in small caps, you have to redefine the `\mkbibname...` commands (see `biblatex` documentation for details).

`scauthorsbib=true, false` default: false

Same as the previous, but only for the bibliography.

`scauthorscite=true, false` default: false

Same as the previous, but only for the citations.

`publocformat=publocyear, locpubyear, loccolonpub` default: publocyear

This option provides three styles for typesetting the “publisher/location/date” block. It is active also for the related entry (see above) and for the `orig`-fields (see section 12.1).

`publocyear` Oxford University Press, Oxford 2007

`locpubyear` Oxford, Oxford University Press, 2007

`loccolonpub` Oxford: Oxford University Press, 2007

`volnumformat=strings, parens, default` default: plain

This option provides three styles for typesetting the “volume/number” block in `@article` entries.

`plain` ... *Journal Title*, 5, 8, ...

`strings` ... *Journal Title*, vol. 5, n. 8, ...

`parens` ... *Journal Title* (5, 8), ...

You can combine this option with `volumeformat` options and re-defining the `\volnumpunct` command you can get other styles (see section 10):

... *Journal Title*, 5/8, ...
... *Journal Title*, V/8, ...
... *Journal Title* (5/8), ...
... *Journal Title* (V/8), ...

volumeformat=roman, romanupp, romansc, arabic

default: arabic

This option provides three styles for typesetting the volume field:

```
arabic      ...Book Title, vol. 5, ...
roman       ...Book Title, vol. iv, ...
romansc     ...Book Title, vol. xi, ...
romanupp    ...Book Title, vol. X, ...
```

With the command

```
\DeclareFieldFormat{volume}{\bibstring{volume}~\#1}
```

you can restore the default format for all but @article entries.

editionformat=roman, romanupp, romansc, arabic

default: arabic

This option provides three styles for typesetting the edition field:

```
arabic      ...Book Title, 5a ed., ...
roman       ...Book Title, iii ed., ...
romansc     ...Book Title, xi ed., ...
romanupp    ...Book Title, X ed., ...
```

inbeforejournal=true, false

default: false

Prints the string “in” before the journaltitle in the @article entries.

annotation=true, false

default: false

Shows the annotation field, only in the bibliography (see also section 7).

library=true, false

default: true

Shows the library field, both in the bibliography and in the citations (see also section 7).

classical=true, false

default: true

If true it doubles the last consonant of the abbreviations such as “p.”, “vol.”, “col.” etc. when used in the plural form. For example you will have “p.” for “page” and “pp.” for “pages”. This habit is very common in Italian writings but it remains useless.

8.2 Style-specific options

8.2.1 philosophy-classic and philosophy-modern

square=true, false

default: false

Uses brackets instead of parentheses in the citations and in the author-year label used in the bibliography.

yearleft=true, false

default: false

Prints the date flushed left in the bibliography.

restoreclassic=true, false

default: true

This option can be given as an optional argument of \printbibliography:

```
\printbibliography[restoreclassic]
```

It restores the classic style in a document typeset using the modern style. It is useful to compose a “Web List” like that at the end of this document (active only for the philosophy-modern).

nodate=true, false

default: true

Prints the nodate string when year or date is missing.

8.2.2 philosophy-verbose

`latinemph=true, false` default: false

Prints the *latinitates* “ivi” and “ibidem” in italic shape.

`commacit=true, false` default: false

Adds a comma at the end of the `shorttitle` field when this is followed by the string *cit.*: “Descartes, *Discours de la méthode*, cit. ”.

9 New commands

`\annotationfont{<code>}` default: `\footnotesize`

The font of the annotation field. It can be redefined with:

```
\renewcommand*{\annotationfont}{\normalsize\sffamily}
```

`\libraryfont{<code>}` default: `\normalfont`

The font of the library field. It can be redefined with:

```
\renewcommand*{\libraryfont}{\sffamily}
```

`\volnumpunct{<code>}` default: `\addcomma\space`

The separator between volume and number in `@article` entries. It can be redefined with:

```
\renewcommand*{\volnumpunct}{/}
```

10 New lengths

The new lengths described in this section are defined only for the modern style. For the other customizable lengths see the biblatex documentation (Lehman 2011).

`\postnamesep` The space between author (or editor) and the first entry relating to him.

`\yeartitle` The space between year and title.

The modern style redefines also the following biblatex lengths:

`\bibnamesep` The vertical space between two blocks of authors.

`\bibitemsep` The vertical space between the individual entries in the bibliography.

`\bibhang` The hanging indentation of the bibliography.

These are the default values for the lengths used by the modern style:

```
\setlength{\yeartitle}{0.8em}
\setlength{\postnamesep}{0.5ex plus 2pt minus 1pt}
\setlength{\bibitemsep}{\postnamesep}
\setlength{\bibnamesep}{1.5ex plus 2pt minus 1pt}
\setlength{\bibhang}{4\parindent}
```

If you want to change them past these codes in the preamble of your document and modify the values according to your needs.

11 New citation commands

`\sdcite{<key>}`

Uses an author-title label instead of an author-year label (defined only for the classic and modern styles). It is useful for some classical or undated works (see section 4). Writing `\sdcite[15]{guzman:sd}` you will obtain: Guzmán de Rojas, *Problemática*. This command is deprecated. Use the `entrysubtype` field instead (see section 7).

`\footcitet{<key>}`

Same as `\footcite`,^a but with the `\textcite` style.^b (defined only for the classic and modern styles).

^aCorrocher 2009, pp. 12-13.

^bCorrocher (2009, pp. 12-13).

`\ccite{<key>}`

The same as `\cite`, but omits the author’s (editor’s) name (defined only for the verbose style).

Here is an example:

This topic is discussed in `\cite{Rossi:2007}` and in the recent `\ccite{Rossi:2008}`.

This topic is discussed in P. Rossi, *History of Types*, La TeXnica, Verona 2007 and in the recent *Types of History*, Typographica, Milano 2008.

12 Backward compatibility

This section explain a different mechanism (now deprecated) to manage entries comprising both the original publication data and the translation data. This mechanism uses some special fields.

12.1 Deprecated fields

The following fields can hold the translation or the original edition data. They are preceded by the string “trans.” or “orig.”, respectively according to the `origfields=trans` (default) or `origfields=origed` option (see below).

`origtitle` field (literal)

`transtitle` field (literal biber only)

The title of the translation/original edition.

`origpublisher` field (list)

`transpublisher` field (list biber only)

The publisher of the translation/original edition.

`origlocation` field (list)

`translocation` field (list biber only)

The location of the translation/original edition.

`origdate` field (range)

`transdate` field (range biber only)

The publication date of the translation/original edition.

Robert Bringhurst (1992), *The Elements of Typographic Style*, Hartley & Marks Publisher Inc., Vancouver, Canada; trad. it. *Gli elementi dello stile tipografico*, Sylvestre Bonnard, Milano 2009.

`usera` field (literal)

`origbooktitle` field (literal biber only)

`transbooktitle` field (literal biber only)

The title of the `@collection/@book/@mvbook` in which the translation/original edition of an `@article` (`@inbook` or `@incollection`) is published.

The field is printed after the `origtitle/transtitle` and the format is the same of the entry:

Moore, George Edward (1903), «The refutation of idealism», *Mind*, N.S., 12 (mag. 1903), p. 433-453; trad. it. «La confutazione dell’idealismo», in *Il Neoempirismo*, a cura di Alberto Pasquinelli, UTET, Torino 1969, p. 35-61.

`userb` field (literal)
`orignote` field (literal biber only)
`transnote` field (literal biber only)

This field is printed after the `origtitle`/`transtitle`. It is meant for secondary informations about the translation/original edition, such as the name of editors, translators, etc.:

Mach, E. (1883), *Die Mechanik in ihrer Entwicklung historisch-kritisch dargestellt*; trad. it. *La meccanica nel suo sviluppo storico-critico*, traduzione, introduzione e note di Alfonsina D’Elia, Bollati Boringhieri, Torino 1977.

`userc` field (literal)
`origpages` field (literal biber only)
`transpages` field (literal biber only)

This field is printed at the end of the entry, after the `origdate`/`transdate` field. It is meant for the page range of the translation/original edition or other useful informations. In the first case string “p.” is omitted.

Warning The `origdate`/`transdate` is needed in order to print these fields. Contrarily they will be ignored.

12.2 Deprecated options

`origfields=trans, none, edorig` default: trans

`true` Prints the orig- fields.
`none` Omits the orig- fields.
`origed` This option cites the translation data first and adds the original publication data at the end of the entry, preceded by the string “orig. ed” (or “ed. orig.” for Italian documents).

`origed=true, false` default: true

Same as the previous but can be set on a per-entry basis in the `options` field. (see Lobačevskij 1994).

`origfieldsformat=semicolon, parens, brackets` default: semicolon

`semicolon` The translation/original publication data are preceded by a semicolon:

Poincaré, Jules-Henri (1968), *La science et l’hypothèse*, Paris, Flammarion; trad. it. *La scienza e l’ipotesi*, Milano, Bompiani 2003.

`parens` Puts the translation or the original publication data in parentheses:

Poincaré, Jules-Henri (1968), *La science et l’hypothèse*, Paris, Flammarion (trad. it. *La scienza e l’ipotesi*, Milano, Bompiani 2003).

`brackets` Same as the previous option but with brackets instead of parentheses:

Poincaré, Jules-Henri (1968), *La science et l’hypothèse*, Paris, Flammarion [trad. it. *La scienza e l’ipotesi*, Milano, Bompiani 2003].

References

Clawson, James

- 2010 *biblatex-mla*. *MLA Style Using biblatex*, version 0.95, <http://tug.ctan.org/tex-archive/macros/latex/exptl/biblatex-contrib/biblatex-mla>.

The biblatex-mla files provide support to biblatex, bibtex, and latex for citations and Works Cited lists in the style established by the Modern Language Association (MLA).

Gliboff, Sander

- 2010 *User's Guide to Historian. A Footnotes-and-Bibliography Style, Following Turabian/Chicago Guidelines: For Use with the Biblatex System of Programmable Bibliographies and Citations*, version 0.4, <http://tug.ctan.org/tex-archive/macros/latex/exptl/biblatex-contrib/biblatex-historian>.

Historian follows the conventions of The Chicago Manual of Style, as presented in Turabian's Manual for Writers.

Lehman, Philipp

- 2011 *The biblatex package. Programmable Bibliographies and Citations*, version 1.7, <http://www.ctan.org/tex-archive/macros/latex/exptl/biblatex/doc/>.

This document is a systematic reference manual for the biblatex package. Look at the sample documents which ship with biblatex to get a first impression.

Pantieri, Lorenzo and Tommaso Gordini

- 2011 *L'arte di scrivere con L^AT_EX. Un'introduzione a L^AT_EX*, with a forew. by Enrico Gregorio, http://www.lorenzopantieri.net/LaTeX_files/ArteLaTeX.pdf.

The most popular italian guide to L^AT_EX. A little masterpiece of style and typesetting.

Waßenhoven, Dominik

- 2011 *biblatex-dw*, version 1.4, <http://tug.ctan.org/tex-archive/macros/latex/exptl/biblatex-contrib/biblatex-dw>.

A small collection of styles for the biblatex package. It was designed for citations in the Humanities and offers some features that are not provided by the standard biblatex styles.

Examples

See also `philosophy-examples.bib` in the “`texm-dist/doc/latex/biblatex-philosophy`” directory of your T_EXLive installation.

Aristotle

- 1929 *Physics*, trans. by P. H. Wicksteed and F. M. Cornford, G. P. Putnam, New York.

A book entry with a `translator` field.

Corrocher, Roberto

- 2009 “Riflessioni sull'uomo di fronte a nuove sfide”, in Giaretta et al. (2009), pp. 27-42.

An `@incollection` entry. The `@collection` is automatically printed in the bibliography because another `@incollection` has been cited.

Federspil, Giovanni and Roberto Vettor

- 2009 “Medicina: un unico metodo e una sola argomentazione?”, in Giaretta et al. (2009), pp. 43-74.

An `@incollection` entry. The `@collection` is automatically printed in the bibliography because another `@incollection` has been cited.

Giaretta, Pierdaniele, Antonio Moretto, Gian Franco Gensini, and Marco Trabucchi

- 2009 (eds.), *Filosofia delle medicina. Metodo, modelli, cura ed errori*, 2 vols., il Mulino, Bologna.

A collection with four editors. The list is automatically truncated in the citations.

Guzmán de Rojas, Iván

- s.d. *Problemática logico-lingüística de la comunicación social con el pueblo Aymara*, mimeo, Con los auspicios del Centro internacional de Investigaciones para el Desarrollo de Canada.

A work without a publication date. The string `nodate` (localized) is automatically printed.

Heidegger, Martin

- 2001 *Sein und Zeit*, 18th ed., Max Niemeyer Verlag, Tübingen. Apparso originariamente nel 1927 nell'annuario diretto da H. Husserl *Jahrbuch für Philosophie und phänomenologische Forschung* (vol. VIII).

Note the `library` field, use for some details about the first edition.

Kant, Immanuel

- 1968a *Kants Werke. Akademie Textausgabe*, Berlin.
- 1968b *Kritik der praktischen Vernunft*, in *Kants Werke. Akademie Textausgabe*, vol. 5: *Kritik der praktischen Vernunft. Kritik der Urtheilskraft*, Walter de Gruyter, Berlin, pp. 1-163.
An edition of Kant's *Collected Works*, volume five. This is an `inbook` entry which explicitly refers to the *Critique of Practical Reason* only, not to the entire fifth volume. Note the `author` and `bookauthor` fields in the database file. By default, the `bookauthor` is omitted if the values of the `author` and `bookauthor` fields are identical.
- 1968c *Kritik der praktischen Vernunft*, in Kant (1968a), vol. 5, pp. 1-163.
- 1968d *Kritik der Urtheilskraft*, in Kant (1968a), vol. 5, pp. 165-485.

Komensky, Jan Amos [Comenio]

- 1969 *Opera Omnia*, Praga.
This author is known with his Latin name, given in the `nameaddon` field.

Lobačevskij, Nikolaj Ivanovič

- 1994 *Nuovi principi della geometria. Con una teoria completa delle parallele*, ed. by Lucio Lombardo Radice, with a forew. by Evandro Agazzi, Bollati Boringhieri, Torino; orig. ed. 1835.
An entry typeset using the depreciated `orig-` fields mechanism.

Poincaré, Jules-Henri

- 1968 *La science et l'hypothèse*, Flammarion, Paris; trans. *La scienza e l'ipotesi*, ed. by Corrado Sinigaglia, testo greco a fronte, Bompiani, Milano 2003.
A book entry followed by its translation, cross-referenced in the `related` field.

Popper, Karl R.

- 1934 *Logik der Forschung*, Springer, Wien; trad. ingl. *The Logic of Scientific Discovery*, 3rd ed., Hutchinson, London 1959; trans. *Logica della scoperta scientifica*, 3rd ed., Einaudi, Torino 1998.
A book entry followed by two different translations, cross-referenced in the `related` (biber 1.6 required).

Rossitto, Cristina

- 1977 "Opposizione e non contraddizione nella *Metafisica* di Aristotele", in *La contraddizione*, ed. by Enrico Berti, Città Nuova, Roma, pp. 43-69.
Note that the `@collection` data (inherited from the `crossref` field) are printed inside the `@incollection` entry because this is the the only `@incollection` cited from that `@collection`.

Termini, Settimo

- 2007 "Vita morte e miracoli di Alan Mathison Turing", in *Vite matematiche. Protagonisti del '900 da Hilbert a Wiles*, ed. by Claudio Bartocci, Renato Betti, Angelo Guerraggio, and Roberto Lucchetti, Springer-Verlag Italia, Milano.

Valbusa, Ivan

- 2007 "Psicologia e sistema in Alsted e in Wolffnn", in *Christian Wolff tra psicologia empirica e psicologia razionale*, ed. by Ferdinando Luigi Marcolungo, Georg Olms Verlag, Hildesheim, Zürich, and London.

Web List

CTAN (2006), CTAN. *The Comprehensive TeX Archive Network*, <http://www.ctan.org> (visited on 10/01/2006).

Note the `urldate` field and the `label` field, used for the citations.

GuIT. Gruppo degli Utilizzatori Italiani di T_EX (2012), <http://www.guitex.org> (visited on 01/15/2012).

A Web site.

13 The Code

13.1 philosophy-standard.bbx

```
1 \RequireBiber[2]
2 \RequireBibliographyStyle{standard}
```

Load the localization modules:

```
3 \DeclareLanguageMapping{italian}{italian-philosophy}
4 \DeclareLanguageMapping{english}{english-philosophy}
```

13.1.1 Global options

```
5 \newtoggle{bbx:annotation}
6 \newtoggle{bbx:library}
7 \newtoggle{bbx:scauthors}
8 \newtoggle{bbx:scauthorsbib}
9 \newtoggle{bbx:inbeforejournal}
10 \newtoggle{bbx:classical}
11
12 \DeclareBibliographyOption{annotation}[true]{%
13   \settoggle{bbx:annotation}{#1}}
14 \DeclareBibliographyOption{library}[true]{%
15   \settoggle{bbx:library}{#1}}
16 \DeclareBibliographyOption{scauthors}[true]{%
17   \settoggle{bbx:scauthors}{#1}}
18 \DeclareBibliographyOption{scauthorsbib}[true]{%
19   \settoggle{bbx:scauthorsbib}{#1}}
20 \DeclareBibliographyOption{inbeforejournal}[true]{%
21   \settoggle{bbx:inbeforejournal}{#1}}
22 \DeclareBibliographyOption{classical}[true]{%
23   \settoggle{bbx:classical}{#1}}
24
25 \newcommand{\bbx@publocformat}{}
26 \newcommand{\bbx@volnumformat}{}
27 \newcommand{\bbx@relatedformat}{}
28 \newcommand{\bbx@origfields}{}
29 \newcommand{\bbx@editionformat}{}
30 \newcommand{\bbx@volumeformat}{}
31
32 \DeclareBibliographyOption{publocformat}[publocyear]{%
33   \renewcommand{\bbx@publocformat}{#1}}
34 \DeclareBibliographyOption{volnumformat}[plain]{%
35   \renewcommand{\bbx@volnumformat}{#1}}
36 \DeclareBibliographyOption{origfieldsformat}[semicolon]{%
37   \renewcommand{\bbx@relatedformat}{#1}}
38 \DeclareBibliographyOption{relatedformat}[semicolon]{%
39   \renewcommand{\bbx@relatedformat}{#1}}
40 \DeclareBibliographyOption{origfields}[true]{%
41   \renewcommand{\bbx@origfields}{#1}}
42 \DeclareBibliographyOption{editionformat}[arabic]{%
43   \renewcommand{\bbx@editionformat}{#1}}
44 \DeclareBibliographyOption{volumeformat}[arabic]{%
45   \renewcommand{\bbx@volumeformat}{#1}}
46
47 \DeclareEntryOption{origed}[true]{%
48   \renewcommand{\bbx@origfields}{origed}}
49
50 \ExecuteBibliographyOptions{%
51   publocformat      = publocyear,
52   annotation        = false,
53   library            = true,
54   scauthors          = false,
55   scauthorsbib       = false,
56   origfieldsformat   = semicolon,
57   inbeforejournal    = false,
58   volnumformat       = plain,
59   editionformat      = arabic,
```

```

60 volumeformat      = arabic,
61 classical          = false,
62 useprefix          = true,
63 maxcitenames       = 2,
64 mincitenames       = 1,
65 maxbibnames        = 999,
66 minbibnames        = 999}

```

Changing the penalty of the urls will prevent many overfull boxes.

```

67 \setcounter{biburlnumpenalty}{9000}
68 \setcounter{biburlucpenalty}{9000}
69 \setcounter{biburlcpenalty}{9000}

```

These counters control the list of names of cross-referenced entries:

```

70 \newcounter{maxnamesincross}
71 \newcounter{minnamesincross}

```

13.1.2 Name format

```

72 \AtBeginBibliography{%
73 \iftoggle{bbx:scauthorsbib}{%
74 \DeclareNameFormat{sortname}{%
75 \renewcommand{\mkbibnamefirst}{\textsc}%
76 \renewcommand{\mkbibnamelast}{\textsc}%
77 \renewcommand{\mkbibnameprefix}{\textsc}%
78 \renewcommand{\mkbibnameaffix}{\textsc}%
79 \ifnumequal{value{listcount}}{1}
80   {\iffirstinits
81     {\usebibmacro{name:last-first}{#1}{#4}{#5}{#7}}
82     {\usebibmacro{name:last-first}{#1}{#3}{#5}{#7}}}%
83   \ifblank{#3#5}
84     {}
85     {\usebibmacro{name:revsdelim}}}
86   {\iffirstinits
87     {\usebibmacro{name:first-last}{#1}{#4}{#5}{#7}}
88     {\usebibmacro{name:first-last}{#1}{#3}{#5}{#7}}}%
89   \usebibmacro{name:andothers}}}%
90 {}}%
91
92 \AtBeginDocument{%
93 \iftoggle{bbx:scauthors}{%
94   \toggletrue{bbx:scauthorsbib}%
95   \toggletrue{cbx:scauthorscite}}%
96 {}%

```

13.1.3 New internal commands

```

97 \renewcommand*{\newunitpunct}{\addcomma\space}
98 \renewcommand*{\subtitlepunct}{\addperiod\space}
99 \renewcommand*{\intitlepunct}{\nopunct\addspace}
100 \newcommand*{\volnumpunct}{\addcomma\space}

```

We have to define a new internal command in order to get pure parentheses for some specific fields when using the square option:

```

101 \newrobustcmd{\mkpureparens}[1]{%
102   \beginngroup
103   \blx@blxinit
104   \blx@setsfcodes
105   \blx@postpunct(#1\blx@postpunct)\midsentence%
106   \endgroup}

```

Indexing

```

107 \renewbibmacro{citeindex}{%
108 \ifciteindex{\indexnames{labelname}}{}}
109 \renewbibmacro{bibindex}{%
110 \ifbibindex{\indexnames{author}}%
111 \indexnames{editor}%
112 \indexnames{editora}%
113 \indexnames{editorb}%
114 \indexnames{editorc}}%
115 {}%

```

Font selection

```

116 \newcommand*{\annotationfont}{\footnotesize}
117 \newcommand*{\libraryfont}{}
118 \newcommand*{\editionfont}{%
119   \ifdefstring{\bbx@editionformat}{romanupp}
120     {\uppercase}%
121     {\ifdefstring{\bbx@editionformat}{romansc}
122       {\scshape}%
123       {\relax}}%
124   }%
125 \newrobustcmd*{\edfnt}[1]{%
126   \begingroup
127   \expandafter\editionfont
128   \expandafter{\romannumeral#1}%
129   \endgroup}

```

13.1.4 Fields formats

```

130 \DeclareFieldFormat[bookinbook,thesis]{title}{\mkbibemph{#1}}
131 \DeclareFieldFormat[review]{title}{\bibstring{reviewof}\addspace#1}
132 \DeclareFieldFormat[review]{citetitle}{\bibstring{reviewof}\addspace#1}
133 \DeclareFieldFormat[inreference,article]{title}{\mkbibquote{#1}}
134 \DeclareFieldFormat[bookinbook,thesis]{citetitle}{\mkbibemph{#1}}
135 \DeclareFieldFormat{origtitle}{\mkbibemph{#1}}
136 \DeclareFieldFormat[article]{origtitle}{\mkbibquote{#1}}
137 \DeclareFieldFormat{usera}{\mkbibemph{#1}}
138 \DeclareFieldFormat[bookinbook,inbook]{usera}{\mkbibemph{#1}}
139 \DeclareFieldFormat[incollection]{usera}{\mkbibquote{#1}}
140 \DeclareFieldFormat{userc}{\mkpageprefix[bookpagination]{#1}}
141 \DeclareFieldFormat{url}{\url{#1}}
142 \DeclareFieldFormat{annotation}{\annotationfont #1}
143 \DeclareFieldFormat{library}{\libraryfont #1}
144 \DeclareFieldFormat{backrefparens}{\mkpureparens{#1}}
145 \DeclareFieldFormat{pureparens}{\mkpureparens{#1}}
146 \DeclareFieldFormat{volume}{%
147   \bibstring{volume}~%
148   \ifinteger{#1}{%
149     \ifdefstring{\bbx@volumeformat}{arabic}%
150       {#1}%
151       {\ifdefstring{\bbx@volumeformat}{romanupp}%
152         {\RN{#1}}%
153         {\ifdefstring{\bbx@volumeformat}{romansc}%
154           {\textsc{\RN{#1}}}%
155           {#1}}}%{#1}}
156 \DeclareFieldFormat{number}{%
157   \ifdefstring{\bbx@volnumformat}{strings}{%
158     \bibstring{number}~#1}{#1}}
159 \DeclareFieldFormat{series}{%
160   \ifinteger{#1}
161     {\mkbibordseries{#1}~\bibstring{jourser}}
162     {\ifbibstring{#1}{\bibstring{#1}}{#1}}
163 \DeclareFieldFormat{edition}{%
164   \ifinteger{#1}{%
165     \ifdefstring{\bbx@editionformat}{arabic}
166       {\mkbibordedition{#1}~\bibstring{edition}}
167       {\ifdefstring{\bbx@editionformat}{romanupp}%
168         {\RN{#1}~\bibstring{edition}}%
169         {\ifdefstring{\bbx@editionformat}{romansc}%
170           {\textsc{\RN{#1}}~\bibstring{edition}}%
171           {\mkbibordedition{#1}~\bibstring{edition}}}}
172     {#1}}%{\isdot??}
173 \DeclareFieldFormat{related}{%
174   \ifdefstring{\bbx@relatedformat}{parens}%
175     {\mkpureparens{#1}}%
176     {\ifdefstring{\bbx@relatedformat}{brackets}%
177       {\mkbibbrackets{#1}}%

```



```
178 {\printtext{\addsemicolon\space}#1}}}%
```

13.1.5 The orig- macros (deprecated)

These macros are provided for backward compatibility. The new related field mechanism now directly support also this feature.

```
179 \newbibmacro*{origpublisher+origlocation+origdate}{%
180 \ifdefstring{\bbx@publocformat}{loccolonpub}
181 {\usebibmacro{origloccolonpub}\setunit{\bibpagespunct}%
182   \printfield{userc}{\ifdefstring{\bbx@publocformat}{locpubyear}
183 {\usebibmacro{origlocpubyear}\setunit{\bibpagespunct}%
184   \printfield{userc}}
185 {\usebibmacro{origpublocyear}\setunit{\bibpagespunct}%
186   \printfield{userc}}}}
187
188 \newbibmacro*{origpublocyear}{%
189 \iflistundef{origpublisher}%
190 {\printlist{origlocation}%
191 \setunit*{\addspace}%
192   \printorigdate}%
193 {\printlist{origpublisher}%
194   \setunit*{\addcomma\space}%
195 \printlist{origlocation}%
196 \setunit*{\addspace}%
197   \printorigdate}%
198 \newunit}
199
200 \newbibmacro*{origloccolonpub}{%
201 \iflistundef{origlocation}{}%
202 {\printlist{origlocation}}%
203 \iflistundef{origpublisher}%
204   {\setunit*{\addspace}%
205 \printorigdate}%
206   {\setunit*{\addcolon\space}%
207 \printlist{origpublisher}%
208 \setunit*{\addcomma\space}%
209 \printorigdate}%
210 \newunit}
211
212 \newbibmacro*{origlocpubyear}{%
213 \iflistundef{origlocation}{}%
214 {\printlist{origlocation}}%
215 \iflistundef{origpublisher}%
216   {\setunit*{\addspace}%
217 \printorigdate}%
218   {\setunit*{\addcomma\space}%
219 \printlist{origpublisher}%
220 \setunit*{\addcomma\space}%
221 \printorigdate}%
222 \newunit}
223
224 \newbibmacro*{reprinttitle}{%
225 \iffieldundef{reprinttitle}{}%
226 \iffieldsequal{reprinttitle}{title}{}%
227   \printfield[title]{reprinttitle}%
228   \setunit{\addcomma\space}}}%
229 \iffieldundef{userb}{}%
230   \printfield{userb}}}%
231
232 \newbibmacro*{transorigstring}{%
233 \iffieldundef{reprinttitle}%
234 {\printtext{\ifdefstring{\bbx@origfields}{origed}
235 {\bibstring{origed}}}%
236 {\bibstring{translationas}}}\nopunct}%
237 {\printtext{\bibstring{reprint}}}\nopunct}
238
239 \newbibmacro*{origtitle:book}{%
```

```

240 \iffielddundef{origtitle}{\{
241     \printfield[origtitle]{origtitle}%
242     \setunit{\addcomma\space}}
243 \iffielddundef{userb}{\{}%
244     \printfield{userb}}}%
245
246 \newbibmacro*{origtitledata:book}{%
247 \usebibmacro{transorigstring}%
248 \iffielddundef{reprinttitle}%
249 {\usebibmacro{origtitle:book}}}%
250 {\usebibmacro{reprinttitle}}}%
251 \newunit\newblock
252 \usebibmacro{origpublisher+origlocation+origdate}}
253
254 \newbibmacro*{origdata:book}{%
255 \ifboolexpr{%
256     test {\iffielddundef{origtitle}}
257     and
258     test {\iffielddundef{origlocation}}
259     and
260     test {\iffielddundef{origpublisher}}
261     and
262     test {\iffielddundef{origyear}}
263 }%
264 }{%
265     {\ifdefstring{\bbx@relatedformat}{parens}
266     {\nopunct\printtext[pureparens]{\usebibmacro{origtitledata:book}}}
267     {\ifdefstring{\bbx@relatedformat}{brackets}
268     {\nopunct\printtext[brackets]{\usebibmacro{origtitledata:book}}}
269     {\setunit{\addsemicolon\space}%
270     \printtext{\usebibmacro{origtitledata:book}}}}}}
271
272 \newbibmacro*{origtitle:article-inbook-incoll}{%
273 \iffielddundef{origtitle}{\{}%
274     \printfield[origtitle]{origtitle}%
275 \setunit{\addcomma\space}}
276 \iffielddundef{usera}{\{}%
277 \usebibmacro{in:}%
278 \printfield{usera}%
279     \setunit{\addcomma\space}}%
280 \iffielddundef{userb}{\{}%
281     \printfield{userb}%
282     \newunit}}
283
284 \newbibmacro*{origtitledata:article-inbook-incoll}{%
285     \usebibmacro{transorigstring}%
286     \setunit{\addspace}%
287     \usebibmacro{origtitle:article-inbook-incoll}%
288     \usebibmacro{origpublisher+origlocation+origdate}}
289
290 \newbibmacro*{origdata:article-inbook}{%
291 \iflistundef{origlocation}{\{}%
292     \ifdefstring{\bbx@relatedformat}{parens}
293     {\nopunct\printtext[pureparens]{%
294         \usebibmacro{origtitledata:article-inbook-incoll}}}%
295     {\ifdefstring{\bbx@relatedformat}{brackets}
296     {\nopunct\printtext[brackets]{%
297         \usebibmacro{origtitledata:article-inbook-incoll}}}}%
298     {\setunit{\addsemicolon\space}%
299     \printtext{%
300 \usebibmacro{origtitledata:article-inbook-incoll}}}}}}

```

13.1.6 New macros

```

301 \renewbibmacro*{addendum+pubstate}{%
302 \printfield{addendum}%

```

```

303 \newunit\newblock
304 \printfield{pubstate}%
305 \ifdefstring{\bbx@origfields}{none}{}{%
306 \newunit\newblock
307 \usebibmacro{origdata:book}}%
308 \newunit\newblock
309 \usebibmacro{library}}
310
311 \newbibmacro*{addendum+pubstate:article-inbook-incoll}{%
312 \printfield{addendum}%
313 \newunit\newblock
314 \printfield{pubstate}%
315 \ifdefstring{\bbx@origfields}{none}{}{%
316 \newunit\newblock
317 \usebibmacro{origdata:article-inbook}}%
318 \newunit\newblock
319 \usebibmacro{library}}
320
321 \newbibmacro*{volnumdefault}{%
322 \printfield{volume}%
323 \setunit*{\volnumpunct}%
324 \printfield{number}}
325
326 \newbibmacro*{volnumparens}{%
327 \nopunct%
328 \printtext[pureparens]{%
329 \printfield{volume}%
330 \setunit*{\volnumpunct}%
331 \printfield{number}}\addcomma\space}
332
333 \newbibmacro*{volnumstrings}{%
334 \iffieldundef{volume}{}{%
335 \printfield{volume}\setunit*{\volnumpunct}}%
336 \iffieldundef{number}{}{%
337 \printfield{number}}}
338
339 \renewbibmacro*{journal}{%
340 \iffieldundef{journaltitle}
341 {}
342 {\printtext[journaltitle]{%
343 \printfield[titlecase]{journaltitle}%
344 \midsentence%MOD#####
345 \setunit{\subtitlepunct}%
346 \printfield[titlecase]{journalsubtitle}}}}
347
348 \renewbibmacro*{periodical}{%
349 \iffieldundef{title}
350 {}
351 {\printtext[title]{%
352 \printfield[titlecase]{title}%
353 \midsentence%MOD#####
354 \setunit{\subtitlepunct}%
355 \printfield[titlecase]{subtitle}}}}
356
357 \renewbibmacro*{journal+issuetitle}{%
358 \usebibmacro{journal}%
359 \setunit*{\addspace}%
360 \iffieldundef{series}
361 {}
362 {\newunit%
363 \printfield{series}\setunit{\addspace}\midsentence}%
364 \newunit%
365 \usebibmacro{volume+number+eid}%
366 \setunit{\addspace}%
367 \usebibmacro{issue+date}%
368 \setunit{\addcolon\space}%

```

```

369 \usebibmacro{issue}%
370 \newunit}
371
372 \renewbibmacro*{title+issuetitle}{%
373 \usebibmacro{periodical}%
374 \setunit*{\addspace}%
375 \iffieldundef{series}
376 {}
377 {\newunit
378 \printfield{series}%
379 \setunit{\addspace}\midsentence}%
380 \newunit
381 \usebibmacro{volume+number+eid}%
382 \setunit{\addcomma\space}%
383 \printfield{eid}%
384 \setunit{\addspace}%
385 \usebibmacro{issue+date}%
386 \setunit{\addcolon\space}%
387 \usebibmacro{issue}%
388 \newunit}
389
390 \renewbibmacro*{volume+number+eid}{%
391 \ifdefstring{\bbx@volnumformat}{strings}
392 {\usebibmacro{volnumstrings}}%
393 {\ifdefstring{\bbx@volnumformat}{parens}
394 {\usebibmacro{volnumparens}}%
395 {\usebibmacro{volnumdefault}}}%
396 \setunit{\addcomma\space}%
397 \printfield{eid}}
398
399 \renewbibmacro*{issue+date}{%
400 \printtext[pureparens]{%
401 \iffieldundef{issue}
402 {\usebibmacro{date}}
403 {\printfield{issue}%
404 \setunit*{\addspace}%
405 \usebibmacro{date}}}%
406 \newunit}
407
408 \renewbibmacro*{event+venue+date}{%v0.8
409 \printfield{eventtitle}%
410 \ifboolexpr{%
411 test {\iffieldundef{venue}}
412 and
413 test {\iffieldundef{eventyear}}
414 }%
415 {}
416 {\setunit*{\addspace}%
417 \printtext{%
418 \printfield{venue}%
419 \setunit*{\addcomma\space}%
420 \printeventdate}}%
421 \newunit}
422
423 \renewbibmacro*{series+number}{%
424 \printfield{series}%
425 \setunit*{\addcomma\space}%
426 \printfield{number}%
427 \newunit}
428
429 \renewbibmacro*{publisher+location+date}{%
430 \ifdefstring{\bbx@publocformat}{loccolonpub}
431 {\usebibmacro{loccolonpub}
432 {\ifdefstring{\bbx@publocformat}{locpubyear}
433 {\usebibmacro{locpubyear}}
434 {\usebibmacro{publocyear}}}}

```

```

435
436 \renewbibmacro*{institution+location+date}{%
437 \ifdefstring{\bbx@publocformat}{loccolonpub}
438 {\usebibmacro{inloccolonpub}}
439 {\ifdefstring{\bbx@publocformat}{locpubyear}
440 {\usebibmacro{inlocpubyear}}
441 {\usebibmacro{inpublocyear}}}}
442
443 \renewbibmacro*{organization+location+date}{%
444 \ifdefstring{\bbx@publocformat}{loccolonpub}
445 {\usebibmacro{orgloccolonpub}}
446 {\ifdefstring{\bbx@publocformat}{locpubyear}
447 {\usebibmacro{orglocpubyear}}
448 {\usebibmacro{orgpublocyear}}}}
449
450 \newbibmacro*{library}{%
451 \iftoggle{bbx:library}{%
452 \iffieldundef{library}%
453 {}%
454 {\setunit{\addperiod\space}%
455 {\printfield{library}}}}%
456 {}%

```

In this macro the `\nopunct` command is needed to avoid the dot after the parentheses.

```

457 \renewbibmacro*{pageref}{%
458 \iflistundef{pageref}
459 {}%
460 {\setunit{\addperiod\space}%
461 \printtext[backrefparens]{%
462 \ifnumgreater{\value{pageref}}{1}
463 {\bibstring{backrefpages}\ppspace}%
464 {\bibstring{backrefpage}\ppspace}%
465 \printlist[pageref] [-\value{listtotal}]{pageref}\addot\nopunct}}%
466
467 \renewbibmacro*{finentry}{%
468 \iftoggle{bbx:annotation}%
469 {\iffieldundef{annotation}%
470 {\finentry}%
471 {\setunit{\addperiod\par\nobreak\vspace*{.5ex}}%
472 \printtext[annotation]{\printfield{annotation}\finentry\par}}}%
473 {\finentry}}
474
475 \newbibmacro*{publocyear}{%
476 \iflistundef{publisher}%
477 {}%
478 {\printlist{publisher}}
479 \setunit*{\addcomma\space}%
480 \printlist{location}%
481 \usebibmacro{relateddate}%
482 \newunit}
483
484 \newbibmacro*{inpublocyear}{%
485 \iflistundef{institution}%
486 {}%
487 {\printlist{institution}}
488 \setunit*{\addcomma\space}%
489 \printlist{location}%
490 \usebibmacro{relateddate}%
491 \newunit}
492
493 \newbibmacro*{orgpublocyear}{%
494 \iflistundef{organization}%
495 {}%
496 {\printlist{organization}}
497 \setunit*{\addcomma\space}%
498 \printlist{location}%
499 \usebibmacro{relateddate}%

```

```

500 \newunit}
501
502 \newbibmacro*{loccolonpub}{%
503   \printlist{location}%
504   \iflistundef{publisher}%
505     {\setunit*{\addspace}}
506     {\setunit*{\addcolon\space}}%
507   \printlist{publisher}%
508   \usebibmacro{commarelateddate}%
509 \newunit}
510
511 \newbibmacro*{inloccolonpub}{%
512   \printlist{location}%
513   \iflistundef{institution}
514     {\setunit*{\addspace}}
515     {\setunit*{\addcolon\space}}%
516   \printlist{institution}%
517   \usebibmacro{commarelateddate}%
518 \newunit}
519
520 \newbibmacro*{orgloccolonpub}{%
521   \printlist{location}%
522   \iflistundef{organization}
523     {\setunit*{\addspace}}
524     {\setunit*{\addcolon\space}}%
525   \printlist{organization}%
526   \usebibmacro{commarelateddate}%
527 \newunit}
528
529 \newbibmacro*{locpubyear}{%
530   \printlist{location}%
531   \iflistundef{publisher}%
532     {\setunit*{\addspace}}
533     {\setunit*{\addcomma\space}}%
534   \printlist{publisher}%
535   \usebibmacro{commarelateddate}%
536 \newunit}
537
538 \newbibmacro*{inlocpubyear}{%
539   \printlist{location}%
540   \iflistundef{institution}
541     {\setunit*{\addspace}}
542     {\setunit*{\addcomma\space}}%
543   \printlist{institution}%
544   \usebibmacro{commarelateddate}%
545 \newunit}
546
547 \newbibmacro*{orglocpubyear}{%
548   \printlist{location}%
549   \iflistundef{organization}
550     {\setunit*{\addspace}}
551     {\setunit*{\addcomma\space}}%
552   \printlist{organization}%
553   \usebibmacro{commarelateddate}%
554 \newunit}

```

13.1.7 The related field mechanism

```

555 \newbibmacro*{relateddate}{%
556   \setunit*{\addspace}%
557   \printdate}
558 \newbibmacro*{commarelateddate}{%
559   \setunit*{\addcomma\space}%
560   \printdate}

```

A trick to delete the author/editor list for related entries and `\ccite` command:

```

561 \newbibmacro*{related:clearauthors}{%
562   \renewbibmacro*{author/translator+others}{\usebibmacro{bbx:savehash}}%

```

```

563 \renewbibmacro*{author/editor+others/translator+others}{\usebibmacro{bbx:savehash}}%
564 \renewbibmacro*{editor+others}{\usebibmacro{bbx:savehash}}%
565 \renewbibmacro*{author/translator+others}{\usebibmacro{bbx:savehash}}%
566 \renewbibmacro*{author/editor}{\usebibmacro{bbx:savehash}}%
567 \renewbibmacro*{author}{\usebibmacro{bbx:savehash}}%
568 \renewbibmacro*{editor}{\usebibmacro{bbx:savehash}}%
569 \renewcommand*{\labelnamepunct}{}
570
571 \DeclareCiteCommand{\relatedcite}
572 {}%
573 {\usedriver
574   {\DeclareNameAlias{sortname}{default}}%
575   \usebibmacro{related:clearauthors}%
576   \renewbibmacro*{relateddate}{%
577     \setunit*{\addspace}\printdate}%
578   \renewbibmacro*{commarelateddate}{%
579     \setunit*{\addcomma\space}\printdate}}%
580   {\thefield{entrytype}}}%
581 {}%
582 {}%
583
584 \renewbibmacro*{related:default}[1]{%
585   \togglefalse{cbx:scauthorscite}%
586   \togglefalse{bbx:annotation}%
587   \iffieldundef{relatedstring}%
588   {\bibstring{translationas}\space}%
589   {\setunit{\bibstring{translationas}\space}}%
590   \renewcommand{\mkpureparens}{}%
591   \renewcommand*{\mkbibbrackets}{}%
592   \relatedcite{\thefield{related}}

```

13.1.8 Bibliography drivers

```

593 \DeclareBibliographyDriver{article}{%
594   \usebibmacro{bibindex}%
595   \usebibmacro{begentry}%
596   \usebibmacro{author/translator+others}%
597   \setunit{\labelnamepunct}\newblock
598   \usebibmacro{title}%
599   \newunit
600   \printlist{language}%
601   \newunit\newblock
602   \usebibmacro{byauthor}%
603   \newunit\newblock
604   \usebibmacro{bytranslator+others}%
605   \newunit\newblock
606   \printfield{version}%
607   \newunit\newblock
608   \iftoggle{bbx:inbeforejournal}{\usebibmacro{in:}}{}%
609   \usebibmacro{journal+issuetitle}%
610   \newunit\newblock
611   \usebibmacro{byeditor+others}%
612   \newunit\newblock
613   \usebibmacro{note+pages}%
614   \newunit\newblock
615   \iftoggle{bbx:isbn}
616     {\printfield{issn}}
617     {}%
618   \newunit\newblock
619   \usebibmacro{doi+eprint+url}%
620   \newunit\newblock
621   \usebibmacro{addendum+pubstate:article-inbook-incoll}%MOD
622   \setunit{\addsemicolon\space}\newblock
623   \iftoggle{bbx:related}
624     {\usebibmacro{related:init}}%
625     \usebibmacro{related}}
626 {}%

```



```

627 \newunit\newblock
628 \usebibmacro{pageref}%
629 \usebibmacro{finentry}}
630
631 \DeclareBibliographyDriver{book}{%
632 \usebibmacro{bibindex}%
633 \usebibmacro{begentry}%
634 \usebibmacro{author/editor+others/translator+others}%
635 \setunit{\labelnamepunct}\newblock
636 \usebibmacro{maintitle+title}%
637 \newunit
638 \printlist{language}%
639 \newunit\newblock
640 \usebibmacro{byauthor}%
641 \newunit\newblock
642 \usebibmacro{byeditor+others}%
643 \newunit\newblock
644 \printfield{edition}%
645 \newunit
646 \printfield{volumes}%
647 \newunit\newblock
648 \usebibmacro{series+number}%
649 \newunit\newblock
650 \printfield{note}%
651 \newunit\newblock
652 \usebibmacro{publisher+location+date}%
653 \newunit
654 \iffieldundef{maintitle}
655   {\printfield{volume}%
656    \printfield{part}}
657   {}%
658 \newunit\newblock
659 \usebibmacro{chapter+pages}%
660 \newunit
661 \printfield{pagetotal}%
662 \newunit\newblock
663 \iftoggle{bbx:isbn}
664   {\printfield{isbn}}
665   {}%
666 \newunit\newblock
667 \usebibmacro{doi+eprint+url}%
668 \newunit\newblock
669 \usebibmacro{addendum+pubstate}%
670 \setunit{\addsemicolon\space}\newblock
671 \iftoggle{bbx:related}
672   {\usebibmacro{related:init}%
673    \usebibmacro{related}}
674   {}%
675 \newunit\newblock
676 \usebibmacro{pageref}%
677 \usebibmacro{finentry}}
678
679 \DeclareBibliographyDriver{booklet}{%
680 \usebibmacro{bibindex}%
681 \usebibmacro{begentry}%
682 \usebibmacro{author/editor+others/translator+others}%
683 \setunit{\labelnamepunct}\newblock
684 \usebibmacro{title}%
685 \newunit
686 \printlist{language}%
687 \newunit\newblock
688 \usebibmacro{byauthor}%
689 \newunit\newblock
690 \usebibmacro{byeditor+others}%
691 \newunit\newblock
692 \printfield{howpublished}%

```

```

693 \newunit\newblock
694 \printfield{type}%
695 \newunit\newblock
696 \printfield{note}%
697 \newunit\newblock
698 \usebibmacro{location+date}%
699 \newunit\newblock
700 \usebibmacro{chapter+pages}%
701 \newunit
702 \printfield{pagetotal}%
703 \newunit\newblock
704 \usebibmacro{doi+eprint+url}%
705 \newunit\newblock
706 \usebibmacro{addendum+pubstate}%
707 \setunit{\addsemicolon\space}\newblock
708 \iftoggle{bbx:related}
709   {\usebibmacro{related:init}}%
710   \usebibmacro{related}}
711   {}%
712 \newunit\newblock
713 \usebibmacro{pageref}%
714 \usebibmacro{finentry}}
715
716 \DeclareBibliographyDriver{collection}{%
717   \usebibmacro{bibindex}%
718   \usebibmacro{begentry}%
719   \usebibmacro{editor+others}%
720   \setunit{\labelnamepunct}\newblock
721   \usebibmacro{maintitle+title}%
722   \newunit
723   \printlist{language}%
724   \newunit\newblock
725   \usebibmacro{byeditor+others}%
726   \newunit\newblock
727   \printfield{edition}%
728   \newunit
729   \iffielddundef{maintitle}
730     {\printfield{volume}%
731       \printfield{part}}
732     {}%
733   \newunit
734   \printfield{volumes}%
735   \newunit\newblock
736   \usebibmacro{series+number}%
737   \newunit\newblock
738   \printfield{note}%
739   \newunit\newblock
740   \usebibmacro{publisher+location+date}%
741   \newunit\newblock
742   \usebibmacro{chapter+pages}%
743   \newunit
744   \printfield{pagetotal}%
745   \newunit\newblock
746   \iftoggle{bbx:isbn}
747     {\printfield{isbn}}
748     {}%
749   \newunit\newblock
750   \usebibmacro{doi+eprint+url}%
751   \newunit\newblock
752   \usebibmacro{addendum+pubstate}%
753   \setunit{\addsemicolon\space}\newblock
754   \iftoggle{bbx:related}
755     {\usebibmacro{related:init}}%
756     \usebibmacro{related}}
757     {}%
758   \newunit\newblock

```

```

759 \usebibmacro{pageref}%
760 \usebibmacro{finentry}}
761
762 \DeclareBibliographyDriver{inbook}{%
763 \usebibmacro{bibindex}%
764 \usebibmacro{begentry}%
765 \usebibmacro{author/translator+others}%
766 \setunit{\labelnamepunct}\newblock
767 \usebibmacro{title}%
768 \newunit
769 \printlist{language}%
770 \newunit\newblock
771 \usebibmacro{byauthor}%
772 \newunit\newblock
773 \usebibmacro{in:}%
774 \iffieldundef{xref}%
775 {\iffieldundef{crossref}{\usebibmacro{inbook:full}}%
776 {\bbx@crossref@inbook{\thefield{crossref}}}%
777 \newunit\newblock
778 \usebibmacro{crossrefdata}}}%
779 {\bbx@crossref@inbook{\thefield{xref}}}%
780 \newunit\newblock
781 \usebibmacro{xrefdata}}}%
782
783 \newbibmacro*{inbook:full}{%
784 \usebibmacro{bybookauthor}%
785 \newunit\newblock
786 \usebibmacro{maintitle+booktitle}%
787 \newunit\newblock
788 \usebibmacro{byeditor+others}%
789 \newunit\newblock
790 \printfield{edition}%
791 \newunit
792 \printfield{volumes}%
793 \newunit\newblock
794 \usebibmacro{series+number}%
795 \newunit\newblock
796 \printfield{note}%
797 \newunit\newblock
798 \usebibmacro{publisher+location+date}%
799 \newunit
800 \iffieldundef{maintitle}
801 {\printfield{volume}%
802 \printfield{part}}
803 {}%
804 \newunit\newblock
805 \usebibmacro{chapter+pages}%
806 \newunit\newblock
807 \iftoggle{bbx:isbn}
808 {\printfield{isbn}}
809 {}%
810 \newunit\newblock
811 \usebibmacro{doi+eprint+url}%
812 \newunit\newblock
813 \usebibmacro{addendum+pubstate:article-inbook-incoll}%
814 \setunit{\addsemicolon\space}\newblock
815 \iftoggle{bbx:related}
816 {\usebibmacro{related:init}%
817 \usebibmacro{related}}
818 {}%
819 \newunit\newblock
820 \usebibmacro{pageref}%
821 \usebibmacro{finentry}}
822
823 \DeclareBibliographyDriver{incollection}{%
824 \usebibmacro{bibindex}%

```

```

825 \usebibmacro{begentry}%
826 \usebibmacro{author/translator+others}%
827 \setunit{\labelnamepunct}\newblock
828 \usebibmacro{title}%
829 \newunit
830 \printlist{language}%
831 \newunit\newblock
832 \usebibmacro{byauthor}%
833 \newunit\newblock
834 \usebibmacro{in:}%
835 \iffieldundef{xref}%
836   {\iffieldundef{crossref}{\usebibmacro{incollection:full}}}%
837   {\bbx@crossref@incollection{\thefield{crossref}}}%
838 \newunit\newblock
839 \usebibmacro{crossrefdata}}}%
840 {\bbx@crossref@incollection{\thefield{xref}}}%
841 \newunit\newblock
842 \usebibmacro{xrefdata}}}%
843
844 \newbibmacro*{incollection:full}{%
845 \usebibmacro{maintitle+booktitle}%
846 \newunit\newblock
847 \usebibmacro{byeditor+others}%
848 \newunit\newblock
849 \printfield{edition}%
850 \newunit
851 \printfield{volumes}%
852 \newunit\newblock
853 \usebibmacro{series+number}%
854 \newunit\newblock
855 \printfield{note}%
856 \newunit\newblock
857 \usebibmacro{publisher+location+date}%
858 \newunit
859 \iffieldundef{maintitle}
860   {\printfield{volume}%
861     \printfield{part}}
862   {%
863 \newunit\newblock
864 \usebibmacro{chapter+pages}%
865 \newunit\newblock
866 \iftoggle{bbx:isbn}
867   {\printfield{isbn}}
868   {%
869 \newunit\newblock
870 \usebibmacro{doi+eprint+url}%
871 \newunit\newblock
872 \usebibmacro{addendum+pubstate:article-inbook-incoll}%
873 \setunit{\addsemicolon\space}\newblock
874 \iftoggle{bbx:related}
875   {\usebibmacro{related:init}%
876     \usebibmacro{related}}
877   {%
878 \newunit\newblock
879 \usebibmacro{pageref}%
880 \usebibmacro{finentry}}
881
882 \DeclareBibliographyDriver{inproceedings}{%
883 \usebibmacro{bibindex}%
884 \usebibmacro{begentry}%
885 \usebibmacro{author/translator+others}%
886 \setunit{\labelnamepunct}\newblock
887 \usebibmacro{title}%
888 \newunit
889 \printlist{language}%
890 \newunit\newblock

```

```

891 \usebibmacro{byauthor}%
892 \newunit\newblock
893 \usebibmacro{in:}%
894 \iffielddundef{xref}%
895 {\iffielddundef{crossref}{\usebibmacro{inproceedings:full}}%
896 {\bbx@crossref@incollection{\thefield{crossref}}}%
897 \newunit\newblock
898 \usebibmacro{crossrefdata}}}%
899 {\bbx@crossref@incollection{\thefield{xref}}}%
900 \newunit\newblock
901 \usebibmacro{xrefdata}}}
902
903 \newbibmacro*{inproceedings:full}{%
904 \usebibmacro{maintitle+booktitle}%
905 \newunit\newblock
906 \usebibmacro{event+venue+date}%
907 \newunit\newblock
908 \usebibmacro{byeditor+others}%
909 \newunit
910 \printfield{volumes}%
911 \newunit\newblock
912 \usebibmacro{series+number}%
913 \newunit\newblock
914 \printfield{note}%
915 \newunit\newblock
916 \printlist{organization}%
917 \newunit
918 \usebibmacro{publisher+location+date}%
919 \newunit
920 \iffielddundef{maintitle}
921 {\printfield{volume}%
922 \printfield{part}}
923 {}%
924 \newunit\newblock
925 \usebibmacro{chapter+pages}%
926 \newunit\newblock
927 \iftoggle{bbx:isbn}
928 {\printfield{isbn}}
929 {}%
930 \newunit\newblock
931 \usebibmacro{doi+eprint+url}%
932 \newunit\newblock
933 \usebibmacro{addendum+pubstate:article-inbook-incoll}%
934 \setunit{\addsemicolon\space}\newblock
935 \iftoggle{bbx:related}
936 {\usebibmacro{related:init}%
937 \usebibmacro{related}}
938 {}%
939 \newunit\newblock
940 \usebibmacro{pageref}%
941 \usebibmacro{finentry}}
942
943 \DeclareBibliographyDriver{manual}{%
944 \usebibmacro{bibindex}%
945 \usebibmacro{begentry}%
946 \usebibmacro{author/editor}%
947 \setunit{\labelnamepunct}\newblock
948 \usebibmacro{title}%
949 \newunit
950 \printlist{language}%
951 \newunit\newblock
952 \usebibmacro{byauthor}%
953 \newunit\newblock
954 \usebibmacro{byeditor}%
955 \newunit\newblock
956 \printfield{edition}%

```

```

957 \newunit\newblock
958 \usebibmacro{series+number}%
959 \newunit\newblock
960 \printfield{type}%
961 \newunit
962 \printfield{version}%
963 \newunit
964 \printfield{note}%
965 \newunit\newblock
966 \printlist{organization}%
967 \newunit
968 \usebibmacro{publisher+location+date}%
969 \newunit\newblock
970 \usebibmacro{chapter+pages}%
971 \newunit
972 \printfield{pagetotal}%
973 \newunit\newblock
974 \iftoggle{bbx:isbn}
975   {\printfield{isbn}}
976   {}%
977 \newunit\newblock
978 \usebibmacro{doi+eprint+url}%
979 \newunit\newblock
980 \usebibmacro{addendum+pubstate}%
981 \setunit{\addsemicolon\space}\newblock
982 \iftoggle{bbx:related}
983   {\usebibmacro{related:init}%
984    \usebibmacro{related}}
985   {}%
986 \newunit\newblock
987 \usebibmacro{pageref}%
988 \usebibmacro{finentry}}
989
990 \DeclareBibliographyDriver{misc}{%
991   \usebibmacro{bibindex}%
992   \usebibmacro{begentry}%
993   \usebibmacro{author/editor+others/translator+others}%
994   \setunit{\labelnamepunct}\newblock
995   \usebibmacro{title}%
996   \newunit
997   \printlist{language}%
998   \newunit\newblock
999   \usebibmacro{byauthor}%
1000  \newunit\newblock
1001  \usebibmacro{byeditor+others}%
1002  \newunit\newblock
1003  \printfield{howpublished}%
1004  \newunit\newblock
1005  \printfield{type}%
1006  \newunit
1007  \printfield{version}%
1008  \newunit
1009  \printfield{note}%
1010  \newunit\newblock
1011  \usebibmacro{organization+location+date}%
1012  \newunit\newblock
1013  \usebibmacro{doi+eprint+url}%
1014  \newunit\newblock
1015  \usebibmacro{addendum+pubstate}%
1016  \setunit{\addsemicolon\space}\newblock
1017  \iftoggle{bbx:related}
1018    {\usebibmacro{related:init}%
1019     \usebibmacro{related}}
1020    {}%
1021  \newunit\newblock
1022  \usebibmacro{pageref}%

```

```

1023 \usebibmacro{finentry}}
1024
1025 \DeclareBibliographyDriver{online}{%
1026 \usebibmacro{bibindex}%
1027 \usebibmacro{begentry}%
1028 \usebibmacro{author/editor+others/translator+others}%
1029 \setunit{\labelnamepunct}\newblock
1030 \usebibmacro{title}%
1031 \newunit
1032 \printlist{language}%
1033 \newunit\newblock
1034 \usebibmacro{byauthor}%
1035 \newunit\newblock
1036 \usebibmacro{byeditor+others}%
1037 \newunit\newblock
1038 \printfield{version}%
1039 \newunit
1040 \printfield{note}%
1041 \newunit\newblock
1042 \printlist{organization}%
1043 \newunit\newblock
1044 \usebibmacro{date}%
1045 \newunit\newblock
1046 \iftoggle{bbx:eprint}
1047   {\usebibmacro{eprint}}
1048   {}%
1049 \newunit\newblock
1050 \usebibmacro{url+urldate}%
1051 \newunit\newblock
1052 \usebibmacro{addendum+pubstate}%
1053 \setunit{\addsemicolon\space}\newblock
1054 \iftoggle{bbx:related}
1055   {\usebibmacro{related:init}}%
1056   \usebibmacro{related}}
1057   {}%
1058 \newunit\newblock
1059 \usebibmacro{pageref}%
1060 \usebibmacro{finentry}}
1061
1062 \DeclareBibliographyDriver{patent}{%
1063 \usebibmacro{bibindex}%
1064 \usebibmacro{begentry}%
1065 \usebibmacro{author}%
1066 \setunit{\labelnamepunct}\newblock
1067 \usebibmacro{title}%
1068 \newunit
1069 \printlist{language}%
1070 \newunit\newblock
1071 \usebibmacro{byauthor}%
1072 \newunit\newblock
1073 \printfield{type}%
1074 \setunit*\addspace}%
1075 \printfield{number}%
1076 \iflistundef{location}
1077   {}
1078   {\setunit*\addspace}%
1079   \printtext[parens]{%
1080     \printlist[][-\value{listtotal}]{location}}}%
1081 \newunit\newblock
1082 \usebibmacro{byholder}%
1083 \newunit\newblock
1084 \printfield{note}%
1085 \newunit\newblock
1086 \usebibmacro{date}%
1087 \newunit\newblock
1088 \usebibmacro{doi+eprint+url}%

```



```

1089 \newunit\newblock
1090 \usebibmacro{addendum+pubstate}%
1091 \setunit{\addsemicolon\space}\newblock
1092 \iftoggle{bbx:related}
1093   {\usebibmacro{related:init}}%
1094   \usebibmacro{related}}
1095   {}%
1096 \newunit\newblock
1097 \usebibmacro{pageref}%
1098 \usebibmacro{finentry}}
1099
1100 \DeclareBibliographyDriver{periodical}{%
1101   \usebibmacro{bibindex}%
1102   \usebibmacro{begentry}%
1103   \usebibmacro{editor}%
1104   \setunit{\labelnamepunct}\newblock
1105   \usebibmacro{title+issuetitle}%
1106   \newunit
1107   \printlist{language}%
1108   \newunit\newblock
1109   \usebibmacro{byeditor}%
1110   \newunit\newblock
1111   \printfield{note}%
1112   \newunit\newblock
1113   \iftoggle{bbx:isbn}
1114     {\printfield{issn}}
1115     {}%
1116   \newunit\newblock
1117   \usebibmacro{doi+eprint+url}%
1118   \newunit\newblock
1119   \usebibmacro{addendum+pubstate}%
1120   \setunit{\addsemicolon\space}\newblock
1121   \iftoggle{bbx:related}
1122     {\usebibmacro{related:init}}%
1123     \usebibmacro{related}}
1124     {}%
1125   \newunit\newblock
1126   \usebibmacro{pageref}%
1127   \usebibmacro{finentry}}
1128
1129 \DeclareBibliographyDriver{proceedings}{%
1130   \usebibmacro{bibindex}%
1131   \usebibmacro{begentry}%
1132   \usebibmacro{editor+others}%
1133   \setunit{\labelnamepunct}\newblock
1134   \usebibmacro{maintitle+title}%
1135   \newunit
1136   \printlist{language}%
1137   \newunit\newblock
1138   \usebibmacro{event+venue+date}%
1139   \newunit\newblock
1140   \usebibmacro{byeditor+others}%
1141   \newunit\newblock
1142   \iffieldundef{maintitle}
1143     {\printfield{volume}}%
1144     \printfield{part}}
1145     {}%
1146   \newunit
1147   \printfield{volumes}%
1148   \newunit\newblock
1149   \usebibmacro{series+number}%
1150   \newunit\newblock
1151   \printfield{note}%
1152   \newunit\newblock
1153   \printlist{organization}%
1154   \newunit

```

```

1155 \usebibmacro{publisher+location+date}%
1156 \newunit\newblock
1157 \usebibmacro{chapter+pages}%
1158 \newunit
1159 \printfield{pagetotal}%
1160 \newunit\newblock
1161 \iftoggle{bbx:isbn}
1162   {\printfield{isbn}}
1163   {}%
1164 \newunit\newblock
1165 \usebibmacro{doi+eprint+url}%
1166 \newunit\newblock
1167 \usebibmacro{addendum+pubstate}%
1168 \setunit{\addsemicolon\space}\newblock
1169 \iftoggle{bbx:related}
1170   {\usebibmacro{related:init}}%
1171   \usebibmacro{related}}
1172   {}%
1173 \newunit\newblock
1174 \usebibmacro{pageref}%
1175 \usebibmacro{finentry}}
1176
1177 \DeclareBibliographyDriver{report}{%
1178   \usebibmacro{bibindex}%
1179   \usebibmacro{begentry}%
1180   \usebibmacro{author}%
1181   \setunit{\labelnamepunct}\newblock
1182   \usebibmacro{title}%
1183   \newunit
1184   \printlist{language}%
1185   \newunit\newblock
1186   \usebibmacro{byauthor}%
1187   \newunit\newblock
1188   \printfield{type}%
1189   \setunit*{\addspace}%
1190   \printfield{number}%
1191   \newunit\newblock
1192   \printfield{version}%
1193   \newunit
1194   \printfield{note}%
1195   \newunit\newblock
1196   \usebibmacro{institution+location+date}%
1197   \newunit\newblock
1198   \usebibmacro{chapter+pages}%
1199   \newunit
1200   \printfield{pagetotal}%
1201   \newunit\newblock
1202   \iftoggle{bbx:isbn}
1203     {\printfield{isrn}}
1204     {}%
1205   \newunit\newblock
1206   \usebibmacro{doi+eprint+url}%
1207   \newunit\newblock
1208   \usebibmacro{addendum+pubstate}%
1209   \setunit{\addsemicolon\space}\newblock
1210   \iftoggle{bbx:related}
1211     {\usebibmacro{related:init}}%
1212     \usebibmacro{related}}
1213     {}%
1214   \newunit\newblock
1215   \usebibmacro{pageref}%
1216   \usebibmacro{finentry}}
1217
1218 \DeclareBibliographyDriver{thesis}{%
1219   \usebibmacro{bibindex}%
1220   \usebibmacro{begentry}%

```

```

1221 \usebibmacro{author}%
1222 \setunit{\labelnamepunct}\newblock
1223 \usebibmacro{title}%
1224 \newunit
1225 \printlist{language}%
1226 \newunit\newblock
1227 \usebibmacro{byauthor}%
1228 \newunit\newblock
1229 \printfield{note}%
1230 \newunit\newblock
1231 \printfield{type}%
1232 \newunit
1233 \usebibmacro{institution+location+date}%
1234 \newunit\newblock
1235 \usebibmacro{chapter+pages}%
1236 \newunit
1237 \printfield{pagetotal}%
1238 \newunit\newblock
1239 \iftoggle{bbx:isbn}
1240   {\printfield{isbn}}
1241   {}%
1242 \newunit\newblock
1243 \usebibmacro{doi+eprint+url}%
1244 \newunit\newblock
1245 \usebibmacro{addendum+pubstate}%
1246 \setunit{\addsemicolon\space}\newblock
1247 \iftoggle{bbx:related}
1248   {\usebibmacro{related:init}%
1249     \usebibmacro{related}}
1250   {}%
1251 \newunit\newblock
1252 \usebibmacro{pageref}%
1253 \usebibmacro{finentry}}
1254
1255 \DeclareBibliographyDriver{unpublished}{%
1256   \usebibmacro{bibindex}%
1257   \usebibmacro{begentry}%
1258   \usebibmacro{author}%
1259   \setunit{\labelnamepunct}\newblock
1260   \usebibmacro{title}%
1261   \newunit
1262   \printlist{language}%
1263   \newunit\newblock
1264   \usebibmacro{byauthor}%
1265   \newunit\newblock
1266   \printfield{howpublished}%
1267   \newunit\newblock
1268   \printfield{note}%
1269   \newunit\newblock
1270   \usebibmacro{location+date}%
1271   \newunit\newblock
1272   \iftoggle{bbx:url}
1273     {\usebibmacro{url+urldate}}
1274     {}%
1275   \newunit\newblock
1276   \usebibmacro{addendum+pubstate}%
1277   \setunit{\addsemicolon\space}\newblock
1278   \iftoggle{bbx:related}
1279     {\usebibmacro{related:init}%
1280       \usebibmacro{related}}
1281     {}%
1282   \newunit\newblock
1283   \usebibmacro{pageref}%
1284   \usebibmacro{finentry}}
1285
1286 \DeclareBibliographyDriver{set}{%

```

```

1287 \protect\PackageWarningNoLine{biblatex-philosophy}{%
1288 \MessageBreak
1289 Entry type @set is not supported\MessageBreak
1290 by the 'biblatex-philosophy' styles.\MessageBreak
1291 All the @set entries will be ignored}}
1292
1293 % ripristina ordine nome cognome nelle voci inbook:full
1294 \renewbibmacro*{bybookauthor}{%
1295 \ifnamesequal{author}{bookauthor}%
1296 {}%
1297 {\printnames[default]{bookauthor}}}
1298
1299 \newbibmacro*{cross:maintitle+booktitle}{%
1300 \iffieldundef{volume}
1301 {}%
1302 {\printfield{volume}%
1303 \printfield{part}%
1304 \setunit{\addcolon\space}%
1305 \printfield{booktitle}}}%
1306
1307 \newbibmacro*{xrefdata}{%
1308 \usebibmacro{cross:maintitle+booktitle}%
1309 \newunit\newblock
1310 \usebibmacro{byeditor+others}%
1311 \newunit\newblock
1312 \printfield{edition}%
1313 % \newunit
1314 % \iffieldundef{maintitle}
1315 % {\printfield{volume}%
1316 % \printfield{part}}
1317 % {}%
1318 \newunit
1319 \printfield{volumes}%
1320 \newunit\newblock
1321 \usebibmacro{series+number}%
1322 \newunit\newblock
1323 \printfield{note}%
1324 \newunit\newblock
1325 \usebibmacro{publisher+location+date}%
1326 \newunit\newblock
1327 \usebibmacro{chapter+pages}%
1328 \newunit\newblock
1329 \iftoggle{bbx:isbn}
1330 {\printfield{isbn}}
1331 {}%
1332 \newunit\newblock
1333 \usebibmacro{doi+eprint+url}%
1334 \newunit\newblock
1335 \usebibmacro{addendum+pubstate:article-inbook-incoll}%
1336 \setunit{\bibpagerefpunct}\newblock
1337 \iftoggle{bbx:related}
1338 {\usebibmacro{related:init}%
1339 \usebibmacro{related}}
1340 {}%
1341 \newunit\newblock
1342 \usebibmacro{pageref}%
1343 \usebibmacro{finentry}}
1344
1345 \newbibmacro*{crossrefdata}{%
1346 \iffieldundef{maintitle}
1347 {\printfield{volume}%
1348 \printfield{part}}
1349 {}%
1350 \newunit\newblock
1351 \usebibmacro{chapter+pages}%
1352 \newunit\newblock

```

```

1353 \iftoggle{bbx:isbn}
1354   {\printfield{isbn}}
1355   {}%
1356 \newunit\newblock
1357 \usebibmacro{doi+eprint+url}%
1358 \setunit{\bibpagerefsep}\newblock
1359 \iftoggle{bbx:related}
1360   {\usebibmacro{related:init}}%
1361   \usebibmacro{related}}
1362   {}%
1363 \newunit\newblock
1364 \usebibmacro{pageref}%
1365 \usebibmacro{finentry}}

```

Experimental drivers for jurisprudence This feature is available for now only for Italian documents.

```

1366 %\DeclareFieldFormat[jurisprudence]{title}{#1}
1367 %\DeclareFieldFormat[jurisprudence]{pages}{#1}
1368 %\ExecuteBibliographyOptions[jurisprudence]{skipbib=true}%
1369 \DeclareFieldFormat[jurisdiction]{volume}{\RN{#1}}
1370 \DeclareFieldFormat[jurisdiction]{number}{\bibsstring{number}~{#1}}
1371 \DeclareFieldFormat[jurisdiction]{nameaddon}{%
1372   \ifinteger{#1}{\bibcpsstring{section}~\RN{#1}}{#1}}
1373 \DeclareFieldFormat[jurisdiction]{pages}{%
1374   \iffielddundef{bookpagination}{#1}{\mkpageprefix[bookpagination]{#1}}}
1375 \DeclareFieldFormat[jurisdiction]{title}{%
1376   \iffieldequalstr{entrysubtype}{international}{\emph{#1}}{#1}}
1377 \DeclareFieldFormat[jurisdiction]{notacomm}{nt\addoddspace#1}

```

A new macro to manage authors of @jurisdiction entries.

```

1378 \newbibmacro*{juris:author}{%
  Use the default name format: "name surname"
1379 \DeclareNameAlias{sortname}{default}%
1380 \ifboolexpr{%
1381   test \ifuseauthor
1382   and
1383   not test {\ifnameundef{author}}
1384 }{%
1385   {%
1386     \iffieldequalstr{type}{conclusions}{%
1387       \printtext{Conclusioni dell'Avv\addoddspace generale}%
1388       \setunit{\addspace}}{}%
1389 \printnames{author}%
1390 \iffielddundef{authortype}
1391   {}
1392   {\setunit{\addcomma\space}%
1393 \usebibmacro{authorstrg}}}
1394   {}%
1395 \iffieldequalstr{type}{conclusions}{%
1396   \setunit{\addspace}%
1397   \printtext{presentate il}%
1398   \setunit{\addspace}%
1399 }{%
1400   \setunit{\addcomma\space}%
1401   \iffielddundef{nameaddon}{}{%
1402 \printtext{\printfield{nameaddon}}%
1403 \setunit{\addcomma\space}}}%
1404 }%
1405   \printeventdate}
1406
1407 \newbibmacro*{addendum+pubstate:juris}{%
1408 \printfield{usera}%notacomm
1409 \newunit\newblock
1410 \printfield{addendum}%
1411 \newunit\newblock
1412 \printfield{pubstate}%
1413 \ifdefstring{\bbx@origfields}{none}{}%

```

```

1414 \newunit\newblock
1415 \usebibmacro{origdata:article-inbook}}}%
1416 \newunit\newblock
1417 \usebibmacro{library}}
1418
1419 \DeclareBibliographyDriver{jurisdiction}{%
1420 \usebibmacro{bibindex}%
1421 \usebibmacro{begentry}%
1422 \usebibmacro{juris:author}%
1423 \setunit{\labelnamepunct}\newblock
1424 \usebibmacro{title}%
1425 \newunit\newblock
1426 \usebibmacro{series+number}%
1427 \printlist{language}%
1428 \newunit\newblock
1429 \usebibmacro{byauthor}%
1430 \newunit\newblock
1431 \iffielddundef{booktitle}{}{%
1432 \usebibmacro{in:}%
1433 \usebibmacro{maintitle+booktitle}%
1434 \newunit\newblock
1435 \printtext{%
1436 \printfield{labelyear}%
1437 \printfield{extrayear}}
1438 \usebibmacro{byeditor+others}%
1439 \newunit\newblock
1440 \printfield{edition}%
1441 \newunit
1442 % \iffielddundef{maintitle}
1443 % {\printfield{volume}%
1444 % \printfield{part}}
1445 % {}%
1446 \newunit
1447 \printfield{volumes}%
1448 \newunit\newblock
1449 \printfield{note}%
1450 \newunit\newblock
1451 \usebibmacro{publisher+location+date}%
1452 \newunit\newblock
1453 \usebibmacro{chapter+pages}%
1454 \newunit\newblock
1455 \iftoggle{bbx:isbn}
1456 {\printfield{isbn}}
1457 {}%
1458 \newunit\newblock
1459 \usebibmacro{doi+eprint+url}%
1460 \newunit\newblock
1461 \usebibmacro{addendum+pubstate:juris}%
1462 \setunit{\addsemicolon\space}\newblock
1463 \iftoggle{bbx:related}
1464 {\usebibmacro{related:init}%
1465 \usebibmacro{related}}
1466 {}%
1467 \newunit\newblock
1468 \usebibmacro{pageref}%
1469 \usebibmacro{finentry}}

```

Define new fields for @jurisdiction entry types and orig- fields mechanism:

```

1470 \DeclareStyleSourcemap{
1471 \maps[datatype=bibtex]{
1472 \map{
1473 \step[fieldsource=court , fieldtarget=author]
1474 \step[fieldsource=notacomm , fieldtarget=usera]
1475 \step[fieldsource=section , fieldtarget=nameaddon]
1476 \step[fieldsource=transdate , fieldtarget=origdate]
1477 \step[fieldsource=transtitle , fieldtarget=origtitle]
1478 \step[fieldsource=tranpublisher , fieldtarget=origpublisher]

```

```

1479 \step[fieldsource=translocation , fieldtarget=origlocation]
1480 \step[fieldsource=transbooktitle, fieldtarget=usera]
1481 \step[fieldsource=transnote , fieldtarget=userb]
1482 \step[fieldsource=transpages , fieldtarget=userc]
1483 \step[fieldsource=origbooktitle , fieldtarget=usera]
1484 \step[fieldsource=orignote , fieldtarget=userb]
1485 \step[fieldsource=origpages , fieldtarget=userc]
1486 }
1487 }
1488 }
1489 \DeclareDataInheritance{*}{*}{\noinherit{annotation}}
1490
1491 \DeclareFieldAlias[jurisdiction]{usera}[jurisdiction]{notacomm}
1492 \DeclareFieldAlias[jurisdiction]{nameaddn}[jurisdiction]{section}
1493 \DeclareFieldAlias[jurisdiction]{author}[jurisdiction]{court}
1494

```

13.2 philosophy-classic.bbx

13.2.1 Initial settings

```

1495 \RequireBibliographyStyle{authoryear}
1496 \RequireBibliographyStyle{philosophy-standard}
1497
1498 \newtoggle{bbx:square}
1499 \newtoggle{bbx:nodate}
1500
1501 \DeclareBibliographyOption{square}[true]{%
1502   \settoggle{bbx:square}{#1}}
1503 \DeclareBibliographyOption{nodate}[true]{%
1504   \settoggle{bbx:nodate}{#1}}
1505
1506 \ExecuteBibliographyOptions{%
1507   nodate = true,
1508   uniquename = false,
1509   pagetracker = true,
1510   singletitle = false,
1511   square = false,
1512   mergedate = basic,
1513   dashed = true,
1514 }

```

The classic and modern styles redefine the `relateddate` and `commarelateddate` macros because the date have to be printed after the name of the author/editor. In the list of shorthands we need a standard entry, with the date at the end and no date after the name of the author/editor so we overwrite these macros locally:

```

1515 \AtBeginShorthands{%
1516   \togglefalse{bbx:annotation}%
1517   \renewcommand{\labelnamepunct}{\addcomma\space}%
1518   \renewbibmacro*{relateddate}{%
1519     \setunit*\addspace}%
1520   \printdate}%
1521 \renewbibmacro*{commarelateddate}{%
1522   \setunit*\addcomma\space}%
1523   \printdate}%
1524 \DeclareCiteCommand{\bbx@crossref@inbook}
1525 {}%
1526 {\iffieldundef{shorthand}{%
1527   \usebibmacro{citeindex}%
1528   \ifuseeditor{%
1529     \ifthenelse{\value{listtotal}=2}%
1530       {\printnames[-\value{maxnamesincross}]{labelname}}%
1531       {\printnames[-\value{minnamesincross}]{labelname}}}%
1532   {\usebibmacro{labeltitle}}}%
1533   \setunit*\addspace}%
1534   \usebibmacro{date+extrayear:crossref}}%
1535   {\usebibmacro{cite:shorthand}}}%
1536 {}%

```

```

1537 {}%
1538 \DeclareCiteCommand{\bbx@crossref@incollection}%
1539 {}%
1540 {\iffieldundef{shorthand}{%
1541 \usebibmacro{citeindex}%
1542 \ifuseeditor{%
1543 \ifthenelse{\value{listtotal}=2}%
1544 {\printnames[][-\value{maxnamesincross}]{labelname}}%
1545 {\printnames[][-\value{minnamesincross}]{labelname}}}%
1546 {\usebibmacro{labeltitle}}}%
1547 \setunit*{\addspace}%
1548 \usebibmacro{date+extrayear:crossref}}%
1549 {\usebibmacro{cite:shorthand}}}%
1550 {}%
1551 {}%
1552 \newbibmacro*{date+extrayear:crossref}{%
1553 \begingroup%
1554 \clearfield{month}%
1555 \clearfield{day}%
1556 \ifboolexpr{%
1557 test {\iffieldundef{date}}
1558 and
1559 test {\iffieldundef{year}}
1560 }%
1561 {\iftoggle{bbx:nodate}{\printtext[parens]{%
1562 \midsentence\bibstring{nodate}}}{}}%
1563 {\printtext[parens]{\printdateextra}}%
1564 \endgroup}%
1565 \newbibmacro*{date+extrayear}{}%
1566 }%
1567
1568 \AtBeginDocument{%
1569 \iftoggle{bbx:square}
1570 {\renewcommand{\bibopenparen}{\bibopenbracket}}%
1571 {\renewcommand{\bibcloseparen}{\bibclosebracket}}%
1572 {}%
1573 \setcounter{maxnamesincross}{\value{maxnames}}%
1574 \setcounter{minnamesincross}{\value{minnames}}%
1575 }%
1576
1577 \AtEveryBibitem{%
1578 \iffieldequalstr{entrysubtype}{classic}{%
1579 \togglefalse{bbx:nodate}}}%
1580

```

13.2.2 New macros

Renew the bibliography macro 'relateddate' to delete the date at the end of the entry:

```

1581 \renewbibmacro*{relateddate}{}
1582 \renewbibmacro*{commarelateddate}{}

```

Dates

```

1583 \renewbibmacro*{issue+date}{%
1584 \ifboolexpr{%
1585 test {\iffieldundef{issue}}
1586 and
1587 test {\iffieldundef{month}}
1588 }%
1589 {}%
1590 {\ifdefstring{\bbx@volnumformat}{parens}%
1591 {\printtext{%
1592 \printfield{issue}\setunit*{\addspace}%
1593 \printdate}}%
1594 {\printtext[pureparens]{%
1595 \printfield{issue}\setunit*{\addspace}%
1596 \printdate}}}%

```



```
1597 \newunit}%
```

Delete “month” from \printdateextra to print open ranges such as: “1968-”:

```
1598 \renewbibmacro*{date+extrayear}{%
1599     \begingroup%
1600     \clearfield{month}%
1601     \clearfield{day}%
1602     \ifboolexpr{%
1603         test {\iffieldundef{date}}
1604         and
1605         test {\iffieldundef{year}}
1606     }%
1607     {\iftoggle{bbx:nodate}{\printtext[parens]{%
1608         \midsentence\bibstring{nodate}}}{}}%
1609     {\printtext[parens]{\printdateextra}}%
1610     \endgroup}%
```

Authors and editors

```
1611 \renewbibmacro*{author}{%
1612     \ifboolexpr{%
1613         test \ifuseauthor
1614         and
1615         not test {\ifnameundef{author}}
1616     }%
1617     {\usebibmacro{bbx:dashcheck}%
1618         {\bibnamedash}%
1619         {\usebibmacro{bbx:savehash}%
1620             \printnames{author}%
1621             \iffieldundef{nameaddon}{}%
1622             {\setunit{\addspace}%
1623                 \printtext[brackets]{\printfield{nameaddon}}}%
1624             \iffieldundef{authortype}%
1625             {\setunit{\addspace}}}%
1626             {\setunit{\addcomma\space}}}%
1627             \iffieldundef{authortype}%
1628             {}%
1629             {\usebibmacro{authorstrg}}}%
1630     \setunit{\addspace}}}%
1631     {\global\undef\bbx@lasthash%
1632         \usebibmacro{labeltitle}%
1633         \setunit*{\addspace}}}%
1634     \usebibmacro{date+extrayear}}}%
1635
1636 \renewbibmacro*{editor}{%
1637     \usebibmacro{bbx:editor}{editorstrg}}%
1638 \renewbibmacro*{editor+others}{%
1639     \usebibmacro{bbx:editor}{editor+othersstrg}}%
1640 \renewbibmacro*{bbx:editor}[1]{%
1641     \ifboolexpr{%
1642         test \ifuseeditor
1643         and
1644         not test {\ifnameundef{editor}}
1645     }%
1646     {\usebibmacro{bbx:dashcheck}%
1647         {\bibnamedash}%
1648         {\printnames{editor}%
1649             \setunit{\addspace}%
1650             \usebibmacro{bbx:savehash}}}%
1651         \usebibmacro{#1}%
1652         \clearname{editor}%
1653         \setunit{\addspace}}}%
1654     {\global\undef\bbx@lasthash%
1655         \usebibmacro{labeltitle}%
1656         \setunit*{\addspace}}}%
1657     \usebibmacro{date+extrayear}}%
```

13.2.3 Internal commands for crossreferences

```

1658 \DeclareCiteCommand{\bbx@crossref@inbook}{%
1659   {}}%
1660   {\usebibmacro{citeindex}}%
1661   \ifuseeditor{%
1662     \ifthenelse{\value{listtotal}=2}%
1663       {\printnames[][-\value{maxnamesincross}]{labelname}}%
1664       {\printnames[][-\value{minnamesincross}]{labelname}}}%
1665   {\usebibmacro{labeltitle}}%
1666   \setunit*{\addspace}%
1667   \usebibmacro{date+extrayear}}%
1668   {}%
1669   {}%
1670
1671 \DeclareCiteCommand{\bbx@crossref@incollection}{%
1672   {}}%
1673   {\usebibmacro{citeindex}}%
1674   \ifuseeditor{%
1675     \ifthenelse{\value{listtotal}=2}%
1676       {\printnames[][-\value{maxnamesincross}]{labelname}}%
1677       {\printnames[][-\value{minnamesincross}]{labelname}}}%
1678   {\usebibmacro{labeltitle}}%
1679   \setunit*{\addspace}%
1680   \usebibmacro{date+extrayear}}%
1681   {}%
1682   {}%

```

The `restoreclassic` option is redundant for the `philosophy-classic` style. Anyway it is defined to avoid error messages:

```

1683 \define@key{blx@bib1}{restoreclassic}[]{}
1684 \define@key{blx@bib2}{restoreclassic}[true]{}

```

13.2.4 The `nodate` option for `\printbibliography`

```

1685 \define@key{blx@bib1}{nodate}[]{}%
1686 \define@key{blx@bib2}{nodate}[true]{}%
1687 \ifstrequal{#1}{false}{%
1688   \togglefalse{bbx:nodate}%
1689 }{}%

```

13.3 philosophy-modern.bbx

13.3.1 Initial settings

```

1690 \RequireBibliographyStyle{philosophy-classic}

```

The modern style has only one specific option which is turned off by default:

```

1691 \newtoggle{bbx:yearleft}
1692 \DeclareBibliographyOption{yearleft}[true]{}%
1693 \settoggle{bbx:yearleft}{#1}
1694 \ExecuteBibliographyOptions{%
1695   yearleft=false}

```

13.3.2 New lengths

```

1696 \newlength{\yeartitle}
1697 \newlength{\postnamesep}
1698 \setlength{\yeartitle}{0.8em}
1699 \setlength{\postnamesep}{0.5ex plus 2pt minus 1pt}
1700 \setlength{\bibitemsep}{\postnamesep}
1701 \setlength{\bibnamesep}{1.5ex plus 2pt minus 1pt}
1702 \setlength{\bibhang}{4\parindent}
1703
1704 \AtBeginBibliography{%
1705   \iftoggle{bbx:yearleft}{%
1706     \setlength{\yeartitle}{\fill}}%
1707 }{}

```

13.3.3 New commands

```

1708 \newcommand{\postsep}{\par\nobreak\vskip\postnamesep%
1709   \hskip-\bibhang\ignorespaces}

```

```

1710 \renewcommand{\labelnamepunct}{}
1711
1712 \AtBeginShorthands{%
1713 \renewcommand{\postsep}{}%
1714 \renewcommand{\labelnamepunct}{\newunitpunct}}

```

13.3.4 New macros

Dates

```

1715 \renewbibmacro*{date+extrayear}{%
1716     \begingroup%
1717     \clearfield{month}%
1718     \clearfield{day}%
1719     \makebox[\bibhang][r]{\printtext{%
1720         \ifboolexpr{%
1721             test {\iffieldundef{date}}
1722             and
1723             test {\iffieldundef{year}}
1724         }%
1725         {\iftoggle{bbx:nodate}{\printtext{%
1726             \midsentence\bibstring{nodate}}{}}}%
1727         {\printtext{\printdateextra}}}%
1728         \hskip\yeararticle}%
1729         \endgroup}%
1730
1731 \renewbibmacro*{labeltitle}{%
1732     \iffieldundef{label}%
1733     {\iffieldundef{shorttitle}%
1734         {\printfield{title}\clearfield{title}}}%
1735     {\printfield[title]{shorttitle}}}%
1736     {\printtext{\printfield{label}}}%
1737 \postsep}}

```

Authors and editors

```

1738 \renewbibmacro*{author}{%
1739     \ifboolexpr{%
1740         test \ifuseauthor
1741         and
1742         not test {\ifnameundef{author}}
1743     }%
1744     {\usebibmacro{bbx:dashcheck}%
1745         {}%
1746         {\usebibmacro{bbx:savehash}%
1747             \printnames{author}%
1748             \iffieldundef{nameaddon}{}%
1749             {\setunit{\addspace}%
1750                 \printtext[brackets]{\printfield{nameaddon}}}%
1751             \iffieldundef{authortype}%
1752             {}%
1753             {\setunit{\addcomma\space}}}%
1754             \usebibmacro{authorstrg}%
1755             \postsep}}%
1756     {\global\undef\bbx@lasthash%
1757         \usebibmacro{labeltitle}%
1758         \setunit*{\addspace}}%
1759     \usebibmacro{date+extrayear}}%
1760
1761 \renewbibmacro*{editor}{%
1762     \usebibmacro{bbx:editor}{editorstrg}}%
1763 \renewbibmacro*{editor+others}{%
1764     \usebibmacro{bbx:editor}{editor+othersstrg}}%
1765 \renewbibmacro*{bbx:editor}[1]{%
1766     \ifboolexpr{%
1767         test \ifuseeditor
1768         and
1769         not test {\ifnameundef{editor}}

```

```

1770 }%
1771 {\usebibmacro{bbx:dashcheck}%
1772   {}%
1773   {\printnames{editor}%
1774     \postsep%ADD
1775     \usebibmacro{bbx:savehash}}}%
1776   {\global\undef\bbx@lasthash%
1777     \usebibmacro{labeltitle}}}%
1778 \usebibmacro{date+extrayear}%
1779 \iffieldundef{label}%
1780 {\usebibmacro{#1}%
1781   \clearname{editor}%
1782   \printtext{\addcomma\space}}{}}}%

```

13.3.5 Internal commands for crossreferences

```

1783 \DeclareCiteCommand{\bbx@crossref@inbook}%
1784 {}%
1785 {\usebibmacro{citeindex}%
1786 \ifuseeditor{%
1787   \ifthenelse{\value{listtotal}=2}%
1788     {\printnames[][-\value{maxnamesincross}]{labelname}}%
1789     {\printnames[][-\value{minnamesincross}]{labelname}}}%
1790   {\usebibmacro{labeltitle}}}%
1791   \setunit*{\addspace}%
1792   \usebibmacro{classic:date+extrayear}}}%
1793 {}%
1794 {}%
1795
1796 \DeclareCiteCommand{\bbx@crossref@incollection}%
1797 {}%
1798 {\usebibmacro{citeindex}%
1799 \ifuseeditor{%
1800   \ifthenelse{\value{listtotal}=2}%
1801     {\printnames[][-\value{maxnamesincross}]{labelname}}%
1802     {\printnames[][-\value{minnamesincross}]{labelname}}}%
1803   {\usebibmacro{labeltitle}}}%
1804   \setunit*{\addspace}%
1805   \usebibmacro{classic:date+extrayear}}}%
1806 {}%
1807 {}%
1808
1809 \newbibmacro*{classic:date+extrayear}{%
1810   \begingroup%
1811     \clearfield{month}%
1812     \clearfield{day}%
1813   \ifboolexpr{%
1814     test {\iffieldundef{date}}
1815     and
1816     test {\iffieldundef{year}}
1817   }%
1818     {\iftoggle{bbx:nodate}{\printtext[parens]{%
1819       \midsentence\bibstring{nodate}}{}}}%
1820     {\printtext[parens]{%
1821 \printfield{labelyear}%
1822 \printfield{extrayear}}}%
1823   \endgroup}%

```

13.3.6 The restoreclassic option

```

1824 \define@key{blx@bib1}{restoreclassic}[]{}
1825 \define@key{blx@bib2}{restoreclassic}[true]{}
1826 \ifstrequal{#1}{true}{%
1827   \setlength{\bibhang}{\parindent}%
1828   \renewcommand{\labelnamepunct}{\newunitpunct}%
1829 \renewbibmacro*{date+extrayear}{%
1830   \begingroup%

```

```

1831      \clearfield{month}%
1832      \clearfield{day}%
1833      \ifboolexpr{%
1834        test {\iffieldundef{date}}
1835        and
1836        test {\iffieldundef{year}}
1837      }%
1838      {\iftoggle{bbx:nodate}{\printtext[parens]{%
1839        \midsentence\bibstring{nodate}}{}}}%
1840      {\printtext[parens]{\printdateextra}}%
1841      \endgroup}%
1842 \renewbibmacro*{author}{%
1843   \ifboolexpr{%
1844     test \ifuseauthor
1845     and
1846     not test {\ifnameundef{author}}
1847   }%
1848   {\usebibmacro{bbx:dashcheck}%
1849     {\bibnamedash}%
1850     {\usebibmacro{bbx:savehash}%
1851       \printnames{author}%
1852       \iffieldundef{nameaddon}{}%
1853       {\setunit{\addspace}%
1854         \printtext[brackets]{\printfield{nameaddon}}}%
1855     \iffieldundef{authortype}%
1856     {\setunit{\addspace}}%
1857     {\setunit{\addcomma\space}}%
1858     \iffieldundef{authortype}%
1859     {}%
1860     {\usebibmacro{authorstrg}%
1861     \setunit{\addspace}}}%
1862     {\global\undef\bbx@lasthash%
1863       \usebibmacro{labeltitle}%
1864       \setunit*{\addspace}}%
1865     \usebibmacro{date+extrayear}}%
1866 \renewbibmacro*{editor}{%
1867   \usebibmacro{bbx:editor}{editorstrg}%
1868 \renewbibmacro*{editor+others}{%
1869   \usebibmacro{bbx:editor}{editor+othersstrg}%
1870 \renewbibmacro*{bbx:editor}[1]{%
1871   \ifboolexpr{%
1872     test \ifuseeditor
1873     and
1874     not test {\ifnameundef{editor}}
1875   }%
1876   {\usebibmacro{bbx:dashcheck}%
1877     {\bibnamedash}%
1878     {\printnames{editor}%
1879     \setunit{\addspace}%
1880     \usebibmacro{bbx:savehash}}%
1881     \usebibmacro{#1}%
1882     \clearname{editor}%
1883     \setunit{\addspace}%
1884     {\global\undef\bbx@lasthash%
1885       \usebibmacro{labeltitle}%
1886       \setunit*{\addspace}}%
1887     \usebibmacro{date+extrayear}}%
1888 \renewbibmacro*{labeltitle}{%
1889   \iffieldundef{label}%
1890   {\iffieldundef{shorttitle}%
1891     {\printfield{title}%
1892       \clearfield{title}}%
1893     {\printfield[title]{shorttitle}}}%
1894   {\printfield{label}}}%
1895   {}}%

```

13.4 philosophy-verbose.bbx

13.4.1 Initial settings

```
1896 \RequireBibliographyStyle{authortitle}
1897 \RequireBibliographyStyle{philosophy-standard}
1898 \AtBeginShorthands{%
```

The annotation field is omitted in the list of shorthands:

```
1899 \togglefalse{bbx:annotation}%
```

In the list of shorthands we always use the shorthand for the cross-referenced entries:

```
1900 \DeclareCiteCommand{\bbx@crossref@inbook}{%
1901   {}}%
1902   {\iffielddundef{shorthand}%
1903     {\usebibmacro{inbook:full}}}%
1904     {\usebibmacro{cite:shorthand}}}%
1905   {}%
1906   {}%
1907 \DeclareCiteCommand{\bbx@crossref@incollection}{%
1908   {}}%
1909   {\iffielddundef{shorthand}%
1910     {\usebibmacro{incollection:full}}}%
1911     {\usebibmacro{cite:shorthand}}}%
1912   {}%
1913   {}%
1914 }
```

Authors and editors

```
1915 \renewbibmacro*{author}{%
1916   \ifboolexpr{%
1917     test \ifuseauthor
1918     and
1919     not test {\ifnameundef{author}}
1920   }%
1921   {\usebibmacro{bbx:dashcheck}%
1922     {\bibnamedash}%
1923     {\printnames{author}%
1924       \iffielddundef{nameaddon}{}%
1925       {\setunit{\addspace}%
1926         \printtext[brackets]{\printfield{nameaddon}}}%
1927     \setunit{\addcomma\space}%
1928     \usebibmacro{bbx:savehash}}}%
1929   \usebibmacro{authorstrg}}%
1930   {\global\undef\bbx@lasthash}}%
1931
1932 \renewbibmacro*{editor}{%
1933   \usebibmacro{bbx:editor}{editorstrg}}%
1934 \renewbibmacro*{editor+others}{%
1935   \usebibmacro{bbx:editor}{editor+othersstrg}}%
1936 \renewbibmacro*{bbx:editor}[1]{%
1937   \ifboolexpr{%
1938     test \ifuseeditor
1939     and
1940     not test {\ifnameundef{editor}}
1941   }%
1942   {\usebibmacro{bbx:dashcheck}%
1943     {\bibnamedash}%
1944     {\printnames{editor}%
1945       \setunit{\addspace}% #MOD#
1946       \usebibmacro{bbx:savehash}}}%
1947   \usebibmacro{#1}%
1948   \clearname{editor}}%
1949   {\global\undef\bbx@lasthash}}%
```

13.4.2 Internal commands for crossreferences

```
1950 \DeclareCiteCommand{\bbx@crossref@inbook}{%
1951   {}}%
```

```

1952 {\ifciteseen{%
1953   \ifthenelse{\value{listtotal}=2}%
1954     {\printnames[][-\value{maxnamesincross}]{labelname}}%
1955     {\printnames[][-\value{minnamesincross}]{labelname}}%
1956 \setunit*{\addcomma\space}\printtext{%
1957   \printfield[citetitle]{labeltitle}%
1958   \iftoggle{cbx:commacit}{\setunit{\addcomma\space}}%
1959   {\setunit{\addspace\midsentence}}%
1960   \bibstring{cited}}}%
1961 {\usedriver{%
1962   \DeclareNameAlias{sortname}{default}}%
1963   {\thefield{entrytype}}}%
1964 {}%
1965 {}%
1966 \DeclareCiteCommand{\bbx@crossref@incollection}%
1967 {}%
1968 {\ifciteseen{%
1969 \ifthenelse{\value{listtotal}=2}%
1970   {\printnames[][-\value{maxnamesincross}]{labelname}}%
1971   {\printnames[][-\value{minnamesincross}]{labelname}}%
1972   \setunit{\addspace}%
1973   \usebibmacro{editorstrg}%
1974 \setunit*{\addcomma\space}\printtext{%
1975   \printfield[citetitle]{labeltitle}%
1976   \iftoggle{cbx:commacit}{\setunit{\addcomma\space}}%
1977   {\setunit{\addspace\midsentence}}%
1978   \bibstring{cited}}}%
1979 {\usedriver{%
1980   \DeclareNameAlias{sortname}{default}}%
1981   {\thefield{entrytype}}}%
1982 {}%
1983 {}%

```

13.5 philosophy-classic.cbx

13.5.1 Initial settings

```

1984 \RequireCitationStyle{authoryear-comp}
1985
1986 \newtoggle{cbx:scauthorscite}
1987 \newtoggle{cbx:shorthandintro}
1988 \DeclareBibliographyOption{scauthorscite}[true]{%
1989   \settoggle{cbx:scauthorscite}{#1}}
1990 \DeclareBibliographyOption{shorthandintro}[true]{%
1991   \settoggle{cbx:shorthandintro}{#1}}
1992
1993 \ExecuteBibliographyOptions{%
1994   scauthorscite = false,
1995   citetracker = true,
1996   shorthandintro = true
1997 }
1998
1999 \AtEveryCite{%
2000   \iftoggle{cbx:scauthorscite}%
2001     {%
2002       \renewcommand*{\mkbibnamelast}[1]{\textsc{#1}}%
2003       \renewcommand*{\mkbibnamefirst}[1]{\textsc{#1}}%
2004       \renewcommand*{\mkbibnameprefix}[1]{\textsc{#1}}%
2005       \renewcommand*{\mkbibnameprefix}[1]{\textsc{#1}}%
2006     }%
2007 \DeclareNameFormat{labelname}{%
2008 \bibhyperref{%
2009   \ifcase\value{uniquename}%
2010     \usebibmacro{name:last}{#1}{#3}{#5}{#7}%
2011   \or
2012     \ifuseprefix
2013       {\usebibmacro{name:first-last}{#1}{#4}{#5}{#8}}

```

```

2014     {\usebibmacro{name:first-last}{#1}{#4}{#6}{#8}}%
2015 \or
2016     \usebibmacro{name:first-last}{#1}{#3}{#5}{#7}}%
2017 \fi
2018 \usebibmacro{name:andothers}}}
2019 %%%
2020
2021 \newcommand{\switchclass}[2]{%
2022     \iffieldequalstr{entrysubtype}{classic}%
2023     {\usebibmacro{#1}}%
2024     {\usebibmacro{#2}}}

```

13.5.2 Author-title macros

Import the :AT macros from the authortitle-comp.cbx file.

```

2025 \newbibmacro*{cite:init:AT}{%
2026     \ifnumless{\value{multicitecount}}{2}
2027     {\global\boolfalse{cbx:parens}%
2028     \global\undef\cbx@lasthash}%
2029     {\iffieldundef{prenote}%
2030     {}%
2031     {\global\undef\cbx@lasthash}}}
2032
2033 \newbibmacro*{cite:reinit:AT}{%
2034     \global\undef\cbx@lasthash}
2035
2036 \newbibmacro*{cite:AT}{%
2037     \iffieldundef{shorthand}
2038     {\iffieldequals{namehash}{\cbx@lasthash}
2039     {\setunit{\compcitedelim}}%
2040     {\ifnameundef{labelname}
2041     {}%
2042     {\printnames{labelname}%
2043     \setunit{\nametitledelim}}%
2044     \savefield{namehash}{\cbx@lasthash}}}%
2045     \usebibmacro{cite:title:AT}}
2046     {\usebibmacro{cite:shorthand}%
2047     \usebibmacro{cite:reinit:AT}}%
2048     \setunit{\multicitedelim}}
2049
2050 \newbibmacro*{citetitle:AT}{%
2051     \iffieldundef{shorthand}
2052     {\usebibmacro{cite:title:AT}}%
2053     {\usebibmacro{cite:shorthand}}%
2054     \setunit{\multicitedelim}}
2055
2056 \newbibmacro*{textcite:AT}{%
2057     \iffieldequals{namehash}{\cbx@lasthash}
2058     {\setunit{\compcitedelim}}
2059     {\ifnameundef{labelname}
2060     {}%
2061     {\printnames{labelname}%
2062     \setunit{%
2063     \global\booltrue{cbx:parens}%
2064     \addspace\bibopenparen}}%
2065     \savefield{namehash}{\cbx@lasthash}}}%
2066     \ifnumequal{\value{citecount}}{1}
2067     {\usebibmacro{prenote}}
2068     {}%
2069     \iffieldundef{shorthand}
2070     {\usebibmacro{cite:title:AT}}%
2071     {\iftoggle{cbx:shorthandintro}{%
2072     \ifciteseen{%
2073     \usebibmacro{cite:shorthand}}%
2074     {\usebibmacro{shorthandintro}}}%
2075     {\usebibmacro{cite:shorthand}}}%
2076     \setunit{%

```



```

2077 \ifbool{cbx:parens}
2078 {\bibcloseparen\global\boolfalse{cbx:parens}}
2079 {}%
2080 \multicitedelim}}
2081
2082 \newbibmacro*{cite:title:AT}{%
2083 \printtext[bibhyperref]{\printfield[citetitle]{labeltitle}}}
2084
2085 \newbibmacro*{textcite:postnote:AT}{%
2086 \ifnameundef{labelname}
2087 {\setunit{%
2088 \global\booltrue{cbx:parens}%
2089 \addspace\bibopenparen}}
2090 {\setunit{\postnotedelim}}%
2091 \printfield{postnote}%
2092 \ifthenelse{\value{multicitecount}=\value{multicitetotal}}
2093 {\setunit{}}%
2094 \printtext{%
2095 \ifbool{cbx:parens}
2096 {\bibcloseparen\global\boolfalse{cbx:parens}}
2097 {}}}
2098 {\setunit{%
2099 \ifbool{cbx:parens}
2100 {\bibcloseparen\global\boolfalse{cbx:parens}}
2101 {}}%
2102 \multicitedelim}}}

```

13.5.3 Author-year macros

```

2103 \newbibmacro*{cite:init:AY}{%
2104 \ifnumless{\value{multicitecount}}{2}
2105 {\global\boolfalse{cbx:parens}%
2106 \global\undef\cbx@lasthash
2107 \global\undef\cbx@lastyear}
2108 {\iffieldundef{prenote}
2109 {}
2110 {\global\undef\cbx@lasthash
2111 \global\undef\cbx@lastyear}}}
2112
2113 \newbibmacro*{cite:reinit:AY}{%
2114 \global\undef\cbx@lasthash
2115 \global\undef\cbx@lastyear}
2116
2117 \newbibmacro*{cite:AY}{%
2118 \iffieldundef{shorthand}%
2119 {\usebibmacro{cite:noshorthand}}%
2120 {\iftoggle{cbx:shorthandintro}%
2121 {%
2122 \ifciteseen{\usebibmacro{cite:shorthand}}%
2123 {\usebibmacro{cite:noshorthand}}%
2124 \usebibmacro{shorthandintro}}%
2125 }%
2126 {\usebibmacro{cite:shorthand}}%
2127 \usebibmacro{cite:reinit:AY}}%
2128 \setunit{\multicitedelim}}
2129
2130 \newbibmacro*{textcite:AY}{%
2131 \iffieldequals{namehash}{\cbx@lasthash}%
2132 {\iffieldundef{shorthand}%noshorthand
2133 {\ifthenelse{\iffieldequals{labelyear}{\cbx@lastyear}\AND
2134 \(\value{multicitecount}=0\OR\iffieldundef{postnote}\)}}%
2135 {\setunit{\addcomma}%
2136 \usebibmacro{cite:extrayear}}%
2137 {\setunit{\comp citedelim}%
2138 \usebibmacro{cite:labelyear+extrayear}}%
2139 \savefield{labelyear}{\cbx@lastyear}}}%

```

```

2140     {\setunit{\compcitedelim}%shorthand
2141     \iftoggle{cbx:shorthandintro}%
2142     {\ifciteseen
2143     {\usebibmacro{cite:shorthand}}%
2144     {\ifthenelse{\iffieldequals{labelyear}{\cbx@lastyear}\AND
2145     \(\value{multicitecount}=0\OR\iffieldundef{postnote}\)}}%
2146     {\setunit{\addcomma}%
2147     \usebibmacro{cite:extrayear}}%
2148     {\setunit{\compcitedelim}%
2149     \usebibmacro{cite:labelyear+extrayear}}%
2150     \savefield{labelyear}{\cbx@lastyear}}%
2151     \usebibmacro{shorthandintro}}}%
2152     {\usebibmacro{cite:shorthand}}%
2153     \global\undef\cbx@lastyear}}%
2154     {\ifnameundef{labelname}%
2155     {\iffieldundef{shorthand}%shorthand
2156     {\usebibmacro{cite:label}}%
2157     \setunit{%
2158     \global\booltrue{cbx:parens}%
2159     \addspace\bibopenparen}%
2160     \ifnumequal{\value{citecount}}{1}%
2161     {\usebibmacro{prenote}}%
2162     {\usebibmacro{cite:shorthand}}%
2163     \usebibmacro{cite:labelyear+extrayear}}%
2164     {\iftoggle{cbx:shorthandintro}%
2165     {\ifciteseen%shorthand
2166     {\usebibmacro{cite:shorthand}}%
2167     {\usebibmacro{cite:label}}%
2168     \setunit{%
2169     \global\booltrue{cbx:parens}%
2170     \addspace\bibopenparen}%
2171     \ifnumequal{\value{citecount}}{1}%
2172     {\usebibmacro{prenote}}%
2173     {\usebibmacro{cite:shorthand}}%
2174     \usebibmacro{cite:labelyear+extrayear}}%
2175     \usebibmacro{shorthandintro}}}%
2176     {\usebibmacro{cite:shorthand}}}%
2177     {\printnames{labelname}}%
2178     \setunit{%
2179     \global\booltrue{cbx:parens}%
2180     \addspace\bibopenparen}%
2181     \ifnumequal{\value{citecount}}{1}%
2182     {\usebibmacro{prenote}}%
2183     {}%
2184     \iffieldundef{shorthand}%noshorthand
2185     {\iffieldundef{labelyear}%
2186     {\usebibmacro{cite:label}}%
2187     {\usebibmacro{cite:labelyear+extrayear}}%
2188     \savefield{labelyear}{\cbx@lastyear}}%
2189     {\iftoggle{cbx:shorthandintro}%
2190     {\ifciteseen%
2191     {\usebibmacro{cite:shorthand}}%
2192     {\iffieldundef{labelyear}}%
2193     {\usebibmacro{cite:label}}%
2194     {\usebibmacro{cite:labelyear+extrayear}}%
2195     \savefield{labelyear}{\cbx@lastyear}}%
2196     \usebibmacro{shorthandintro}}%
2197     \global\undef\cbx@lastyear}%
2198     {\usebibmacro{cite:shorthand}}}%
2199     \savefield{namehash}{\cbx@lasthash}}}%
2200     \setunit{%
2201     \ifbool{cbx:parens}%
2202     {\bibcloseparen\global\boolfalse{cbx:parens}}%
2203     {}%
2204     \multicitedelim}}%
2205

```

```

2206 \newbibmacro*{textcite:postnote:AY}{%
2207   \usebibmacro{postnote}%
2208   \ifthenelse{\value{multicitecount}=\value{multicitetotal}}
2209     {\setunit{}%
2210      \printtext{%
2211        \ifbool{cbx:parens}
2212        {\bibcloseparen\global\boolfalse{cbx:parens}}
2213        {}}}
2214     {\setunit{%
2215      \ifbool{cbx:parens}
2216      {\bibcloseparen\global\boolfalse{cbx:parens}}
2217      {}}%
2218      \multicitedelim}}}

```

The `cite:shorthand` is the same for both author-title and author-year styles:

```

2219 \renewbibmacro*{cite:shorthand}{%
2220   \printtext[bibhyperref]{\printfield{shorthand}}}

```

If the field `entrysubtype` equals to `classic` the citation commands will use the author-title macros:

```

2221 \renewbibmacro*{cite:init}{%
2222   \switchclass{cite:init:AT}{cite:init:AY}}
2223 \renewbibmacro*{cite:reinit}{%
2224   \switchclass{cite:reinit:AT}{cite:reinit:AY}}
2225 \renewbibmacro*{cite}{%
2226   \switchclass{cite:AT}{cite:AY}}
2227 \renewbibmacro*{textcite}{%
2228   \switchclass{textcite:AT}{textcite:AY}}
2229 \renewbibmacro*{textcite:postnote}{%
2230   \switchclass{textcite:postnote:AT}{textcite:postnote:AY}}
2231
2232 \newbibmacro*{cite:noshorthand}{%
2233   \ifthenelse{\ifnameundef{labelname}\OR\iffieldundef{labelyear}}%
2234     {\usebibmacro{cite:label}%
2235      \setunit{\addspace}%
2236      \usebibmacro{cite:labelyear+extrayear}%
2237      \usebibmacro{cite:reinit}}%
2238     {\iffieldequals{namehash}{\cbx@lasthash}%
2239      \ifthenelse{\iffieldequals{labelyear}{\cbx@lastyear}\AND
2240        \(\value{multicitecount}=0\OR\iffieldundef{postnote}\)}%
2241        {\setunit{\addcomma}%
2242         \usebibmacro{cite:extrayear}}%
2243        {\setunit{\compcitedelim}%
2244         \usebibmacro{cite:labelyear+extrayear}%
2245         \savefield{labelyear}{\cbx@lastyear}}}%
2246     {\printnames{labelname}%
2247      \setunit{\nameyear delim}%
2248      \usebibmacro{cite:labelyear+extrayear}%
2249      \savefield{namehash}{\cbx@lasthash}%
2250      \iffieldundef{postnote}%
2251      {\savefield{labelyear}{\cbx@lastyear}}}}}}

```

13.5.4 Citation commands

```

2252 \DeclareCiteCommand*{\cite}
2253   {\usebibmacro{cite:init}%
2254    \usebibmacro{prenote}}
2255   {\usebibmacro{citeindex}%
2256    \switchclass{citetitle:AT}{citeyear}}%
2257   {}
2258   {\usebibmacro{postnote}}
2259
2260 \DeclareCiteCommand*{\parencite}[\mkbibparens]
2261   {\usebibmacro{cite:init}%
2262    \usebibmacro{prenote}}
2263   {\usebibmacro{citeindex}%
2264    \switchclass{citetitle:AT}{citeyear}}%
2265   {}
2266   {\usebibmacro{postnote}}

```

```

2267
2268 \DeclareCiteCommand{\citetitle}
2269   {\boolfalse{citetracker}}%
2270   \boolfalse{pagetracker}%
2271   \usebibmacro{prenote}}
2272   {\indexfield{indextitle}}%
2273   \printtext[bibhyperref]{\printfield[citetitle]{labeltitle}}}
2274   {\multicitedelim}
2275   {\usebibmacro{postnote}}
2276
2277 \DeclareCiteCommand*{\citetitle}
2278   {\boolfalse{citetracker}}%
2279   \boolfalse{pagetracker}%
2280   \usebibmacro{prenote}}
2281   {\indexfield{indextitle}}%
2282   \printtext[bibhyperref]{\printfield[citetitle]{title}}}
2283   {\multicitedelim}
2284   {\usebibmacro{postnote}}
2285
2286 \DeclareCiteCommand{\citeyear}
2287   {\boolfalse{citetracker}}%
2288   \boolfalse{pagetracker}%
2289   \usebibmacro{prenote}}
2290   {\printtext[bibhyperref]{\printfield{year}}}
2291   {\multicitedelim}
2292   {\usebibmacro{postnote}}
2293
2294 \DeclareCiteCommand{\footcitet}[mkbibfootnote]
2295   {\usebibmacro{cite:init}}
2296   {\usebibmacro{cite:index}}%
2297   \usebibmacro{textcite}}
2298   {}%
2299   {\usebibmacro{textcite:postnote}}

```

This command is now deprecated because it is substituted by the `entrysubtype=classic` mechanism:

```

2300 \DeclareCiteCommand{\sdcite}
2301   {\boolfalse{citetracker}}%
2302   \boolfalse{pagetracker}%
2303   \usebibmacro{prenote}}
2304   {\indexnames{labelname}}%
2305   \printtext[bibhyperref]{\printnames{labelname}}}
2306   \setunit{\addcomma\space}%
2307   \indexfield{indextitle}}%
2308   \printtext[bibhyperref]{\printfield[citetitle]{labeltitle}}}
2309   {\multicitedelim}
2310   {\usebibmacro{postnote}}

```

13.6 philosophy-modern.cbx

The modern style uses the classic citation scheme:

```

2311 \RequireCitationStyle{philosophy-classic}

```

The `\fullcite` command simply prints the bibliography entry supplied by the style used. So we have to redefine this command in order to get the same output as that produced in the `philosophy-classic` style:

```

2312 \DeclareCiteCommand{\fullcite}%
2313   {\usebibmacro{prenote}}%
2314   {\setkeys{blx@bib2}{restoreclassic}}%
2315   \usedriver%
2316     {\DeclareNameAlias{sortname}{default}}%
2317     {\thefield{entrytype}}}%
2318   {\multicitedelim}%
2319   {\usebibmacro{postnote}}%

```

13.7 philosophy-verbose.cbx

13.7.1 Initial settings

```

2320 \RequireCitationStyle{verbose-trad2}

```

```

2321
2322 \newtoggle{cbx:scauthorscite}
2323 \newtoggle{cbx:latinemph}
2324 \newtoggle{cbx:commacit}
2325
2326 \DeclareBibliographyOption{scauthorscite}[true]{%
2327   \settoggle{cbx:scauthorscite}{#1}}
2328 \DeclareBibliographyOption{latinemph}[true]{%
2329   \settoggle{cbx:latinemph}{#1}}
2330 \DeclareBibliographyOption{commacit}[true]{%
2331   \settoggle{cbx:commacit}{#1}}
2332
2333 \ExecuteBibliographyOptions{%
2334   idemtracker=false,
2335   loccittracker=strict,
2336   scauthorscite=false,
2337   latinemph=false,
2338   commacit=false}
2339
2340 \AtEveryCite{%

```

The annotation field is omitted in every citations:

```
2341 \togglefalse{bbx:annotation}%
```

Redefine \mkibid for every citations when using the latinemph option:

```
2342 \iftoggle{cbx:latinemph}{\renewcommand*{\mkibid}{\emph}}{}}%
```

Name formats

```

2343 \renewbibmacro*{name:andothers}{%
2344   \ifboolexpr{%
2345     test {\ifnumequal{\value{listcount}}{\value{liststop}}}%
2346     and
2347     test \ifmorenames
2348   }%
2349   {\ifnumgreater{\value{liststop}}{1}%
2350     {\finalandcomma}%
2351     {}%
2352     \andothersdelim\bibstring[\mkibid]{andothers}}%
2353   {}}%
2354 \renewbibmacro*{list:andothers}{%
2355   \ifboolexpr{%
2356     test {\ifnumequal{\value{listcount}}{\value{liststop}}}%
2357     and
2358     test \ifmoreitems
2359   }%
2360   {\ifnumgreater{\value{liststop}}{1}%
2361     {\finalandcomma}%
2362     {}%
2363     \andmoredelim\bibstring[\mkibid]{andmore}}%
2364   {}}%
2365 \iftoggle{cbx:scauthorscite}{%
2366 \DeclareNameFormat{labelname}{%
2367 \renewcommand{\mkbibnamefirst}{\textsc}%
2368 \renewcommand{\mkbibnamelast}{\textsc}%
2369 \renewcommand{\mkbibnameprefix}{\textsc}%
2370 \renewcommand{\mkbibnameaffix}{\textsc}%
2371 \ifcase\value{uniquename}%
2372 \usebibmacro{name:last}{#1}{#3}{#5}{#7}%
2373 \or
2374 \ifuseprefix
2375   {\usebibmacro{name:first-last}{#1}{#4}{#5}{#8}}%
2376   {\usebibmacro{name:first-last}{#1}{#4}{#6}{#8}}%
2377 \or
2378 \usebibmacro{name:first-last}{#1}{#3}{#5}{#7}%
2379 \fi
2380 \usebibmacro{name:andothers}}{}}}%
2381
2382 \DeclareNameFormat{scdefault}{%

```

```

2383 \renewcommand{\mkbibnamefirst}{\textsc}%
2384 \renewcommand{\mkbibnamelast}{\textsc}%
2385 \renewcommand{\mkbibnameprefix}{\textsc}%
2386 \renewcommand{\mkbibnameaffix}{\textsc}%
2387 \iffirstinits
2388 {\usebibmacro{name:first-last}{#1}{#4}{#5}{#7}}%
2389 {\usebibmacro{name:first-last}{#1}{#3}{#5}{#7}}%
2390 \usebibmacro{name:andothers}}

```

13.7.2 New macros

```

2391 \newbibmacro*{cite:opcit}{%
2392 \printtext[bibhyperlink]{\bibstring[\mkibid]{opcit}}}
2393
2394 \newbibmacro*{cite:loccit}{%
2395 \printtext{%
2396 \bibhyperlink{cite\csuse{cbx@lastcite@thefield{entrykey}}}{%
2397 \bibstring[\mkibid]{loccit}}}%
2398 \global\toggletrue{cbx:loccit}}
2399
2400 \renewbibmacro*{cite:ibid}{%
2401 \ifloccit
2402 {\usebibmacro{cite:loccit}}{%
2403 \printtext{%
2404 \bibhyperlink{cite\csuse{cbx@lastcite@thefield{entrykey}}}{%
2405 \bibstring[\mkibid]{ibidem}}}}}%
2406
2407 \renewbibmacro*{cite:title}{%OK
2408 \ifsingletitle{\usebibmacro{cite:opcit}}{%
2409 \printtext[bibhyperlink]{%
2410 \printfield[citetitle]{labeltitle}%
2411 \iftoggle{cbx:commacit}{\setunit{\addcomma\space}}%
2412 {\setunit{\addspace\midsentence}}}%
2413 \bibstring{cited}}}
2414
2415 \renewbibmacro*{cite:full}{%OK
2416 \usebibmacro{cite:full:citepages}%
2417 \global\toggletrue{cbx:fullcite}%
2418 \printtext[bibhypertarget]{%
2419 \usedriver
2420 {\iftoggle{cbx:scauthorscite}{%
2421 \DeclareNameAlias{sortname}{scdefault}}%
2422 {\DeclareNameAlias{sortname}{default}}}%
2423 {\thefield{entrytype}}}%
2424 \usebibmacro{shorthandintro}}
2425
2426 \newbibmacro*{ccite:cite}{%
2427 \usebibmacro{related:clearauthors}%
2428 \usebibmacro{cite:citepages}%
2429 \global\togglefalse{cbx:fullcite}%
2430 \global\togglefalse{cbx:loccit}%
2431 \bibhypertarget{cite\the\value{instcount}}{%
2432 \ifciteseen
2433 {\iffieldundef{shorthand}
2434 {\usebibmacro{cite:title}%
2435 \usebibmacro{cite:save}}
2436 {\usebibmacro{cite:shorthand}}}
2437 {\usebibmacro{cite:full}%
2438 \usebibmacro{cite:save}}}}

```

13.7.3 Citation commands

```

2439 \DeclareCiteCommand{\ccite}
2440 {\usebibmacro{prenote}}%
2441 {\usebibmacro{citeindex}%
2442 \usebibmacro{ccite:cite}}
2443 {\multicitedelim}

```

```
2444 {\usebibmacro{cite:postnote}}
2445
```

13.8 italian-philosophy.lbx

```
2446 \InheritBibliographyExtras{italian}
2447 \DeclareBibliographyExtras{%
2448 \protected\def\bibrangedash{%
2449   -\penalty\hyphenpenalty}% breakable dash
2450 \protected\def\bibdatedash{\textendash}}%
2451
2452 \NewBibliographyString{origed,cited,reviewof,nodate,section}
2453
2454 \DeclareBibliographyStrings{%
2455   inherit          = {italian},
2456   nodate           = {{senza data}{s\addot d\addot}},
2457   cited            = {{cit\addot}{cit\addot}},
2458   opcit            = {{op\addot space cit\addot}{op\addot space cit\addot}},
2459   ibidem           = {{ivi}{ivi}},
2460   loccit           = {{ibidem}{ibidem}},
2461   origed           = {{ed\addot space orig\addot}{ed\addot space orig\addot}},
2462   langitalian      = {{italiano}{it\addot}},
2463   editor           = {{\mkpureparens{a cura di}}{\mkpureparens{a cura di}}},
2464   editors          = {{\mkpureparens{a cura di}}{\mkpureparens{a cura di}}},
2465   backrefpage      = {{Citato a pagina}{Citato a \bibstring{page}\addot}},
2466   backrefpages     = {{Citato alle pagine}{Citato alle \bibstring{pages}\addot}},
2467   pages            = {{pagine}{\iftoggle{bbx:classical}{pp\addot}{p\addot}}},
2468   columns          = {{colonne}{\iftoggle{bbx:classical}{coll\addot}{col\addot}}},
2469   lines            = {{righe}{\iftoggle{bbx:classical}{rr\addot}{r\addot}}},
2470   verses           = {{versi}{\iftoggle{bbx:classical}{vv\addot}{v\addot}}},
2471   volumes          = {{volumi}{\iftoggle{bbx:classical}{voll\addot}{vol\addot}}},
2472   withcommentator  = {{con commenti di}{con comm\addot addabbrvspace di}},
2473   withannotator    = {{annotazioni di}{annotazioni di}},
2474   withintroduction = {{introduzione di}{introduzione di}},
2475   withforeword     = {{prefazione di}{prefazione di}},
2476   withafterword    = {{postfazione di}{postfazione di}},
2477   reprintas        = {{ristampato}{rist\addot}},
2478   reprintfrom      = {{}}{ }, % FIXME: missing
2479   translationof     = {{traduzione di}{trad\addot space di}},
2480   translationas     = {{traduzione italiana}{trad\addot space it\addot}},
2481   translationfrom   = {{}}{ }, % FIXME: missing
2482   reviewof         = {{Recensione di}{Recensione di}},
2483   origpubas        = {{}}{ }, % FIXME: missing
2484   origpubin        = {{}}{ }, % FIXME: missing
2485   astitle          = {{}}{ }, % FIXME: missing
2486   bypublisher      = {{}}{ }, % FIXME: missing
2487   section          = {{sezione}{sez\addot}},
2488   sections         = {{sezioni}{\iftoggle{bbx:classical}{sezz\addot}{sez\addot}}},
2489   byreviser        = {{revisione di}{revisione di}}
2490 }
```

13.9 english-philosophy.lbx

```
2491 \InheritBibliographyExtras{english}
2492
2493 \DeclareBibliographyExtras{%
2494 \protected\def\bibrangedash{%
2495   -\penalty\hyphenpenalty}% breakable dash
2496 \protected\def\bibdatedash{\textendash}}%
2497
2498 \NewBibliographyString{cited,reviewof,origed,nodate}
2499
2500 \DeclareBibliographyStrings{%
2501   inherit          = {english},
2502   nodate           = {{no date}{n\addot d\addot}},
2503   cited            = {{cit\addot}{cit\addot}},
2504   ibidem           = {{ivi}{ivi}},
2505   loccit           = {{ibidem}{ibidem}},
```

```

2506 origed = {{orig\addotsspace ed\addot}}{orig\addotsspace ed\addot}},
2507 editor = {{\mkpureparens{ed\addot}}{\mkpureparens{ed\addot}}},
2508 editors = {{\mkpureparens{eds\addot}}{\mkpureparens{eds\addot}}},
2509 reviewof = {{Review of}{Review of}},
2510 translationas = {{trans\addot}}{trans\addot}},
2511 backrefpage = {{cited on page}{cited on p\addot}},
2512 backrefpages = {{cited on pages}{cited on pp\addot}}

```

Change History

vo.4	General: Improved compatibility for biblatex version 0.9	Added nodate bibliography string. Updated documentation	1
vo.5	General: Added new bibliography style philosophy-verbose. Added localization file italian-philosophy.lbx. Added package options origparens, origbrackets, latinemph. Changed package options scauthors, scauthorscite, scauthorsbib. Renamed file biblatex-philosophy-doc.tex to philosophy-authoryear-doc.tex. Added file philosophy-verbose-doc.tex. Updated documentation	vo.8a General: New entrysubtype field for citing classical texts. New related field mechanism. New relatedformat option. New English documentation. Fixed some bugs	1
		vo.8b General: Added biber.conf configuration file	1
		vo.8c General: Removed biber.conf configuration file. Added internal biber settings with \DeclareDriverSourcemap command. Added trans- field alias	1
vo.6	General: Added localization file italian-philosophy.lbx. Added file philosophy-standard.bbx. New documentation file biblatex-philosophy. Removed files philosophy-authoryear-doc.tex, philosophy-verbose-doc.tex.	vo.8d General: Fixed some bugs related to \DeclareDriverSourcemap, \ccite, and @review entry type	1
		vo.8e General: Improved relatedformat option for cascading entries. Implemented cross-referencing mechanism for @inproceedings entries. Improved \ccite command. Changed the values for the entrysubtype from classical to classic. Added nodate package option.	1
vo.7	General: Removed package option colonloc. Removed package options origparens origbrackets. Added package options origfieldsformat, publicformat, commacit, inbeforejournal, romanvol, volnumformat. Added command volnumpunct. Added citation commands \sdcite, \ccite. Updated documentation	vo.8f General: New option nodate for \printbibliography command	1
vo.7a	General: Added command volumfont. Added command footcitet. Updated documentation	vo.9a General: Maintenance release. Corrected some bugs.	1
vo.7b	General: Removed package option romanvol. Added package option volumeformat. Added package option editionformat. Activated the option singletitle for style philosophy-verbose. Added bibliography driver @review. Added bibliography string cit. Added bibliography string reviewof. Updated documentation	vo.9b General: Updated bibliography drivers to correct a bug when using the related mechanism.	1
		vo.9c General: Maintenance release. Corrected some bugs.	1
		vo.9d General: Maintenance release. Corrected some bugs.	1
vo.7c	General: Fixed some bugs. New origfieldtype option.	vo.9e General: Maintenance release. Updated documentation.	1

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols	194, 208, 218, 220, 228, 242, 275, 2472, 2477, 2480, 2487, 2488,
\(2134, 2145, 2240 279, 331, 382, 396, 419, 425, 479, 2502, 2503, 2506–2508, 2510–2512
\)	2134, 2145, 2240 488, 497, 533, 542, 551, 559, 579, \addotsspace 1377, 1387,
	1392, 1400, 1403, 1517, 1522, 1626, 2456, 2458, 2461, 2479, 2480, 2506
A	1753, 1782, 1857, 1927, 1956, 1958, \addperiod 98, 454, 460, 471
\addabrvspace	2472 1974, 1976, 2135, 2146, 2241, 2306, 2411\addsemicolon
\addcolon	206, 368, 386, 506, 515, 524, 1304\adddot 465, 178, 269, 298, 622, 670, 707,
\addcomma	97, 100, 2456–2458, 2461, 2462, 2465– 753, 814, 873, 934, 981, 1016, 1053,

1091, 1120, 1168, 1209, 1246, 1277, 1462	\blx@blxinit 103	\fullcite 2312
\addspace 99, 131, 132, 191, 196, 204, 216, 286, 359, 363, 366, 374, 379, 384, 404, 416, 505, 514, 523, 532, 541, 550, 556, 577, 1074, 1078, 1189, 1388, 1396, 1398, 1519, 1533, 1547, 1592, 1595, 1622, 1625, 1630, 1633, 1649, 1653, 1656, 1666, 1679, 1749, 1758, 1791, 1804, 1853, 1856, 1861, 1864, 1879, 1883, 1886, 1925, 1945, 1959, 1972, 1977, 2064, 2089, 2159, 2170, 2180, 2235, 2412	\blx@postpunct 105 \blx@setsfcodes 104 \boolfalse 2027, 2078, 2096, 2100, 2105, 2202, 2212, 2216, 2269, 2270, 2278, 2279, 2287, 2288, 2301, 2302 \booltrue 2063, 2088, 2158, 2169, 2179	G \global 1631, 1654, 1756, 1776, 1862, 1884, 1930, 1949, 2027, 2028, 2031, 2034, 2063, 2078, 2088, 2096, 2100, 2105–2107, 2110, 2111, 2114, 2115, 2153, 2158, 2169, 2179, 2197, 2202, 2212, 2216, 2398, 2417, 2429, 2430 Guzmán de Rojas, Iván@Guzmán de Ro- jas, Iván 8
\AND 2133, 2144, 2239	\cbx@lasthash 2028, 2031, 2034, 2038, 2044, 2057, 2065, 2106, 2110, 2114, 2131, 2199, 2238, 2249	C \cbx@lastyear 2107, 2111, 2115, 2133, 2139, 2144, 2150, 2153, 2188, 2195, 2197, 2239, 2245, 2251
\andmoredelim 2363	\ccite 2439	H \hskip 1709, 1728
\andothersdelim 2352	\cite 2252	\hyphenpenalty 2449, 2495
\annotationfont 116, 142	\citete 2268, 2277	I
\AtBeginBibliography 72, 1704	\citeyear 2286	\ifbibindex 110
\AtBeginDocument 92, 1568	\clearfield 1554, 1555, 1600, 1601, 1717, 1718, 1734, 1811, 1812, 1831, 1832, 1892	\ifbibstring 162
\AtBeginShorthands 1515, 1712, 1898	\clearname 1652, 1781, 1882, 1948	\ifblank 83
\AtEveryBibitem 1577	\compctedelim 2039, 2058, 2137, 2140, 2148, 2243	\ifbool 2077, 2095, 2099, 2201, 2211, 2215
\AtEveryCite 1999, 2340	\csuse 2396, 2404	\ifboolexpr 255, 410, 1380, 1556, 1584, 1602, 1612, 1641, 1720, 1739, 1766, 1813, 1833, 1843, 1871, 1916, 1937, 2344, 2355
B	D	\ifcindex 108
\bbx@crossref@inbook 776, 779, 1524, 1658, 1783, 1900, 1950	\DeclareBibliographyDriver 593, 631, 679, 716, 762, 823, 882, 943, 990, 1025, 1062, 1100, 1129, 1177, 1218, 1255, 1286, 1419	\ifciteseen 1952, 1968, 2072, 2122, 2142, 2165, 2190, 2432
\bbx@crossref@incollection 837, 840, 896, 899, 1538, 1671, 1796, 1907, 1966	\DeclareBibliographyExtras 2447, 2493	\ifdefstring 119, 121, 149, 151, 153, 157, 165, 167, 169, 174, 176, 180, 182, 234, 265, 267, 292, 295, 305, 315, 391, 393, 430, 432, 437, 439, 444, 446, 1413, 1590
\bbx@editionformat 29, 43, 119, 121, 165, 167, 169	\DeclareBibliographyOption 12, 14, 16, 18, 20, 22, 32, 34, 36, 38, 40, 42, 44, 1501, 1503, 1692, 1988, 1990, 2326, 2328, 2330	\iffieldequals 2038, 2057, 2131, 2133, 2144, 2238, 2239
\bbx@lasthash 1631, 1654, 1756, 1776, 1862, 1884, 1930, 1949	\DeclareBibliographyStrings 2454, 2500	\iffieldequalstr 1376, 1386, 1395, 1578, 2022
\bbx@origfields 28, 41, 48, 234, 305, 315, 1413	\DeclareCiteCommand 571, 1524, 1538, 1658, 1671, 1783, 1796, 1900, 1907, 1950, 1966, 2252, 2260, 2268, 2277, 2286, 2294, 2300, 2312, 2439	\iffieldequal 225, 229, 233, 240, 243, 248, 256, 258, 260, 262, 273, 276, 280, 334, 336, 340, 349, 360, 375, 401, 411, 413, 452, 469, 587, 654, 729, 774, 775, 800, 835, 836, 859, 894, 895, 920, 1142, 1300, 1314, 1346, 1374, 1390, 1401, 1431, 1442, 1526, 1540, 1557, 1559, 1585, 1587, 1603, 1605, 1621, 1624, 1627, 1721, 1723, 1732, 1733, 1748, 1751, 1779, 1814, 1816, 1834, 1836, 1852, 1855, 1858, 1889, 1890, 1902, 1909, 1924, 2029, 2037, 2051, 2069, 2108, 2118, 2132, 2134, 2145, 2155, 2184, 2185, 2192, 2233, 2240, 2250, 2433
\bbx@publocformat 25, 33, 180, 182, 430, 432, 437, 439, 444, 446	\DeclareDataInheritance 1489	\iffirstinits 80, 86, 2387
\bbx@relatedformat 27, 37, 39, 174, 176, 265, 267, 292, 295	\DeclareEntryOption 47	\ifinteger 148, 160, 164, 1372
\bbx@volnumformat 26, 35, 157, 391, 393, 1590	\DeclareFieldAlias 1491–1493	\iflistundef 189, 201, 203, 213, 215, 291, 458, 476, 485, 494, 504, 513, 522, 531, 540, 549, 1076
\bbx@volumeformat 30, 45, 149, 151, 153	\DeclareFieldFormat 130–146, 156, 159, 163, 173, 1366, 1367, 1369–1371, 1373, 1375, 1377	\iflccit 2401
\bibclosebracket 1571	\DeclareLanguageMapping 3, 4	\ifmoreitems 2358
\bibcloseparen 1571, 2078, 2096, 2100, 2202, 2212, 2216	\DeclareNameAlias 574, 1379, 1962, 1980, 2316, 2421, 2422	\ifmorenames 2347
\bibcpsstring 1372	\DeclareNameFormat 74, 2007, 2366, 2382	\ifnamesequal 1295
\bibdatedash 2450, 2496	\DeclareStyleSourceMap 1470	\ifnameundef 1383, 1615, 1644, 1742, 1769, 1846, 1874, 1919, 1940, 2040, 2059, 2086, 2154, 2233
\bibhang 1702, 1709, 1719, 1827	E	
\bibhyperlink 2396, 2404	\edfnt 125	
\bibhyperref 2008	\editionfont 118, 127	
\bibhypertarget 2431	\emph 1376, 2342	
\bibitemsep 1700	\ExecuteBibliographyOptions 50, 1368, 1506, 1694, 1993, 2333	
\bibnamedash 1618, 1647, 1849, 1877, 1922, 1943	F	
\bibnamesep 1701	\finalandcomma 2350, 2361	
\bibopenbracket 1570	\finentry 470, 472, 473	
\bibopenparen 1570, 2064, 2089, 2159, 2170, 2180	\footcit 2294	
\bibpagerefpunct 1336, 1358	\footnotesize 116	
\bibpagespunct 181, 183, 185		
\bibbrangedash 2448, 2494		
\bibsstring 1370		
\bibstring 131, 132, 147, 158, 161, 162, 166, 168, 170, 171, 235–237, 463, 464, 588, 589, 1562, 1608, 1726, 1819, 1839, 1960, 1978, 2352, 2363, 2392, 2397, 2405, 2413, 2465, 2466		

1268, 1302, 1303, 1305, 1312, 1315, 1316, 1319, 1323, 1330, 1347, 1348, 1354, 1402, 1408, 1410, 1412, 1436, 1437, 1440, 1443, 1444, 1447, 1449, 1456, 1592, 1595, 1623, 1734–1736, 1750, 1821, 1822, 1854, 1891, 1893, 1894, 1926, 1957, 1975, 2083, 2091, 2220, 2273, 2282, 2290, 2308, 2410

\printlist

190, 193, 195, 202, 207, 214, 219, 465, 478, 480, 487, 489, 496, 498, 503, 507, 512, 516, 521, 525, 530, 534, 539, 543, 548, 552, 600, 638, 686, 723, 769, 830, 889, 916, 950, 966, 997, 1032, 1042, 1069, 1080, 1107, 1136, 1153, 1184, 1225, 1262, 1427

\printnames

1297, 1389, 1530, 1531, 1544, 1545, 1620, 1648, 1663, 1664, 1676, 1677, 1747, 1773, 1788, 1789, 1801, 1802, 1851, 1878, 1923, 1944, 1954, 1955, 1970, 1971, 2042, 2061, 2177, 2246, 2305

\printorigdate 192, 197, 205, 209, 217, 221

\printtext

178, 234, 237, 266, 268, 270, 293, 296, 299, 328, 342, 351, 400, 417, 461, 472, 1079, 1387, 1397, 1402, 1435, 1561, 1563, 1591, 1594, 1607, 1609, 1623, 1719, 1725, 1727, 1736, 1750, 1782, 1818, 1820, 1838, 1840, 1854, 1926, 1956, 1974, 2083, 2094, 2210, 2220, 2273, 2282, 2290, 2305, 2308, 2392, 2395, 2403, 2409, 2418

Problemática logico-lingüística de la comunicación social con el pueblo Aymara@Problemática logico-lingüística de la comunicación social con el pueblo Aymara

\protect

1287

\protected

2448, 2450, 2494, 2496

R

\relatedcite

571, 592

\renewbibmacro

107, 109, 301, 339, 348, 357, 372, 390, 399, 408, 423, 429, 436, 443, 457, 467, 562–568, 576, 578, 584, 1294, 1518, 1521, 1581–1583, 1598, 1611, 1636, 1638, 1640, 1715, 1731, 1738, 1761, 1763, 1765, 1829, 1842, 1866, 1868, 1870, 1888, 1915, 1932, 1934, 1936, 2219, 2221, 2223, 2225, 2227, 2229, 2343, 2354, 2400, 2407, 2415

\RequireBiber

1

\RequireBibliographyStyle

2, 1495, 1496, 1690, 1896, 1897

\RequireCitationStyle 1984, 2311, 2320

\RN

152, 168, 1369, 1372

\Rn

154, 170

\romannumeral

128

S

\savefield

2044, 2065, 2139, 2150, 2188, 2195, 2199, 2245, 2249, 2251

\sdcite

2300

\setlength

1698–1702, 1706, 1827

\settoggle 13, 15, 17, 19, 21, 23, 1502, 1504, 1693, 1989, 1991, 2327, 2329, 2331

\setunit

181, 183, 185, 191, 194, 196, 204, 206, 208, 216, 218, 220, 228, 242, 269, 275, 279, 286, 298, 323, 330, 335, 345, 354, 359, 363, 366, 368, 374, 379, 382, 384, 386, 396, 404, 416, 419, 425, 454, 460, 471, 479, 488, 497, 505, 506, 514, 515, 523, 524, 532, 533, 541, 542, 550, 551, 556, 559, 577, 579, 589, 597, 622, 635, 670, 683, 707, 720, 753, 766, 814, 827, 873, 886, 934, 947, 981, 994, 1016, 1029, 1053, 1066, 1074, 1078, 1091, 1104, 1120, 1133, 1168, 1181, 1189, 1209, 1222, 1246, 1259, 1277, 1304, 1336, 1358, 1388, 1392, 1396, 1398, 1400, 1403, 1423, 1462, 1519, 1522, 1533, 1547, 1592, 1595, 1622, 1625, 1626, 1630, 1633, 1649, 1653, 1656, 1666, 1679, 1749, 1753, 1758, 1791, 1804, 1853, 1856, 1857, 1861, 1864, 1879, 1883, 1886, 1925, 1927, 1945, 1956, 1958, 1959, 1972, 1974, 1976, 1977, 2039, 2043, 2048, 2054, 2058, 2062, 2076, 2087, 2090, 2093, 2098, 2128, 2135, 2137, 2140, 2146, 2148, 2157, 2168, 2178, 2200, 2209, 2214, 2235, 2241, 2243, 2247, 2306, 2411, 2412

\step

1473–1485

\subtitlepunct

98, 345, 354

\switchclass

2021, 2222, 2224, 2226, 2228, 2230, 2256, 2264

T

\textendash

2450, 2496

\textsc

75–78, 154, 170, 2002–2005, 2367–2370, 2383–2386

\thefield

580, 592, 776, 779, 837, 840, 896, 899, 1963, 1981, 2317, 2396, 2404, 2423

\togglefalse

585, 586, 1516, 1579, 1688, 1899, 2341, 2429, 2430

\toggletrue

94, 95, 2398, 2417

U

\undef 1631, 1654, 1756, 1776, 1862, 1884, 1930, 1949, 2028, 2031, 2034, 2106, 2107, 2110, 2111, 2114, 2115, 2153, 2197

\uppercase

120

\url

141

\usebibmacro

81, 82, 85, 87–89, 181, 183, 185, 247, 249, 250, 252, 266, 268, 270, 277, 285, 287, 288, 294, 297, 300, 307, 309, 317, 319, 358, 365, 367, 369, 373, 381, 385, 387, 392, 394, 395, 402, 405, 431, 433, 434, 438, 440, 441, 445, 447, 448, 481, 490, 499, 508, 517, 526, 535, 544, 553, 562–568, 575, 594–596, 598, 602, 604, 608, 609, 611, 613, 619, 621, 624, 625, 628, 629, 632–634, 636, 640, 642, 648, 652, 659, 667, 669, 672, 673, 676, 677, 680–682, 684, 688, 690, 698, 700, 704, 706, 709, 710, 713, 714, 717–719, 721, 725, 736, 740, 742, 750, 752, 755, 756, 759, 760, 763–765, 767, 771, 773, 775, 778, 781, 784, 786, 788, 794, 798, 805, 811, 813, 816, 817, 820, 821, 824–826, 828, 832, 834, 836, 839, 842, 845, 847, 853, 857, 864, 870, 872, 875, 876, 879, 880, 883–885, 887, 891, 893, 895, 898, 901, 904, 906, 908, 912, 918, 925, 931, 933, 936, 937, 940, 941, 944–946, 948, 952, 954, 958, 968, 970, 978, 980, 983, 984, 987, 988, 991–993, 995, 999, 1001, 1011, 1013, 1015, 1018, 1019, 1022, 1023, 1026–1028, 1030, 1034, 1036, 1044, 1047, 1050, 1052, 1055, 1056, 1059, 1060, 1063–1065, 1067, 1071, 1082, 1086, 1088, 1090, 1093, 1094, 1097, 1098, 1101–1103, 1105, 1109, 1117, 1119, 1122, 1123, 1126, 1127, 1130–1132, 1134, 1138, 1140, 1149, 1155, 1157, 1165, 1167, 1170, 1171, 1174, 1175, 1178–1180, 1182, 1186, 1196, 1198, 1206, 1208, 1211, 1212, 1215, 1216, 1219–1221, 1223, 1227, 1233, 1235, 1243, 1245, 1248, 1249, 1252, 1253, 1256–1258, 1260, 1264, 1270, 1273, 1276, 1279, 1280, 1283, 1284, 1308, 1310, 1321, 1325, 1327, 1333, 1335, 1338, 1339, 1342, 1343, 1351, 1357, 1360, 1361, 1364, 1365, 1393, 1415, 1417, 1420–1422, 1424, 1426, 1429, 1432, 1433, 1438, 1451, 1453, 1459, 1461, 1464, 1465, 1468, 1469, 1527, 1532, 1534, 1535, 1541, 1546, 1548, 1549, 1617, 1619, 1629, 1632, 1634, 1637, 1639, 1646, 1650, 1651, 1655, 1657, 1660, 1665, 1667, 1673, 1678, 1680, 1744, 1746, 1754, 1757, 1759, 1762, 1764, 1771, 1775, 1777, 1778, 1780, 1785, 1790, 1792, 1798, 1803, 1805, 1848, 1850, 1860, 1863, 1865, 1867, 1869, 1876, 1880, 1881, 1885, 1887, 1903, 1904, 1910, 1911, 1921, 1928, 1929, 1933, 1935, 1942, 1946, 1947, 1973, 2010, 2013, 2014, 2016, 2018, 2023, 2024, 2045–2047, 2052, 2053, 2067, 2070, 2073–2075, 2119, 2122–2124, 2126, 2127, 2136, 2138, 2143, 2147, 2149, 2151, 2152, 2156, 2161–2163, 2166, 2167, 2172–2176, 2182, 2186, 2187, 2191, 2193, 2194, 2196, 2198, 2207, 2234, 2236, 2237, 2242, 2244, 2248, 2253–2255, 2258, 2261–2263, 2266, 2271, 2275, 2280, 2284, 2289, 2292, 2295–2297, 2299, 2303, 2310, 2313, 2319, 2372, 2375, 2376, 2378, 2380, 2388–2390, 2402, 2408, 2416, 2424, 2427, 2428, 2434–2438, 2440–2442, 2444

\usedriver

573, 1961, 1979, 2315, 2419

V

\value

79, 462, 465, 1080, 1529–

1531, 1543–1545, 1573, 1574, 1662–1664, 1675–1677, 1787–1789, 1800–1802, 1953–1955, 1969–1971, 2009,	2026, 2066, 2092, 2104, 2134, 2145, 2160, 2171, 2181, 2208, 2240, 2345, 2349, 2356, 2360, 2371, 2431	<code>\volnumpunct</code> 100, 323, 330, 335
		Y
		<code>\yeartitle</code> 1696, 1698, 1706, 1728