

ESA JPIP server

0.1

Generated by Doxygen 1.8.6

Fri May 16 2014 15:10:25

Contents

1	Namespace Index	1
1.1	Namespace List	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	File Index	9
4.1	File List	9
5	Namespace Documentation	11
5.1	data Namespace Reference	11
5.1.1	Detailed Description	12
5.1.2	Typedef Documentation	12
5.1.2.1	FastFile	12
5.1.2.2	File	12
5.2	http Namespace Reference	12
5.2.1	Detailed Description	13
5.2.2	Function Documentation	13
5.2.2.1	operator<<	13
5.2.2.2	operator>>	13
5.3	ipc Namespace Reference	13
5.3.1	Detailed Description	14
5.3.2	Enumeration Type Documentation	14
5.3.2.1	WaitResult	14
5.4	jpeg2000 Namespace Reference	14
5.4.1	Detailed Description	15
5.4.2	Typedef Documentation	15
5.4.2.1	Size	15
5.5	jpip Namespace Reference	15
5.5.1	Detailed Description	16

5.6	net Namespace Reference	16
5.6.1	Detailed Description	16
6	Class Documentation	17
6.1	net::Address Class Reference	17
6.1.1	Detailed Description	17
6.1.2	Constructor & Destructor Documentation	17
6.1.2.1	Address	17
6.1.2.2	~Address	18
6.1.3	Member Function Documentation	18
6.1.3.1	GetSize	18
6.1.3.2	GetSockAddr	18
6.2	AppConfig Class Reference	18
6.2.1	Detailed Description	19
6.2.2	Constructor & Destructor Documentation	19
6.2.2.1	AppConfig	19
6.2.2.2	~AppConfig	20
6.2.3	Member Function Documentation	20
6.2.3.1	address	20
6.2.3.2	cache_max_time	20
6.2.3.3	caching_folder	20
6.2.3.4	com_time_out	20
6.2.3.5	images_folder	20
6.2.3.6	Load	20
6.2.3.7	log_requests	20
6.2.3.8	logging	21
6.2.3.9	logging_folder	21
6.2.3.10	max_chunk_size	21
6.2.3.11	max_connections	21
6.2.3.12	port	21
6.2.4	Friends And Related Function Documentation	21
6.2.4.1	operator<<	21
6.2.5	Member Data Documentation	21
6.2.5.1	address_	21
6.2.5.2	cache_max_time_	21
6.2.5.3	caching_folder_	21
6.2.5.4	com_time_out_	21
6.2.5.5	images_folder_	22
6.2.5.6	log_requests_	22
6.2.5.7	logging_	22

6.2.5.8	logging_folder_	22
6.2.5.9	max_chunk_size_	22
6.2.5.10	max_connections_	22
6.2.5.11	port_	22
6.3	AppInfo Class Reference	22
6.3.1	Detailed Description	24
6.3.2	Constructor & Destructor Documentation	24
6.3.2.1	AppInfo	24
6.3.2.2	~AppInfo	24
6.3.3	Member Function Documentation	24
6.3.3.1	available_memory	24
6.3.3.2	child_memory	24
6.3.3.3	child_time	24
6.3.3.4	father_memory	24
6.3.3.5	GetProcStat	24
6.3.3.6	GetProcStat_	24
6.3.3.7	Init	25
6.3.3.8	is_running	25
6.3.3.9	num_threads	25
6.3.3.10	operator->	25
6.3.3.11	time	25
6.3.3.12	Update	25
6.3.4	Friends And Related Function Documentation	25
6.3.4.1	operator<<	25
6.3.5	Member Data Documentation	25
6.3.5.1	available_memory_	25
6.3.5.2	child_memory_	25
6.3.5.3	child_time_	25
6.3.5.4	data_ptr	26
6.3.5.5	father_memory_	26
6.3.5.6	is_running_	26
6.3.5.7	lock_file	26
6.3.5.8	num_threads_	26
6.3.5.9	shmid	26
6.3.5.10	time_	26
6.4	ArgsParser Class Reference	26
6.4.1	Detailed Description	27
6.4.2	Constructor & Destructor Documentation	27
6.4.2.1	ArgsParser	27
6.4.3	Member Function Documentation	27

6.4.3.1	Parse	27
6.4.4	Member Data Documentation	27
6.4.4.1	app_info	27
6.4.4.2	cfg	27
6.5	base Struct Reference	28
6.5.1	Detailed Description	28
6.5.2	Member Function Documentation	28
6.5.2.1	copy	28
6.5.2.2	copy	28
6.5.2.3	copy	28
6.5.2.4	to_string	28
6.6	data::BaseFile< IO > Class Template Reference	29
6.6.1	Detailed Description	30
6.6.2	Member Typedef Documentation	30
6.6.2.1	Ptr	30
6.6.3	Constructor & Destructor Documentation	31
6.6.3.1	BaseFile	31
6.6.3.2	~BaseFile	31
6.6.4	Member Function Documentation	31
6.6.4.1	Close	31
6.6.4.2	Exists	31
6.6.4.3	GetDescriptor	31
6.6.4.4	GetOffset	31
6.6.4.5	GetSize	31
6.6.4.6	IsEOF	31
6.6.4.7	IsValid	31
6.6.4.8	Open	32
6.6.4.9	Open	33
6.6.4.10	Open	33
6.6.4.11	OpenForReading	33
6.6.4.12	OpenForReading	33
6.6.4.13	OpenForReading	33
6.6.4.14	OpenForWriting	33
6.6.4.15	OpenForWriting	33
6.6.4.16	OpenForWriting	33
6.6.4.17	operator bool	33
6.6.4.18	Read	34
6.6.4.19	ReadByte	34
6.6.4.20	ReadReverse	34
6.6.4.21	Seek	34

6.6.4.22	Write	34
6.6.4.23	WriteByte	35
6.6.4.24	WriteReverse	35
6.6.5	Member Data Documentation	35
6.6.5.1	file_ptr	35
6.7	data::BaseStream< StreamClass, StreamOperator > Class Template Reference	35
6.7.1	Detailed Description	36
6.7.2	Constructor & Destructor Documentation	36
6.7.2.1	BaseStream	36
6.7.2.2	~BaseStream	37
6.7.3	Member Function Documentation	37
6.7.3.1	Close	37
6.7.3.2	Open	37
6.7.3.3	Open	37
6.7.3.4	operator bool	37
6.7.3.5	operator&	37
6.7.3.6	result	38
6.7.3.7	SerializeBytes	38
6.7.4	Member Data Documentation	38
6.7.4.1	file_	38
6.7.4.2	result_	38
6.8	jpeg::CacheModel Class Reference	38
6.8.1	Detailed Description	39
6.8.2	Constructor & Destructor Documentation	40
6.8.2.1	CacheModel	40
6.8.2.2	CacheModel	40
6.8.2.3	~CacheModel	40
6.8.3	Member Function Documentation	40
6.8.3.1	AddToDataBin	40
6.8.3.2	AddToMetadata	40
6.8.3.3	Clear	40
6.8.3.4	GetCodestream	40
6.8.3.5	GetDataBin	41
6.8.3.6	GetMetadata	41
6.8.3.7	IsFullMetadata	41
6.8.3.8	operator+=	41
6.8.3.9	operator=	41
6.8.3.10	Pack	41
6.8.3.11	SerializeWith	41
6.8.3.12	SetFullMetadata	41

6.8.4	Member Data Documentation	42
6.8.4.1	codestreams	42
6.8.4.2	full_meta	42
6.8.4.3	meta_data	42
6.9	ClientInfo Class Reference	42
6.9.1	Detailed Description	43
6.9.2	Constructor & Destructor Documentation	43
6.9.2.1	ClientInfo	43
6.9.2.2	~ClientInfo	43
6.9.3	Member Function Documentation	43
6.9.3.1	base_id	43
6.9.3.2	bytes_sent	43
6.9.3.3	father_sock	43
6.9.3.4	sock	43
6.9.3.5	time	43
6.9.4	Member Data Documentation	44
6.9.4.1	base_id_	44
6.9.4.2	bytes_sent_	44
6.9.4.3	father_sock_	44
6.9.4.4	sock_	44
6.9.4.5	tm_start	44
6.10	ClientManager Class Reference	44
6.10.1	Detailed Description	45
6.10.2	Constructor & Destructor Documentation	45
6.10.2.1	ClientManager	45
6.10.2.2	~ClientManager	45
6.10.3	Member Function Documentation	45
6.10.3.1	Run	45
6.10.3.2	RunBasic	45
6.10.4	Member Data Documentation	45
6.10.4.1	app_info	45
6.10.4.2	cfg	45
6.10.4.3	index_manager	46
6.11	jpip::CacheModel::Codestream Class Reference	46
6.11.1	Detailed Description	47
6.11.2	Constructor & Destructor Documentation	47
6.11.2.1	Codestream	47
6.11.2.2	Codestream	47
6.11.3	Member Function Documentation	47
6.11.3.1	AddToMainHeader	47

6.11.3.2	AddToPrecinct	47
6.11.3.3	AddToTileHeader	48
6.11.3.4	GetMainHeader	49
6.11.3.5	GetPrecinct	49
6.11.3.6	GetTileHeader	49
6.11.3.7	operator+=	49
6.11.3.8	operator=	49
6.11.3.9	Pack	49
6.11.3.10	SerializeWith	49
6.11.4	Member Data Documentation	50
6.11.4.1	header	50
6.11.4.2	min_precinct	50
6.11.4.3	precincts	50
6.11.4.4	tile_header	50
6.12	jpeg2000::CodestreamIndex Class Reference	50
6.12.1	Detailed Description	51
6.12.2	Constructor & Destructor Documentation	51
6.12.2.1	CodestreamIndex	51
6.12.2.2	CodestreamIndex	51
6.12.2.3	~CodestreamIndex	51
6.12.3	Member Function Documentation	51
6.12.3.1	Clear	51
6.12.3.2	operator=	51
6.12.3.3	SerializeWith	51
6.12.4	Friends And Related Function Documentation	51
6.12.4.1	operator<<	51
6.12.5	Member Data Documentation	51
6.12.5.1	header	51
6.12.5.2	packets	52
6.12.5.3	PLT_markers	52
6.13	jpeg2000::CodingParameters Class Reference	52
6.13.1	Detailed Description	53
6.13.2	Member Typedef Documentation	53
6.13.2.1	Ptr	53
6.13.3	Member Enumeration Documentation	54
6.13.3.1	anonymous enum	54
6.13.4	Constructor & Destructor Documentation	54
6.13.4.1	CodingParameters	54
6.13.4.2	CodingParameters	54
6.13.4.3	~CodingParameters	54

6.13.5	Member Function Documentation	54
6.13.5.1	FillTotalPrecinctsVector	54
6.13.5.2	GetClosestResolution	54
6.13.5.3	GetPrecinctDataBinId	54
6.13.5.4	GetPrecincts	55
6.13.5.5	GetProgressionIndex	55
6.13.5.6	GetProgressionIndexLRCP	55
6.13.5.7	GetProgressionIndexRLCP	55
6.13.5.8	GetProgressionIndexRPCL	56
6.13.5.9	GetRoundDownResolution	57
6.13.5.10	GetRoundUpResolution	57
6.13.5.11	IsResolutionProgression	57
6.13.5.12	operator=	57
6.13.5.13	SerializeWith	57
6.13.6	Friends And Related Function Documentation	57
6.13.6.1	operator<<	57
6.13.7	Member Data Documentation	57
6.13.7.1	num_components	57
6.13.7.2	num_layers	58
6.13.7.3	num_levels	58
6.13.7.4	precinct_size	58
6.13.7.5	progression	58
6.13.7.6	size	58
6.13.7.7	total_precincts	58
6.14	AppInfo::Data Struct Reference	58
6.14.1	Detailed Description	59
6.14.2	Member Function Documentation	59
6.14.2.1	Reset	59
6.14.3	Member Data Documentation	59
6.14.3.1	child_iterations	59
6.14.3.2	child_pid	59
6.14.3.3	father_pid	59
6.14.3.4	num_connections	59
6.15	jpip::DataBinClass Class Reference	59
6.15.1	Detailed Description	60
6.15.2	Member Enumeration Documentation	60
6.15.2.1	anonymous enum	60
6.15.3	Constructor & Destructor Documentation	60
6.15.3.1	DataBinClass	60
6.15.4	Member Function Documentation	60

6.15.4.1	GetName	60
6.16	jpip::DataBinSelector< BIN_CLASS > Struct Template Reference	60
6.16.1	Detailed Description	60
6.17	jpip::DataBinSelector< DataBinClass::MAIN_HEADER > Struct Template Reference	61
6.17.1	Member Function Documentation	61
6.17.1.1	AddTo	61
6.17.1.2	Get	61
6.18	jpip::DataBinSelector< DataBinClass::META_DATA > Struct Template Reference	61
6.18.1	Member Function Documentation	61
6.18.1.1	AddTo	61
6.18.1.2	Get	62
6.19	jpip::DataBinSelector< DataBinClass::PRECINCT > Struct Template Reference	62
6.19.1	Member Function Documentation	62
6.19.1.1	AddTo	62
6.19.1.2	Get	62
6.20	jpip::DataBinSelector< DataBinClass::TILE_HEADER > Struct Template Reference	62
6.20.1	Member Function Documentation	62
6.20.1.1	AddTo	62
6.20.1.2	Get	63
6.21	jpip::DataBinServer Class Reference	63
6.21.1	Detailed Description	64
6.21.2	Member Enumeration Documentation	64
6.21.2.1	anonymous enum	64
6.21.3	Constructor & Destructor Documentation	64
6.21.3.1	DataBinServer	64
6.21.3.2	~DataBinServer	64
6.21.4	Member Function Documentation	64
6.21.4.1	end_woi	64
6.21.4.2	GenerateChunk	65
6.21.4.3	Reset	66
6.21.4.4	SetRequest	66
6.21.4.5	WritePlaceholder	66
6.21.4.6	WriteSegment	67
6.21.5	Member Data Documentation	67
6.21.5.1	cache_model	67
6.21.5.2	current_idx	67
6.21.5.3	data_writer	67
6.21.5.4	end_woi_	67
6.21.5.5	eof	68
6.21.5.6	file	68

6.21.5.7	files	68
6.21.5.8	has_woi	68
6.21.5.9	im_index	68
6.21.5.10	metareq	68
6.21.5.11	pending	68
6.21.5.12	range	68
6.21.5.13	woi	68
6.21.5.14	woi_composer	68
6.22	jpeg::DataBinWriter Class Reference	68
6.22.1	Detailed Description	70
6.22.2	Constructor & Destructor Documentation	70
6.22.2.1	DataBinWriter	70
6.22.2.2	~DataBinWriter	70
6.22.3	Member Function Documentation	70
6.22.3.1	ClearPreviousIds	70
6.22.3.2	GetCount	70
6.22.3.3	GetFree	70
6.22.3.4	operator bool	70
6.22.3.5	SetBuffer	71
6.22.3.6	SetCodestream	72
6.22.3.7	SetDataBinClass	72
6.22.3.8	Write	72
6.22.3.9	WriteEmpty	72
6.22.3.10	WriteEOR	73
6.22.3.11	WriteHeader	73
6.22.3.12	WritePlaceholder	73
6.22.3.13	WriteValue	74
6.22.3.14	WriteVBAS	74
6.22.4	Member Data Documentation	74
6.22.4.1	codestream_idx	74
6.22.4.2	databin_class	74
6.22.4.3	end	74
6.22.4.4	eof	74
6.22.4.5	ini	75
6.22.4.6	prev_codestream_idx	75
6.22.4.7	prev_databin_class	75
6.22.4.8	ptr	75
6.23	jpeg::EOR Class Reference	75
6.23.1	Detailed Description	75
6.23.2	Member Enumeration Documentation	75

6.23.2.1	anonymous enum	75
6.23.3	Constructor & Destructor Documentation	76
6.23.3.1	EOR	76
6.24	ipc::Event Class Reference	76
6.24.1	Detailed Description	77
6.24.2	Member Typedef Documentation	77
6.24.2.1	Ptr	77
6.24.3	Member Function Documentation	77
6.24.3.1	Dispose	77
6.24.3.2	Get	77
6.24.3.3	Init	78
6.24.3.4	Init	78
6.24.3.5	Pulse	78
6.24.3.6	Reset	78
6.24.3.7	Set	78
6.24.3.8	Wait	79
6.24.4	Member Data Documentation	79
6.24.4.1	condv	79
6.24.4.2	manual_reset	79
6.24.4.3	mutex	79
6.24.4.4	state	79
6.25	jpeg2000::FileManager Class Reference	79
6.25.1	Detailed Description	81
6.25.2	Constructor & Destructor Documentation	81
6.25.2.1	FileManager	81
6.25.2.2	FileManager	81
6.25.2.3	~FileManager	81
6.25.3	Member Function Documentation	81
6.25.3.1	cache_dir	81
6.25.3.2	ExistCacheImage	81
6.25.3.3	GetCacheFileName	81
6.25.3.4	Init	82
6.25.3.5	ReadBoxHeader	83
6.25.3.6	ReadCodestream	83
6.25.3.7	ReadCODMarker	83
6.25.3.8	ReadFlstBox	84
6.25.3.9	ReadImage	84
6.25.3.10	ReadJP2	84
6.25.3.11	ReadJPX	84
6.25.3.12	ReadNlstBox	85

6.25.3.13 ReadPLTMarker	85
6.25.3.14 ReadSIZMarker	85
6.25.3.15 ReadSODMarker	86
6.25.3.16 ReadSOTMarker	87
6.25.3.17 ReadUrlBox	87
6.25.3.18 root_dir	87
6.25.4 Member Data Documentation	87
6.25.4.1 cache_dir_	87
6.25.4.2 root_dir_	88
6.26 data::FileSegment Class Reference	88
6.26.1 Detailed Description	89
6.26.2 Constructor & Destructor Documentation	89
6.26.2.1 FileSegment	89
6.26.2.2 FileSegment	89
6.26.2.3 FileSegment	89
6.26.2.4 ~FileSegment	89
6.26.3 Member Function Documentation	89
6.26.3.1 IsContiguousTo	89
6.26.3.2 operator!=	89
6.26.3.3 operator=	89
6.26.3.4 operator==	89
6.26.3.5 RemoveFirst	89
6.26.3.6 RemoveLast	90
6.26.3.7 SerializeWith	90
6.26.4 Friends And Related Function Documentation	90
6.26.4.1 operator<<	90
6.26.5 Member Data Documentation	90
6.26.5.1 length	90
6.26.5.2 Null	90
6.26.5.3 offset	90
6.27 http::Header Class Reference	90
6.27.1 Detailed Description	91
6.27.2 Member Typedef Documentation	91
6.27.2.1 CacheControl	91
6.27.2.2 ContentLength	91
6.27.2.3 ContentType	91
6.27.2.4 TransferEncoding	92
6.27.3 Constructor & Destructor Documentation	92
6.27.3.1 Header	92
6.27.3.2 Header	92

6.27.4 Friends And Related Function Documentation	92
6.27.4.1 operator==	92
6.28 http::HeaderBase< NAME > Class Template Reference	92
6.28.1 Detailed Description	93
6.28.2 Constructor & Destructor Documentation	93
6.28.2.1 HeaderBase	93
6.28.2.2 HeaderBase	93
6.28.3 Member Function Documentation	93
6.28.3.1 name	93
6.28.4 Friends And Related Function Documentation	93
6.28.4.1 operator<<	93
6.28.4.2 operator>>	93
6.28.5 Member Data Documentation	93
6.28.5.1 value	94
6.29 http::HeaderBase< HeaderName::UNDEFINED > Class Template Reference	94
6.29.1 Detailed Description	94
6.29.2 Constructor & Destructor Documentation	94
6.29.2.1 HeaderBase	94
6.29.2.2 HeaderBase	95
6.29.3 Friends And Related Function Documentation	95
6.29.3.1 operator<<	95
6.29.3.2 operator>>	95
6.29.4 Member Data Documentation	95
6.29.4.1 name	95
6.29.4.2 value	95
6.30 http::HeaderName Class Reference	95
6.30.1 Detailed Description	96
6.30.2 Member Data Documentation	96
6.30.2.1 CACHE_CONTROL	96
6.30.2.2 CONTENT_LENGTH	96
6.30.2.3 CONTENT_TYPE	96
6.30.2.4 TRANSFER_ENCODING	96
6.30.2.5 UNDEFINED	96
6.31 jpeg2000::ImageIndex Class Reference	96
6.31.1 Detailed Description	98
6.31.2 Member Typedef Documentation	98
6.31.2.1 Ptr	98
6.31.3 Constructor & Destructor Documentation	99
6.31.3.1 ImageIndex	99
6.31.3.2 ImageIndex	99

6.31.3.3	~ImageIndex	99
6.31.4	Member Function Documentation	99
6.31.4.1	BuildIndex	99
6.31.4.2	GetCodingParameters	99
6.31.4.3	GetHyperLink	99
6.31.4.4	GetMainHeader	99
6.31.4.5	GetMetadata	100
6.31.4.6	GetNumCodestreams	101
6.31.4.7	GetNumHyperLinks	101
6.31.4.8	GetNumMetadatas	101
6.31.4.9	GetOffsetPacket	101
6.31.4.10	GetPacket	101
6.31.4.11	GetPathName	101
6.31.4.12	GetPathName	101
6.31.4.13	GetPlaceholder	102
6.31.4.14	GetPLTLength	102
6.31.4.15	Init	102
6.31.4.16	Init	102
6.31.4.17	IsHyperLinked	103
6.31.4.18	operator CodingParameters::Ptr	103
6.31.4.19	operator=	103
6.31.4.20	ReadLock	103
6.31.4.21	ReadUnlock	103
6.31.5	Friends And Related Function Documentation	103
6.31.5.1	IndexManager	103
6.31.5.2	operator<<	103
6.31.6	Member Data Documentation	103
6.31.6.1	codestreams	103
6.31.6.2	coding_parameters	103
6.31.6.3	hyper_links	104
6.31.6.4	last_offset_packet	104
6.31.6.5	last_offset_PLT	104
6.31.6.6	last_packet	104
6.31.6.7	last_plt	104
6.31.6.8	max_resolution	104
6.31.6.9	meta_data	104
6.31.6.10	num_references	104
6.31.6.11	packet_indexes	104
6.31.6.12	path_name	104
6.31.6.13	rdwr_lock	104

6.32 jpeg2000::ImageInfo Class Reference	104
6.32.1 Detailed Description	105
6.32.2 Constructor & Destructor Documentation	105
6.32.2.1 ImageInfo	105
6.32.2.2 ImageInfo	105
6.32.2.3 ~ImageInfo	106
6.32.3 Member Function Documentation	106
6.32.3.1 operator=	106
6.32.3.2 SerializeWith	106
6.32.4 Friends And Related Function Documentation	106
6.32.4.1 operator<<	106
6.32.5 Member Data Documentation	106
6.32.5.1 codestreams	106
6.32.5.2 coding_parameters	106
6.32.5.3 meta_data	106
6.32.5.4 meta_data_hyperlinks	106
6.32.5.5 paths	106
6.33 jpeg2000::IndexManager Class Reference	106
6.33.1 Detailed Description	107
6.33.2 Constructor & Destructor Documentation	107
6.33.2.1 IndexManager	107
6.33.2.2 ~IndexManager	108
6.33.3 Member Function Documentation	108
6.33.3.1 CloseImage	108
6.33.3.2 file_manager	108
6.33.3.3 GetBegin	108
6.33.3.4 GetEnd	108
6.33.3.5 GetSize	108
6.33.3.6 Init	108
6.33.3.7 OpenImage	109
6.33.3.8 UnsafeCloseImage	110
6.33.3.9 UnsafeOpenImage	110
6.33.4 Member Data Documentation	110
6.33.4.1 file_manager_	110
6.33.4.2 index_list	110
6.33.4.3 mutex	110
6.34 net::InetAddress Class Reference	111
6.34.1 Detailed Description	111
6.34.2 Constructor & Destructor Documentation	111
6.34.2.1 InetAddress	111

6.34.2.2	InetAddress	112
6.34.2.3	InetAddress	112
6.34.2.4	InetAddress	112
6.34.3	Member Function Documentation	112
6.34.3.1	GetPath	112
6.34.3.2	GetPort	112
6.34.3.3	GetSize	112
6.34.3.4	GetSockAddr	112
6.34.3.5	operator=	112
6.34.4	Member Data Documentation	113
6.34.4.1	sock_addr	113
6.35	data::InputOperator Struct Reference	113
6.35.1	Detailed Description	113
6.35.2	Member Function Documentation	113
6.35.2.1	FileAccess	113
6.35.2.2	SerializeBytes	113
6.36	data::InputStream Class Reference	114
6.36.1	Detailed Description	114
6.36.2	Member Function Documentation	114
6.36.2.1	Serialize	114
6.37	ipc::IPCObject Class Reference	114
6.37.1	Detailed Description	115
6.37.2	Member Typedef Documentation	115
6.37.2.1	Ptr	115
6.37.3	Constructor & Destructor Documentation	115
6.37.3.1	IPCObject	115
6.37.3.2	~IPCObject	115
6.37.4	Member Function Documentation	116
6.37.4.1	Dispose	116
6.37.4.2	Init	116
6.37.4.3	IsValid	116
6.37.4.4	Wait	116
6.37.5	Member Data Documentation	116
6.37.5.1	valid	116
6.38	data::LockedAccess Struct Reference	117
6.38.1	Detailed Description	117
6.38.2	Member Function Documentation	117
6.38.2.1	configure	117
6.38.2.2	fgetc	117
6.38.2.3	fputc	117

6.38.2.4	fread	117
6.38.2.5	fwrite	117
6.39	jpeg2000::Metadata Class Reference	117
6.39.1	Detailed Description	118
6.39.2	Constructor & Destructor Documentation	118
6.39.2.1	Metadata	118
6.39.2.2	Metadata	118
6.39.2.3	~Metadata	118
6.39.3	Member Function Documentation	118
6.39.3.1	operator=	118
6.39.3.2	SerializeWith	118
6.39.4	Friends And Related Function Documentation	118
6.39.4.1	operator<<	118
6.39.5	Member Data Documentation	119
6.39.5.1	meta_data	119
6.39.5.2	place_holders	119
6.40	ipc::Mutex Class Reference	119
6.40.1	Detailed Description	120
6.40.2	Member Typedef Documentation	120
6.40.2.1	Ptr	120
6.40.3	Member Function Documentation	120
6.40.3.1	Dispose	120
6.40.3.2	Init	120
6.40.3.3	Init	120
6.40.3.4	Release	120
6.40.3.5	Wait	121
6.40.4	Member Data Documentation	121
6.40.4.1	locker	121
6.40.4.2	mutex	121
6.41	data::OutputOperator Struct Reference	121
6.41.1	Detailed Description	122
6.41.2	Member Function Documentation	122
6.41.2.1	FileAccess	122
6.41.2.2	SerializeBytes	122
6.42	data::OutputStream Class Reference	122
6.42.1	Detailed Description	122
6.42.2	Member Function Documentation	123
6.42.2.1	Serialize	123
6.43	jpeg2000::Packet Class Reference	123
6.43.1	Detailed Description	124

6.43.2	Constructor & Destructor Documentation	124
6.43.2.1	Packet	124
6.43.2.2	Packet	124
6.43.2.3	Packet	124
6.43.2.4	~Packet	124
6.43.3	Member Function Documentation	124
6.43.3.1	operator=	124
6.43.4	Friends And Related Function Documentation	124
6.43.4.1	operator<<	124
6.43.5	Member Data Documentation	124
6.43.5.1	component	124
6.43.5.2	layer	124
6.43.5.3	precinct_xy	124
6.43.5.4	resolution	124
6.44	jpeg2000::PacketIndex Class Reference	125
6.44.1	Detailed Description	125
6.44.2	Member Enumeration Documentation	126
6.44.2.1	anonymous enum	126
6.44.3	Constructor & Destructor Documentation	126
6.44.3.1	PacketIndex	126
6.44.3.2	PacketIndex	126
6.44.3.3	PacketIndex	126
6.44.3.4	~PacketIndex	126
6.44.4	Member Function Documentation	126
6.44.4.1	Add	126
6.44.4.2	Clear	126
6.44.4.3	operator=	126
6.44.4.4	operator[]	126
6.44.4.5	Size	127
6.44.5	Member Data Documentation	127
6.44.5.1	aux	127
6.44.5.2	offsets	127
6.45	jpeg2000::Request::ParametersMask Union Reference	127
6.45.1	Detailed Description	128
6.45.2	Constructor & Destructor Documentation	128
6.45.2.1	ParametersMask	128
6.45.3	Member Function Documentation	128
6.45.3.1	Clear	128
6.45.3.2	HasWOI	128
6.45.4	Member Data Documentation	128

6.45.4.1	cclose	128
6.45.4.2	cid	128
6.45.4.3	cnew	128
6.45.4.4	context	128
6.45.4.5	fsiz	128
6.45.4.6	items	128
6.45.4.7	len	129
6.45.4.8	metareq	129
6.45.4.9	model	129
6.45.4.10	roff	129
6.45.4.11	rsiz	129
6.45.4.12	stream	129
6.45.4.13	target	129
6.45.4.14	value	129
6.46	jpeg2000::Placeholder Class Reference	129
6.46.1	Detailed Description	130
6.46.2	Constructor & Destructor Documentation	130
6.46.2.1	Placeholder	130
6.46.2.2	Placeholder	130
6.46.2.3	Placeholder	130
6.46.2.4	~Placeholder	130
6.46.3	Member Function Documentation	130
6.46.3.1	length	130
6.46.3.2	operator=	130
6.46.3.3	SerializeWith	131
6.46.4	Friends And Related Function Documentation	131
6.46.4.1	operator<<	131
6.46.5	Member Data Documentation	131
6.46.5.1	data_length	131
6.46.5.2	header	131
6.46.5.3	id	131
6.46.5.4	is_jp2c	131
6.47	jpeg2000::Point Class Reference	131
6.47.1	Detailed Description	132
6.47.2	Constructor & Destructor Documentation	132
6.47.2.1	Point	132
6.47.2.2	Point	133
6.47.2.3	Point	134
6.47.2.4	~Point	134
6.47.3	Member Function Documentation	134

6.47.3.1	operator*=	134
6.47.3.2	operator++	134
6.47.3.3	operator+=	134
6.47.3.4	operator--	134
6.47.3.5	operator-=	134
6.47.3.6	operator/=	135
6.47.3.7	operator=	135
6.47.3.8	SerializeWith	135
6.47.4	Friends And Related Function Documentation	135
6.47.4.1	operator!=	135
6.47.4.2	operator*	135
6.47.4.3	operator*	135
6.47.4.4	operator+	135
6.47.4.5	operator+	135
6.47.4.6	operator-	136
6.47.4.7	operator-	136
6.47.4.8	operator/	136
6.47.4.9	operator/	136
6.47.4.10	operator<<	136
6.47.4.11	operator==	136
6.47.5	Member Data Documentation	136
6.47.5.1	x	136
6.47.5.2	y	136
6.48	net::PollFD Struct Reference	136
6.48.1	Detailed Description	137
6.48.2	Constructor & Destructor Documentation	137
6.48.2.1	PollFD	137
6.48.3	Member Function Documentation	137
6.48.3.1	operator==	137
6.49	net::PollTable Class Reference	137
6.49.1	Detailed Description	138
6.49.2	Constructor & Destructor Documentation	138
6.49.2.1	PollTable	138
6.49.2.2	~PollTable	138
6.49.3	Member Function Documentation	138
6.49.3.1	Add	138
6.49.3.2	GetSize	138
6.49.3.3	operator[]	138
6.49.3.4	Poll	138
6.49.3.5	Remove	139

6.49.3.6	RemoveAt	139
6.49.4	Member Data Documentation	139
6.49.4.1	fds	139
6.50	http::Protocol Class Reference	139
6.50.1	Detailed Description	140
6.50.2	Constructor & Destructor Documentation	140
6.50.2.1	Protocol	140
6.50.2.2	Protocol	140
6.50.3	Member Function Documentation	140
6.50.3.1	mayorVersion	140
6.50.3.2	minorVersion	140
6.50.4	Friends And Related Function Documentation	141
6.50.4.1	operator<<	141
6.50.4.2	operator>>	141
6.50.5	Member Data Documentation	141
6.50.5.1	CRLF	141
6.50.5.2	mayorVersion_	141
6.50.5.3	minorVersion_	141
6.51	jpeg2000::Range Class Reference	141
6.51.1	Detailed Description	142
6.51.2	Constructor & Destructor Documentation	142
6.51.2.1	Range	142
6.51.2.2	Range	142
6.51.2.3	Range	142
6.51.2.4	~Range	142
6.51.3	Member Function Documentation	142
6.51.3.1	GetIndex	142
6.51.3.2	GetItem	143
6.51.3.3	IsValid	143
6.51.3.4	Length	143
6.51.3.5	operator=	143
6.51.4	Friends And Related Function Documentation	143
6.51.4.1	operator!=	143
6.51.4.2	operator<<	143
6.51.4.3	operator==	143
6.51.5	Member Data Documentation	143
6.51.5.1	first	143
6.51.5.2	last	143
6.52	ipc::RdWrLock Class Reference	143
6.52.1	Detailed Description	144

6.52.2	Member Typedef Documentation	144
6.52.2.1	Ptr	144
6.52.3	Member Function Documentation	144
6.52.3.1	Dispose	144
6.52.3.2	Init	145
6.52.3.3	Release	145
6.52.3.4	Wait	145
6.52.3.5	WaitForWriting	145
6.52.4	Member Data Documentation	145
6.52.4.1	rwlock	145
6.53	jpeg::Request Class Reference	146
6.53.1	Detailed Description	147
6.53.2	Member Enumeration Documentation	147
6.53.2.1	RoundDirection	147
6.53.3	Constructor & Destructor Documentation	147
6.53.3.1	Request	147
6.53.3.2	~Request	147
6.53.4	Member Function Documentation	147
6.53.4.1	GetCodedChar	147
6.53.4.2	GetResolution	148
6.53.4.3	ParseModel	149
6.53.4.4	ParseParameter	149
6.53.4.5	ParseParameters	149
6.53.5	Member Data Documentation	149
6.53.5.1	cache_model	149
6.53.5.2	length_response	149
6.53.5.3	mask	150
6.53.5.4	max_codestream	150
6.53.5.5	min_codestream	150
6.53.5.6	resolution_size	150
6.53.5.7	round_direction	150
6.53.5.8	woi_position	150
6.53.5.9	woi_size	150
6.54	http::Request Class Reference	150
6.54.1	Detailed Description	151
6.54.2	Member Enumeration Documentation	151
6.54.2.1	Type	151
6.54.3	Constructor & Destructor Documentation	152
6.54.3.1	Request	152
6.54.4	Member Function Documentation	153

6.54.4.1	Parse	153
6.54.4.2	ParseParameter	153
6.54.4.3	ParseParameters	153
6.54.4.4	ParseURI	153
6.54.5	Friends And Related Function Documentation	154
6.54.5.1	operator<<	154
6.54.5.2	operator>>	154
6.54.6	Member Data Documentation	154
6.54.6.1	object	154
6.54.6.2	parameters	154
6.54.6.3	protocol	154
6.54.6.4	type	154
6.55	http::Response Class Reference	154
6.55.1	Detailed Description	155
6.55.2	Constructor & Destructor Documentation	155
6.55.2.1	Response	155
6.55.3	Friends And Related Function Documentation	155
6.55.3.1	operator<<	155
6.55.3.2	operator>>	155
6.55.4	Member Data Documentation	155
6.55.4.1	code	155
6.55.4.2	protocol	156
6.55.4.3	StatusCodes	156
6.55.4.4	statusCodesInitializer	156
6.56	data::Serializer< T > Struct Template Reference	156
6.56.1	Detailed Description	156
6.56.2	Member Function Documentation	156
6.56.2.1	Load	156
6.56.2.2	Save	157
6.57	data::Serializer< bool > Struct Template Reference	157
6.57.1	Detailed Description	157
6.57.2	Member Function Documentation	157
6.57.2.1	Load	157
6.57.2.2	Save	157
6.58	data::Serializer< int > Struct Template Reference	157
6.58.1	Detailed Description	158
6.58.2	Member Function Documentation	158
6.58.2.1	Load	158
6.58.2.2	Save	158
6.59	data::Serializer< multimap< string, int > > Struct Template Reference	158

6.59.1 Detailed Description	158
6.59.2 Member Function Documentation	159
6.59.2.1 Load	159
6.59.2.2 Save	159
6.60 data::Serializer< string > Struct Template Reference	159
6.60.1 Detailed Description	159
6.60.2 Member Function Documentation	159
6.60.2.1 Load	159
6.60.2.2 Save	159
6.61 data::Serializer< uint64_t > Struct Template Reference	160
6.61.1 Detailed Description	160
6.61.2 Member Function Documentation	160
6.61.2.1 Load	160
6.61.2.2 Save	160
6.62 data::Serializer< vector< T > > Struct Template Reference	160
6.62.1 Detailed Description	161
6.62.2 Member Function Documentation	161
6.62.2.1 Load	161
6.62.2.2 Save	161
6.63 net::Socket Class Reference	161
6.63.1 Detailed Description	162
6.63.2 Constructor & Destructor Documentation	162
6.63.2.1 Socket	162
6.63.2.2 Socket	163
6.63.2.3 Socket	163
6.63.2.4 ~Socket	163
6.63.3 Member Function Documentation	163
6.63.3.1 Accept	163
6.63.3.2 BindTo	163
6.63.3.3 Close	163
6.63.3.4 ConnectTo	163
6.63.3.5 IsBlockingMode	164
6.63.3.6 IsValid	164
6.63.3.7 IsValid	164
6.63.3.8 ListenAt	164
6.63.3.9 OpenInet	164
6.63.3.10 OpenUnix	165
6.63.3.11 operator int	166
6.63.3.12 operator=	166
6.63.3.13 Receive	166

6.63.3.14 ReceiveDescriptor	166
6.63.3.15 ReceiveFrom	166
6.63.3.16 Send	167
6.63.3.17 SendDescriptor	167
6.63.3.18 SendTo	167
6.63.3.19 SetBlockingMode	168
6.63.3.20 SetNoDelay	168
6.63.3.21 WaitForInput	168
6.63.3.22 WaitForOutput	168
6.63.4 Member Data Documentation	169
6.63.4.1 sid	169
6.64 net::SocketBuffer Class Reference	169
6.64.1 Detailed Description	170
6.64.2 Member Enumeration Documentation	170
6.64.2.1 anonymous enum	170
6.64.3 Constructor & Destructor Documentation	170
6.64.3.1 SocketBuffer	170
6.64.3.2 ~SocketBuffer	170
6.64.4 Member Function Documentation	170
6.64.4.1 GetReadBytes	170
6.64.4.2 GetSocket	170
6.64.4.3 overflow	170
6.64.4.4 sync	170
6.64.4.5 underflow	170
6.64.5 Member Data Documentation	170
6.64.5.1 in_buf	170
6.64.5.2 in_len	170
6.64.5.3 out_buf	170
6.64.5.4 out_len	171
6.64.5.5 socket	171
6.64.5.6 sum	171
6.65 net::SocketStream Class Reference	171
6.65.1 Detailed Description	171
6.65.2 Constructor & Destructor Documentation	171
6.65.2.1 SocketStream	171
6.65.2.2 ~SocketStream	171
6.65.3 Member Function Documentation	171
6.65.3.1 operator->	171
6.66 http::Response::StatusCodesInitializer Class Reference	172
6.66.1 Detailed Description	172

6.66.2	Constructor & Destructor Documentation	172
6.66.2.1	StatusCodesInitializer	172
6.67	TraceSystem Class Reference	172
6.67.1	Detailed Description	173
6.67.2	Constructor & Destructor Documentation	173
6.67.2.1	TraceSystem	173
6.67.2.2	~TraceSystem	173
6.67.3	Member Function Documentation	173
6.67.3.1	AppendToFile	173
6.67.3.2	AppendToFile	173
6.67.3.3	AppendToFile_	173
6.67.3.4	errorStream	173
6.67.3.5	logStream	173
6.67.3.6	traceStream	173
6.67.4	Member Data Documentation	173
6.67.4.1	appender	173
6.67.4.2	category	173
6.67.4.3	file_appender	173
6.67.4.4	file_layout	173
6.67.4.5	layout	173
6.67.4.6	traceSystem	173
6.68	ui Struct Reference	174
6.68.1	Member Function Documentation	174
6.68.1.1	read	174
6.69	net::UnixAddress Class Reference	174
6.69.1	Detailed Description	175
6.69.2	Constructor & Destructor Documentation	175
6.69.2.1	UnixAddress	175
6.69.2.2	UnixAddress	175
6.69.2.3	UnixAddress	175
6.69.3	Member Function Documentation	175
6.69.3.1	GetPath	175
6.69.3.2	GetSize	175
6.69.3.3	GetSockAddr	175
6.69.3.4	operator=	175
6.69.3.5	Reset	175
6.69.4	Member Data Documentation	176
6.69.4.1	sock_addr	176
6.70	data::UnlockedAccess Struct Reference	176
6.70.1	Detailed Description	176

6.70.2	Member Function Documentation	176
6.70.2.1	configure	176
6.70.2.2	fgetc	176
6.70.2.3	fputc	176
6.70.2.4	fread	176
6.70.2.5	fwrite	176
6.71	data::vint_vector Class Reference	177
6.71.1	Detailed Description	177
6.71.2	Constructor & Destructor Documentation	178
6.71.2.1	vint_vector	178
6.71.2.2	vint_vector	178
6.71.2.3	vint_vector	178
6.71.2.4	~vint_vector	178
6.71.3	Member Function Documentation	178
6.71.3.1	back	178
6.71.3.2	clear	178
6.71.3.3	data_bytes	178
6.71.3.4	num_bytes	178
6.71.3.5	operator=	178
6.71.3.6	operator[]	178
6.71.3.7	push_back	179
6.71.3.8	set_num_bytes	179
6.71.3.9	size	179
6.71.4	Member Data Documentation	179
6.71.4.1	data	179
6.71.4.2	mask	179
6.71.4.3	num_bytes_	179
6.72	jpeg::WOI Class Reference	179
6.72.1	Detailed Description	180
6.72.2	Constructor & Destructor Documentation	180
6.72.2.1	WOI	180
6.72.2.2	WOI	180
6.72.2.3	WOI	181
6.72.2.4	~WOI	181
6.72.3	Member Function Documentation	181
6.72.3.1	operator=	181
6.72.4	Friends And Related Function Documentation	181
6.72.4.1	operator!=	181
6.72.4.2	operator<<	181
6.72.4.3	operator==	181

6.72.5	Member Data Documentation	181
6.72.5.1	position	181
6.72.5.2	resolution	181
6.72.5.3	size	181
6.73	jpeg::WOIComposer Class Reference	182
6.73.1	Detailed Description	182
6.73.2	Constructor & Destructor Documentation	183
6.73.2.1	WOIComposer	183
6.73.2.2	WOIComposer	183
6.73.2.3	WOIComposer	183
6.73.2.4	~WOIComposer	183
6.73.3	Member Function Documentation	183
6.73.3.1	GetCurrentPacket	183
6.73.3.2	GetNextPacket	183
6.73.3.3	operator=	183
6.73.3.4	Reset	184
6.73.4	Member Data Documentation	184
6.73.4.1	coding_parameters	184
6.73.4.2	current_packet	184
6.73.4.3	max_precinct_xy	184
6.73.4.4	max_resolution	184
6.73.4.5	min_precinct_xy	184
6.73.4.6	more_packets	184
6.73.4.7	pxy1	184
6.73.4.8	pxy2	184
7	File Documentation	185
7.1	app_config.cc File Reference	185
7.2	app_config.h File Reference	185
7.3	app_info.cc File Reference	185
7.3.1	Macro Definition Documentation	186
7.3.1.1	LOCK_FILE	186
7.4	app_info.h File Reference	186
7.5	args_parser.cc File Reference	186
7.6	args_parser.h File Reference	186
7.7	base.cc File Reference	187
7.8	base.h File Reference	187
7.9	client_info.cc File Reference	187
7.10	client_info.h File Reference	187
7.11	client_manager.cc File Reference	187

7.12	client_manager.h File Reference	188
7.13	data/data.h File Reference	188
7.14	data/file.cc File Reference	188
7.15	data/file.h File Reference	188
7.16	data/file_segment.cc File Reference	189
7.17	data/file_segment.h File Reference	189
7.18	data/serialize.cc File Reference	189
7.19	data/serialize.h File Reference	190
7.20	data/vint_vector.cc File Reference	190
7.21	data/vint_vector.h File Reference	191
7.22	esa_jpip_server.cc File Reference	191
7.22.1	Macro Definition Documentation	192
7.22.1.1	CONFIG_FILE	192
7.22.1.2	POLLRDHUP	192
7.22.1.3	SERVER_APP_NAME	192
7.22.1.4	SERVER_NAME	192
7.22.2	Function Documentation	192
7.22.2.1	ChildProcess	192
7.22.2.2	ClientThread	192
7.22.2.3	main	192
7.22.2.4	ParseArguments	192
7.22.2.5	SIGCHLD_handler	192
7.22.3	Variable Documentation	192
7.22.3.1	app_info	192
7.22.3.2	base_id	192
7.22.3.3	cfg	192
7.22.3.4	child_address	193
7.22.3.5	child_lost	193
7.22.3.6	child_socket	193
7.22.3.7	father_address	193
7.22.3.8	index_manager	193
7.22.3.9	poll_table	193
7.23	http/header.cc File Reference	193
7.24	http/header.h File Reference	193
7.25	http/http.h File Reference	194
7.26	http/protocol.cc File Reference	194
7.27	http/protocol.h File Reference	194
7.28	http/request.cc File Reference	194
7.29	jpip/request.cc File Reference	195
7.30	http/request.h File Reference	195

7.31	jpip/request.h File Reference	195
7.32	http/response.cc File Reference	196
7.33	http/response.h File Reference	196
7.34	ipc/event.cc File Reference	197
7.35	ipc/event.h File Reference	197
7.36	ipc/ipc.h File Reference	197
7.37	ipc/ipc_object.cc File Reference	197
7.38	ipc/ipc_object.h File Reference	197
7.39	ipc/mutex.cc File Reference	198
7.40	ipc/mutex.h File Reference	198
7.41	ipc/rdwr_lock.cc File Reference	199
7.42	ipc/rdwr_lock.h File Reference	199
7.43	jpeg2000/codestream_index.cc File Reference	199
7.44	jpeg2000/codestream_index.h File Reference	199
7.45	jpeg2000/coding_parameters.cc File Reference	200
7.46	jpeg2000/coding_parameters.h File Reference	200
7.47	jpeg2000/file_manager.cc File Reference	200
7.47.1	Macro Definition Documentation	201
7.47.1.1	ASOC_BOX_ID	201
7.47.1.2	COD_MARKER	201
7.47.1.3	DBTL_BOX_ID	201
7.47.1.4	EOC_MARKER	201
7.47.1.5	FLST_BOX_ID	201
7.47.1.6	FTBL_BOX_ID	201
7.47.1.7	JP2C_BOX_ID	201
7.47.1.8	JPCH_BOX_ID	201
7.47.1.9	NLST_BOX_ID	201
7.47.1.10	PLT_MARKER	201
7.47.1.11	SIZ_MARKER	201
7.47.1.12	SOC_MARKER	201
7.47.1.13	SOD_MARKER	201
7.47.1.14	SOT_MARKER	201
7.47.1.15	URL__BOX_ID	202
7.47.1.16	XML__BOX_ID	202
7.48	jpeg2000/file_manager.h File Reference	202
7.49	jpeg2000/image_index.cc File Reference	202
7.50	jpeg2000/image_index.h File Reference	202
7.51	jpeg2000/image_info.cc File Reference	203
7.52	jpeg2000/image_info.h File Reference	203
7.53	jpeg2000/index_manager.cc File Reference	203

7.54 jpeg2000/index_manager.h File Reference	204
7.55 jpeg2000/jpeg2000.h File Reference	204
7.56 jpeg2000/meta_data.cc File Reference	204
7.57 jpeg2000/meta_data.h File Reference	204
7.58 jpeg2000/packet.cc File Reference	205
7.59 jpeg2000/packet.h File Reference	205
7.60 jpeg2000/packet_index.cc File Reference	205
7.61 jpeg2000/packet_index.h File Reference	205
7.62 jpeg2000/place_holder.cc File Reference	205
7.63 jpeg2000/place_holder.h File Reference	206
7.64 jpeg2000/point.cc File Reference	206
7.65 jpeg2000/point.h File Reference	206
7.66 jpeg2000/range.cc File Reference	206
7.67 jpeg2000/range.h File Reference	207
7.68 jpip/cache_model.cc File Reference	207
7.69 jpip/cache_model.h File Reference	207
7.70 jpip/databin_server.cc File Reference	208
7.71 jpip/databin_server.h File Reference	208
7.72 jpip/databin_writer.cc File Reference	208
7.73 jpip/databin_writer.h File Reference	209
7.74 jpip/jpip.cc File Reference	209
7.75 jpip/jpip.h File Reference	209
7.76 jpip/woi.cc File Reference	210
7.77 jpip/woi.h File Reference	210
7.78 jpip/woi_composer.cc File Reference	210
7.79 jpip/woi_composer.h File Reference	210
7.80 net/address.cc File Reference	210
7.81 net/address.h File Reference	211
7.82 net/net.h File Reference	211
7.83 net/poll_table.cc File Reference	211
7.84 net/poll_table.h File Reference	211
7.85 net/socket.cc File Reference	212
7.85.1 Macro Definition Documentation	212
7.85.1.1 POLLRDHUP	212
7.86 net/socket.h File Reference	212
7.87 net/socket_stream.cc File Reference	213
7.88 net/socket_stream.h File Reference	213
7.89 packet_information.cc File Reference	213
7.89.1 Function Documentation	214
7.89.1.1 main	214

7.90	tr1_compat.h File Reference	214
7.90.1	Macro Definition Documentation	214
7.90.1.1	SHARED_PTR	214
7.91	trace.cc File Reference	214
7.92	trace.h File Reference	214
7.92.1	Macro Definition Documentation	215
7.92.1.1	_BLUE	215
7.92.1.2	_GREEN	215
7.92.1.3	_RED	215
7.92.1.4	_RESET_COLOR	215
7.92.1.5	_SET_COLOR	215
7.92.1.6	_YELLOW	215
7.92.1.7	CERR	215
7.92.1.8	ERROR	215
7.92.1.9	LOG	215
7.92.1.10	LOG4CPP_FIX_ERROR_COLLISION	215
7.92.1.11	LOGC	215
7.92.1.12	TRACE	215
7.93	version.h File Reference	215
7.93.1	Macro Definition Documentation	215
7.93.1.1	VERSION	215
Index		216

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

data	Contains a set of classes to easy the handling of data and files, as well as the serialization . .	11
http	Contains the definition of a set of classes for working easily with the protocol HTTP	12
ipc	Contains classes for working with the IPC mechanisms available in Linux using the <code>pthread</code> library	13
jpeg2000	Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard	14
jpip	Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard . .	15
net	Contains classes to easy the utilization of sockets, specially implemented for UNIX systems . .	16

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

net::Address	17
net::InetAddress	111
net::UnixAddress	174
AppConfig	18
AppInfo	22
ArgsParser	26
base	28
data::BaseFile< IO >	29
data::BaseFile< LockedAccess >	29
data::BaseStream< StreamClass, StreamOperator >	35
data::BaseStream< InputStream, InputOperator >	35
data::InputStream	114
data::BaseStream< OutputStream, OutputOperator >	35
data::OutputStream	122
jpip::CacheModel	38
ClientInfo	42
ClientManager	44
jpip::CacheModel::Codestream	46
jpeg2000::CodestreamIndex	50
jpeg2000::CodingParameters	52
AppInfo::Data	58
jpip::DataBinClass	59
jpip::DataBinSelector< BIN_CLASS >	60
jpip::DataBinSelector< DataBinClass::MAIN_HEADER >	61
jpip::DataBinSelector< DataBinClass::META_DATA >	61
jpip::DataBinSelector< DataBinClass::PRECINCT >	62
jpip::DataBinSelector< DataBinClass::TILE_HEADER >	62
jpip::DataBinServer	63
jpip::DataBinWriter	68
jpip::EOR	75
jpeg2000::FileManager	79
data::FileSegment	88
http::HeaderBase< NAME >	92
http::HeaderBase< HeaderName::UNDEFINED >	94
http::Header	90
http::HeaderName	95
jpeg2000::ImageIndex	96

jpeg2000::ImageInfo	104
jpeg2000::IndexManager	106
data::InputOperator	113
iostream	
net::SocketStream	171
ipc::IPCObject	114
ipc::Event	76
ipc::Mutex	119
ipc::RdWrLock	143
data::LockedAccess	117
jpeg2000::Metadata	117
data::OutputOperator	121
jpeg2000::Packet	123
jpeg2000::PacketIndex	125
jpeg2000::Request::ParametersMask	127
jpeg2000::Placeholder	129
jpeg2000::Point	131
pollfd	
net::PollFD	136
net::PollTable	137
http::Protocol	139
jpeg2000::Range	141
http::Request	150
jpeg2000::Request	146
http::Response	154
data::Serializer< T >	156
data::Serializer< bool >	157
data::Serializer< int >	157
data::Serializer< multimap< string, int > >	158
data::Serializer< string >	159
data::Serializer< uint64_t >	160
data::Serializer< vector< T > >	160
net::Socket	161
http::Response::StatusCodesInitializer	172
streambuf	
net::SocketBuffer	169
net::SocketStream	171
TraceSystem	172
ui	174
data::UnlockedAccess	176
data::vint_vector	177
jpeg2000::WOI	179
jpeg2000::WOIComposer	182

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

net::Address	Abstract base class to wrap the <code>sockaddr</code> derived structures	17
AppConfig	Contains the configuration parameters of the application	18
AppInfo	Contains the run-time information of the application	22
ArgsParser	Class that allows to parse and handle the application command line parameters	26
base	Contains a set of useful static methods used by the application	28
data::BaseFile< IO >	This is a wrapper class for the <code>FILE</code> functions that provides all the functionality to handle files safely	29
data::BaseStream< StreamClass, StreamOperator >	This template is used as the base for the input/output stream classes	35
jpip::CacheModel	The cache model of a JPIP client is handled using this class	38
ClientInfo	Contains information of a connected client	42
ClientManager	Handles a client connection with a dedicated thread	44
jpip::CacheModel::Codestream	Sub-class of the cache model class used to identify a codestream	46
jpeg2000::CodestreamIndex	Class used for indexing the information of a JPEG2000 codestream	50
jpeg2000::CodingParameters	Contains the coding parameters of a JPEG2000 image codestream	52
AppInfo::Data	Contains the data block that is maintained in shared memory	58
jpip::DataBinClass	Class that contains the definitions of all the data-bin classes defined for the JPIP protocol	59
jpip::DataBinSelector< BIN_CLASS >	Template class that is specialized for allowing basic operations (add and get) with cache models depending on the data-bin classes	60
jpip::DataBinSelector< DataBinClass::MAIN_HEADER >		61
jpip::DataBinSelector< DataBinClass::META_DATA >		61
jpip::DataBinSelector< DataBinClass::PRECINCT >		62
jpip::DataBinSelector< DataBinClass::TILE_HEADER >		62

jpip::DataBinServer	Contains the core functionality of a (JPIP) data-bin server, which maintains a cache model and is capable of generating data chunks of variable length;	63
jpip::DataBinWriter	Class used to generate data-bin segments and write them into a memory buffer	68
jpip::EOR	Class that contains all the definitions of the EOF messages defined for the JPIP protocol . . .	75
ipc::Event	IPC object that offers the functionality of an event (Windows IPC object), implemented by means of a combination of the pthread mutex and conditional variables API	76
jpeg2000::FileManager	Manages the image files of a repository, allowing read their indexing information, with a caching mechanism for efficiency	79
data::FileSegment	Identifies a data segment of a file	88
http::Header	Class used to handle a HTTP header	90
http::HeaderBase< NAME >	Template class used to identify a HTTP header	92
http::HeaderBase< HeaderName::UNDEFINED >	Specialization of the HeaderBase template class with the HeaderName::UNDEFINED value	94
http::HeaderName	Container for the strings associated to the most common HTTP headers, used for the specialization of the class HeaderBase	95
jpeg2000::ImageIndex	Contains the indexing information of a JPEG2000 image file that is managed by the index manager	96
jpeg2000::ImageInfo	Contains the indexing information of a JPEG2000 image	104
jpeg2000::IndexManager	Manages the indexing information of a repository for images	106
net::InetAddress	Class to identify and handle an Internet address	111
data::InputOperator	This struct identifies a basic input operator to be applied to a File object	113
data::InputStream	Specialization of the BaseStream for input serializations	114
ipc::IPCObject	Class base of all the IPC classes that has the basic operations (Init , Wait and Dispose) to be overloaded	114
data::LockedAccess	Struct for wrapping the basic FILE locked functions for reading and writing defined in stdio.h	117
jpeg2000::Metadata	Contains the indexing information associated to the meta-data of a JPEG2000 image file . . .	117
ipc::Mutex	IPC object that offers the functionality of a mutex, implemented by means of the pthread mutex API	119
data::OutputOperator	This struct identifies a basic output operator to be applied to a File object	121
data::OutputStream	Specialization of the BaseStream for output serializations	122
jpeg2000::Packet	Contains the information of a packet	123
jpeg2000::PacketIndex	Class used for indexing the packets of a codestream image	125
jpip::Request::ParametersMask	Union used to control the presence of the different JPIP parameters in a request	127

jpeg2000::Placeholder	Contains the information of a place-holder	129
jpeg2000::Point	Represents a couple of integer values that can be used to identify a coordinate as well as a size	131
net::PollFD	Wrapper structure for the structure <code>pollfd</code> used by the kernel <code>poll</code> functions	136
net::PollTable	This class allows to perform polls easily over a vector of descriptors	137
http::Protocol	Class used to identify the HTTP protocol	139
jpeg2000::Range	Represents a range of integer values, defined by two values, first and last, which are assumed to be included in the range	141
ipc::RdWrLock	IPC object that offers the functionality of a read/write lock, implemented by means of the pthread <code>rwlock</code> API	143
jpip::Request	Class derived from the HTTP Request class that contains the required code for properly analyzing a JPIP request, when this protocol is used over the HTTP	146
http::Request	Class used to identify a HTTP request (GET or POST)	150
http::Response	Class used to identify a HTTP response	154
data::Serializer< T >	This template class allows to define a "serializer"	156
data::Serializer< bool >	Serializer for the <code>bool</code> type	157
data::Serializer< int >	Serializer for the <code>int</code> type	157
data::Serializer< multimap< string, int > >	Serializer for the <code>multimap<string, int></code> class	158
data::Serializer< string >	Serializer for the <code>string</code> class	159
data::Serializer< uint64_t >	Serializer for the <code>uint64_t</code> type	160
data::Serializer< vector< T > >	Serializer for the <code>vector</code> class	160
net::Socket	This class has been designed to work with UNIX sockets in an easy and object oriented way	161
net::SocketBuffer	Class derived from the STL <code>std::streambuf</code> to allow streaming with sockets	169
net::SocketStream	Class derived from <code>std::iostream</code> and SocketBuffer that represents a socket stream	171
http::Response::StatusCodesInitializer	Class used for the initializer	172
TraceSystem	Wrapper used by the application to handle the log/trace messages by means of the <code>log4cpp</code> library	172
ui	174
net::UnixAddress	Class to identify and handle an UNIX address	174
data::UnlockedAccess	Struct for wrapping the basic <code>FILE</code> unlocked functions for reading and writing defined in <code>stdio_exts.h</code>	176
data::vint_vector	This class has been implemented with the same philosophy that the class STL <code>vector</code> , but specifically designed to store integers with a length in bytes that can be not multiple from 2 (e.g	177

jpip::WOI	
Class that identifies a WOI (Window Of Interest)	179
jpip::WOIComposer	
By means of this class it is possible to find out the which packets of an image are associated to a WOI	182

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

app_config.cc	185
app_config.h	185
app_info.cc	185
app_info.h	186
args_parser.cc	186
args_parser.h	186
base.cc	187
base.h	187
client_info.cc	187
client_info.h	187
client_manager.cc	187
client_manager.h	188
esa_jpip_server.cc	191
packet_information.cc	213
tr1_compat.h	214
trace.cc	214
trace.h	214
version.h	215
data/data.h	188
data/file.cc	188
data/file.h	188
data/file_segment.cc	189
data/file_segment.h	189
data/serialize.cc	189
data/serialize.h	190
data/vint_vector.cc	190
data/vint_vector.h	191
http/header.cc	193
http/header.h	193
http/http.h	194
http/protocol.cc	194
http/protocol.h	194
http/request.cc	194
http/request.h	195
http/response.cc	196
http/response.h	196
ipc/event.cc	197
ipc/event.h	197

ipc/ipc.h	197
ipc/ipc_object.cc	197
ipc/ipc_object.h	197
ipc/mutex.cc	198
ipc/mutex.h	198
ipc/rdwr_lock.cc	199
ipc/rdwr_lock.h	199
jpeg2000/codestream_index.cc	199
jpeg2000/codestream_index.h	199
jpeg2000/coding_parameters.cc	200
jpeg2000/coding_parameters.h	200
jpeg2000/file_manager.cc	200
jpeg2000/file_manager.h	202
jpeg2000/image_index.cc	202
jpeg2000/image_index.h	202
jpeg2000/image_info.cc	203
jpeg2000/image_info.h	203
jpeg2000/index_manager.cc	203
jpeg2000/index_manager.h	204
jpeg2000/jpeg2000.h	204
jpeg2000/meta_data.cc	204
jpeg2000/meta_data.h	204
jpeg2000/packet.cc	205
jpeg2000/packet.h	205
jpeg2000/packet_index.cc	205
jpeg2000/packet_index.h	205
jpeg2000/place_holder.cc	205
jpeg2000/place_holder.h	206
jpeg2000/point.cc	206
jpeg2000/point.h	206
jpeg2000/range.cc	206
jpeg2000/range.h	207
jpeg2000/cache_model.cc	207
jpeg2000/cache_model.h	207
jpeg2000/databin_server.cc	208
jpeg2000/databin_server.h	208
jpeg2000/databin_writer.cc	208
jpeg2000/databin_writer.h	209
jpeg2000/jpip.cc	209
jpeg2000/jpip.h	209
jpeg2000/request.cc	195
jpeg2000/request.h	195
jpeg2000/woi.cc	210
jpeg2000/woi.h	210
jpeg2000/woi_composer.cc	210
jpeg2000/woi_composer.h	210
net/address.cc	210
net/address.h	211
net/net.h	211
net/poll_table.cc	211
net/poll_table.h	211
net/socket.cc	212
net/socket.h	212
net/socket_stream.cc	213
net/socket_stream.h	213

Chapter 5

Namespace Documentation

5.1 data Namespace Reference

Contains a set of classes to easy the handling of data and files, as well as the serialization.

Classes

- struct [LockedAccess](#)
Struct for wrapping the basic `FILE` locked functions for reading and writing defined in `stdio.h`.
- struct [UnlockedAccess](#)
Struct for wrapping the basic `FILE` unlocked functions for reading and writing defined in `stdio_exts.h`.
- class [BaseFile](#)
This is a wrapper class for the `FILE` functions that provides all the functionality to handle files safely.
- class [FileSegment](#)
Identifies a data segment of a file.
- struct [InputOperator](#)
This struct identifies a basic input operator to be applied to a `File` object.
- struct [OutputOperator](#)
This struct identifies a basic output operator to be applied to a `File` object.
- class [BaseStream](#)
This template is used as the base for the input/output stream classes.
- struct [Serializer](#)
This template class allows to define a "serializer".
- class [InputStream](#)
Specialization of the [BaseStream](#) for input serializations.
- class [OutputStream](#)
Specialization of the [BaseStream](#) for output serializations.
- struct [Serializer< bool >](#)
[Serializer](#) for the `bool` type.
- struct [Serializer< int >](#)
[Serializer](#) for the `int` type.
- struct [Serializer< uint64_t >](#)
[Serializer](#) for the `uint64_t` type.
- struct [Serializer< string >](#)
[Serializer](#) for the `string` class.
- struct [Serializer< vector< T > >](#)
[Serializer](#) for the `vector` class.

- struct [Serializer< multimap< string, int > >](#)
Serializer for the [multimap<string, int>](#) class.
- class [vint_vector](#)
This class has been implemented with the same philosophy that the class STL vector, but specifically designed to store integers with a length in bytes that can be not multiple from 2 (e.g.

Typedefs

- typedef [BaseFile< LockedAccess > File](#)
Specialization of the class [BaseFile](#) with locked access.
- typedef [BaseFile< UnlockedAccess > FastFile](#)
Specialization of the class [BaseFile](#) with unlocked access.

5.1.1 Detailed Description

Contains a set of classes to easy the handling of data and files, as well as the serialization.

5.1.2 Typedef Documentation

5.1.2.1 typedef [BaseFile<UnlockedAccess>](#) [data::FastFile](#)

Specialization of the class [BaseFile](#) with unlocked access.

See Also

[BaseFile](#)
[UnlockedAccess](#)

5.1.2.2 typedef [BaseFile<LockedAccess>](#) [data::File](#)

Specialization of the class [BaseFile](#) with locked access.

See Also

[BaseFile](#)
[LockedAccess](#)

5.2 http Namespace Reference

Contains the definition of a set of classes for working easily with the protocol HTTP.

Classes

- class [HeaderName](#)
Container for the strings associated to the most common HTTP headers, used for the specialization of the class [HeaderBase](#).
- class [HeaderBase](#)
Template class used to identify a HTTP header.
- class [HeaderBase< HeaderName::UNDEFINED >](#)
Specialization of the [HeaderBase](#) template class with the [HeaderName::UNDEFINED](#) value.

- class [Header](#)
Class used to handle a HTTP header.
- class [Protocol](#)
Class used to identify the HTTP protocol.
- class [Request](#)
Class used to identify a HTTP request (GET or POST).
- class [Response](#)
Class used to identify a HTTP response.

Functions

- istream & [operator>>](#) (istream &in, [Request](#) &request)
- ostream & [operator<<](#) (ostream &out, const [Request](#) &request)

5.2.1 Detailed Description

Contains the definition of a set of classes for working easily with the protocol HTTP.

5.2.2 Function Documentation

5.2.2.1 ostream& http::operator<< (ostream & out, const Request & request)

5.2.2.2 istream& http::operator>> (istream & in, Request & request)

Here is the call graph for this function:

5.3 ipc Namespace Reference

Contains classes for working with the IPC mechanisms available in Linux using the `pthread` library.

Classes

- class [Event](#)
IPC object that offers the functionality of an event (Windows IPC object), implemented by means of a combination of the pthread mutex and conditional variables API.
- class [IPCObject](#)
Class base of all the IPC classes that has the basic operations (Init, Wait and Dispose) to be overloaded.
- class [Mutex](#)
IPC object that offers the functionality of a mutex, implemented by means of the pthread mutex API.
- class [RdWrLock](#)
IPC object that offers the functionality of a read/write lock, implemented by means of the pthread rwlock API.

Enumerations

- enum [WaitResult](#) { [WAIT_OBJECT](#) = 0, [WAIT_TIMEOUT](#), [WAIT_ERROR](#) }
Enumeration of the possible values returned when a wait operation is performed for an IPC object.

5.3.1 Detailed Description

Contains classes for working with the IPC mechanisms available in Linux using the `pthread` library. These classes have been implemented to offer an object-oriented mechanism similar to the one offered by Windows, because of its simplicity and flexibility.

5.3.2 Enumeration Type Documentation

5.3.2.1 `enum ipc::WaitResult`

Enumeration of the possible values returned when a wait operation is performed for an IPC object.

Enumerator

`WAIT_OBJECT` Wait successful (object got)

`WAIT_TIMEOUT` Time out.

`WAIT_ERROR` Error.

5.4 jpeg2000 Namespace Reference

Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

Classes

- class [CodestreamIndex](#)
Class used for indexing the information of a JPEG2000 codestream.
- class [CodingParameters](#)
Contains the coding parameters of a JPEG2000 image codestream.
- class [FileManager](#)
Manages the image files of a repository, allowing read their indexing information, with a caching mechanism for efficiency.
- class [ImageIndex](#)
Contains the indexing information of a JPEG2000 image file that is managed by the index manager.
- class [ImageInfo](#)
Contains the indexing information of a JPEG2000 image.
- class [IndexManager](#)
Manages the indexing information of a repository fo images.
- class [Metadata](#)
Contains the indexing information associated to the meta-data of a JPEG2000 image file.
- class [Packet](#)
Contains the information of a packet.
- class [PacketIndex](#)
Class used for indexing the packets of a codestream image.
- class [Placeholder](#)
Contains the information of a place-holder.
- class [Point](#)
Represents a couple of integer values that can be used to identify a coordinate as well as a size.
- class [Range](#)
Represents a range of integer values, defined by two values, first and last, which are assumed to be included in the range.

Typedefs

- typedef [Point Size](#)

It is a synonymous of the class [Point](#).

5.4.1 Detailed Description

Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

5.4.2 Typedef Documentation

5.4.2.1 typedef [Point](#) jpeg2000::Size

It is a synonymous of the class [Point](#).

See Also

[Point](#)

5.5 jpip Namespace Reference

Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard.

Classes

- struct [DataBinSelector](#)

Template class that is specialized for allowing basic operations (add and get) with cache models depending on the data-bin classes.

- class [CacheModel](#)

The cache model of a JPIP client is handled using this class.

- struct [DataBinSelector](#)< [DataBinClass](#)::META_DATA >
- struct [DataBinSelector](#)< [DataBinClass](#)::MAIN_HEADER >
- struct [DataBinSelector](#)< [DataBinClass](#)::TILE_HEADER >
- struct [DataBinSelector](#)< [DataBinClass](#)::PRECINCT >
- class [DataBinServer](#)

Contains the core functionality of a (JPIP) data-bin server, which maintains a cache model and is capable of generating data chunks of variable length;.

- class [DataBinWriter](#)

Class used to generate data-bin segments and write them into a memory buffer.

- class [DataBinClass](#)

Class that contains the definitions of all the data-bin classes defined for the JPIP protocol.

- class [EOR](#)

Class that contains all the definitions of the EOF messages defined for the JPIP protocol.

- class [Request](#)

Class derived from the HTTP [Request](#) class that contains the required code for properly analyzing a JPIP request, when this protocol is used over the HTTP.

- class [WOI](#)

Class that identifies a [WOI](#) (Window Of Interest).

- class [WOIComposer](#)

By means of this class it is possible to find out the which packets of an image are associated to a [WOI](#).

5.5.1 Detailed Description

Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard.

5.6 net Namespace Reference

Contains classes to easy the utilization of sockets, specially implemented for UNIX systems.

Classes

- class [Address](#)
Abstract base class to wrap the `sockaddr` derived structures.
- class [InetAddress](#)
Class to identify and handle an Internet address.
- class [UnixAddress](#)
Class to identify and handle an UNIX address.
- struct [PollFD](#)
Wrapper structure for the structure `pollfd` used by the kernel `poll` functions.
- class [PollTable](#)
This class allows to perform polls easily over a vector of descriptors.
- class [Socket](#)
This class has been designed to work with UNIX sockets in an easy and object oriented way.
- class [SocketBuffer](#)
Class derived from the STL `std::streambuf` to allow streaming with sockets.
- class [SocketStream](#)
Class derived from `std::iostream` and [SocketBuffer](#) that represents a socket stream.

5.6.1 Detailed Description

Contains classes to easy the utilization of sockets, specially implemented for UNIX systems.

Chapter 6

Class Documentation

6.1 net::Address Class Reference

Abstract base class to wrap the `sockaddr` derived structures.

```
#include <address.h>
```

Inheritance diagram for `net::Address`:

Collaboration diagram for `net::Address`:

Public Member Functions

- [Address \(\)](#)
Empty constructor.
- virtual `sockaddr *` [GetSockAddr \(\)](#) const =0
Returns a pointer to a `sockaddr` structure.
- virtual int [GetSize \(\)](#) const =0
Returns the size in bytes of the `sockaddr` structure returned by the previous method.
- virtual [~Address \(\)](#)
Empty destructor.

6.1.1 Detailed Description

Abstract base class to wrap the `sockaddr` derived structures.

This class is the base of the address classes.

See Also

[InetAddress](#)
[UnixAddress](#)

6.1.2 Constructor & Destructor Documentation

6.1.2.1 `net::Address::Address ()` [inline]

Empty constructor.

6.1.2.2 `virtual net::Address::~~Address () [inline],[virtual]`

Empty destructor.

6.1.3 Member Function Documentation

6.1.3.1 `virtual int net::Address::GetSize () const [pure virtual]`

Returns the size in bytes of the `sockaddr` structure returned by the previous method.

Implemented in [net::UnixAddress](#), and [net::InetAddress](#).

Here is the caller graph for this function:

6.1.3.2 `virtual sockaddr* net::Address::GetSockAddr () const [pure virtual]`

Returns a pointer to a `sockaddr` structure.

Implemented in [net::UnixAddress](#), and [net::InetAddress](#).

Here is the caller graph for this function:

The documentation for this class was generated from the following file:

- [net/address.h](#)

6.2 AppConfig Class Reference

Contains the configuration parameters of the application.

```
#include <app_config.h>
```

Collaboration diagram for AppConfig:

Public Member Functions

- [AppConfig](#) ()
Initializes the object with zero and empty values.
- bool [Load](#) (const char *file_name)
Loads the parameters from a configuration file.
- int [port](#) () const
Returns the listening port.
- string [address](#) () const
Returns the listening address.
- string [images_folder](#) () const
Returns the folder of the images.
- string [caching_folder](#) () const
Returns the folder used for caching.
- string [logging_folder](#) () const
Returns the folder used for the logging files.
- int [max_chunk_size](#) () const
Returns the maximum chunk size.
- int [max_connections](#) () const
Returns the maximum number of connections.
- bool [logging](#) () const

- *Returns true if the logging messages are allowed.*
- bool `log_requests` () const
Returns true if the client requests are logged.
- int `com_time_out` () const
Returns the connection time-out.
- int `cache_max_time` () const
Returns the maximum time for the cache files in seconds.
- virtual `~AppConfig` ()

Private Attributes

- int `port_`
Listening port.
- int `logging_`
true if logs messages are allowed
- int `log_requests_`
true if the client requests are logged
- string `address_`
Listening address.
- string `images_folder_`
Directory for the images.
- string `caching_folder_`
Directory for the caching files.
- string `logging_folder_`
Directory for the logging files.
- int `max_chunk_size_`
Maximum chunk size.
- int `max_connections_`
Maximum number of connections.
- int `com_time_out_`
Connection time-out.
- int `cache_max_time_`
Maximum time for the cache files.

Friends

- ostream & `operator<<` (ostream &out, const `AppConfig` &cfg)

6.2.1 Detailed Description

Contains the configuration parameters of the application.

It is possible to load these parameters from a configuration file. This class can be printed.

6.2.2 Constructor & Destructor Documentation

6.2.2.1 `AppConfig::AppConfig ()` [`inline`]

Initializes the object with zero and empty values.

6.2.2.2 `virtual AppConfig::~AppConfig () [inline],[virtual]`

6.2.3 Member Function Documentation

6.2.3.1 `string AppConfig::address () const [inline]`

Returns the listening address.

Here is the caller graph for this function:

6.2.3.2 `int AppConfig::cache_max_time () const [inline]`

Returns the maximum time for the cache files in seconds.

Here is the caller graph for this function:

6.2.3.3 `string AppConfig::caching_folder () const [inline]`

Returns the folder used for caching.

Here is the caller graph for this function:

6.2.3.4 `int AppConfig::com_time_out () const [inline]`

Returns the connection time-out.

Here is the caller graph for this function:

6.2.3.5 `string AppConfig::images_folder () const [inline]`

Returns the folder of the images.

Here is the caller graph for this function:

6.2.3.6 `bool AppConfig::Load (const char * file_name)`

Loads the parameters from a configuration file.

Parameters

<i>file_name</i>	Configuration file.
------------------	---------------------

Returns

`true` if successful.

Here is the caller graph for this function:

6.2.3.7 `bool AppConfig::log_requests () const [inline]`

Returns `true` if the client requests are logged.

Here is the caller graph for this function:

6.2.3.8 `bool AppConfig::logging () const [inline]`

Returns `true` if the logging messages are allowed.

Here is the caller graph for this function:

6.2.3.9 `string AppConfig::logging_folder () const [inline]`

Returns the folder used for the logging files.

Here is the caller graph for this function:

6.2.3.10 `int AppConfig::max_chunk_size () const [inline]`

Returns the maximum chunk size.

Here is the caller graph for this function:

6.2.3.11 `int AppConfig::max_connections () const [inline]`

Returns the maximum number of connections.

Here is the caller graph for this function:

6.2.3.12 `int AppConfig::port () const [inline]`

Returns the listening port.

Here is the caller graph for this function:

6.2.4 Friends And Related Function Documentation

6.2.4.1 `ostream& operator<< (ostream & out, const AppConfig & cfg) [friend]`

6.2.5 Member Data Documentation

6.2.5.1 `string AppConfig::address_ [private]`

Listening address.

6.2.5.2 `int AppConfig::cache_max_time_ [private]`

Maximum time for the cache files.

6.2.5.3 `string AppConfig::caching_folder_ [private]`

Directory for the caching files.

6.2.5.4 `int AppConfig::com_time_out_ [private]`

Connection time-out.

6.2.5.5 `string AppConfig::images_folder_` [private]

Directory for the images.

6.2.5.6 `int AppConfig::log_requests_` [private]

true if the client requests are logged

6.2.5.7 `int AppConfig::logging_` [private]

true if logs messages are allowed

6.2.5.8 `string AppConfig::logging_folder_` [private]

Directory for the logging files.

6.2.5.9 `int AppConfig::max_chunk_size_` [private]

Maximum chunk size.

6.2.5.10 `int AppConfig::max_connections_` [private]

Maximum number of connections.

6.2.5.11 `int AppConfig::port_` [private]

Listening port.

The documentation for this class was generated from the following files:

- [app_config.h](#)
- [app_config.cc](#)

6.3 ApplInfo Class Reference

Contains the run-time information of the application.

```
#include <app_info.h>
```

Collaboration diagram for ApplInfo:

Classes

- struct [Data](#)
Contains the data block that is maintained in shared memory.

Public Member Functions

- [ApplInfo](#) ()
Initializes the object.
- bool [Init](#) ()

- Initializes the object and the handling of the application run-time information.*
- `bool is_running () const`
Returns true if the application is running.
- `ApplInfo & Update ()`
Updates the run-time information of the application.
- `double available_memory () const`
Returns the available memory of the system.
- `double father_memory () const`
Returns the memory used by the father process.
- `double child_memory () const`
Returns the memory used by the child process.
- `int num_threads () const`
Returns the number of active threads.
- `unsigned long child_time () const`
Returns the time spent by the child process.
- `unsigned long time () const`
Returns the time spent by the father process.
- `Data * operator-> () const`
- `~ApplInfo ()`

Private Member Functions

- `string GetProcStat_ (int pid, int field) const`
Returns a specific field of /proc/<pid>/stat as a string.
- `template<typename TYPE >`
`TYPE GetProcStat (int pid, int field) const`
Returns a specific field of /proc/<pid>/stat as a defined type.

Private Attributes

- `int shmid`
Identifier of the shared memory block.
- `int lock_file`
Lock file.
- `Data * data_ptr`
Pointer to the shared memory block.
- `bool is_running_`
true if the application is running
- `int num_threads_`
Number of active threads.
- `double child_memory_`
Memory used by the child process.
- `unsigned long time_`
Time spent by the father.
- `double father_memory_`
Memory used by the father process.
- `double available_memory_`
Available memory in the system.
- `unsigned long child_time_`
Time spend by the child.

Friends

- ostream & [operator<<](#) (ostream &out, const [AppInfo](#) &app)

6.3.1 Detailed Description

Contains the run-time information of the application.

This class can be printed.

6.3.2 Constructor & Destructor Documentation

6.3.2.1 AppInfo::AppInfo () `[inline]`

Initializes the object.

6.3.2.2 AppInfo::~AppInfo ()

6.3.3 Member Function Documentation

6.3.3.1 double AppInfo::available_memory () const `[inline]`

Returns the available memory of the system.

Here is the caller graph for this function:

6.3.3.2 double AppInfo::child_memory () const `[inline]`

Returns the memory used by the child process.

Here is the caller graph for this function:

6.3.3.3 unsigned long AppInfo::child_time () const `[inline]`

Returns the time spent by the child process.

Here is the caller graph for this function:

6.3.3.4 double AppInfo::father_memory () const `[inline]`

Returns the memory used by the father process.

Here is the caller graph for this function:

6.3.3.5 template<typename TYPE> TYPE AppInfo::GetProcStat (int *pid*, int *field*) const `[inline], [private]`

Returns a specific field of /proc/<pid>/stat as a defined type.

6.3.3.6 string AppInfo::GetProcStat_ (int *pid*, int *field*) const `[private]`

Returns a specific field of /proc/<pid>/stat as a string.

6.3.3.7 `bool ApplInfo::Init ()`

Initializes the object and the handling of the application run-time information.

Returns

`true` if successful.

Here is the caller graph for this function:

6.3.3.8 `bool ApplInfo::is_running () const [inline]`

Returns `true` if the application is running.

Here is the caller graph for this function:

6.3.3.9 `int ApplInfo::num_threads () const [inline]`

Returns the number of active threads.

Here is the caller graph for this function:

6.3.3.10 `Data* ApplInfo::operator-> () const [inline]`

6.3.3.11 `unsigned long ApplInfo::time () const [inline]`

Returns the time spent by the father process.

6.3.3.12 `ApplInfo & ApplInfo::Update ()`

Updates the run-time information of the application.

Here is the caller graph for this function:

6.3.4 Friends And Related Function Documentation

6.3.4.1 `ostream& operator<< (ostream & out, const ApplInfo & app) [friend]`

6.3.5 Member Data Documentation

6.3.5.1 `double ApplInfo::available_memory_ [private]`

Available memory in the system.

6.3.5.2 `double ApplInfo::child_memory_ [private]`

Memory used by the child process.

6.3.5.3 `unsigned long ApplInfo::child_time_ [private]`

Time spend by the child.

6.3.5.4 `Data* ApplInfo::data_ptr` [private]

Pointer to the shared memory block.

6.3.5.5 `double ApplInfo::father_memory_` [private]

Memory used by the father process.

6.3.5.6 `bool ApplInfo::is_running_` [private]

true if the application is running

6.3.5.7 `int ApplInfo::lock_file` [private]

Lock file.

6.3.5.8 `int ApplInfo::num_threads_` [private]

Number of active threads.

6.3.5.9 `int ApplInfo::shmid` [private]

Identifier of the shared memory block.

6.3.5.10 `unsigned long ApplInfo::time_` [private]

Time spent by the father.

The documentation for this class was generated from the following files:

- [app_info.h](#)
- [app_info.cc](#)

6.4 ArgsParser Class Reference

Class that allows to parse and handle the application command line parameters.

```
#include <args_parser.h>
```

Collaboration diagram for ArgsParser:

Public Member Functions

- [ArgsParser](#) ([AppConfig](#) &_cfg, [ApplInfo](#) &_app_info)
Initializes the object.
- `bool` [Parse](#) (int argc, char **argv)
Parses and handles the application command line parameters.

Private Attributes

- [AppConfig](#) & `cfg`
Application configuration.
- [AppInfo](#) & `app_info`
Application run-time information.

6.4.1 Detailed Description

Class that allows to parse and handle the application command line parameters.

6.4.2 Constructor & Destructor Documentation

6.4.2.1 ArgsParser::ArgsParser (AppConfig & _cfg, AppInfo & _app_info) `[inline]`

Initializes the object.

Parameters

<code>_cfg</code>	Application configuration.
<code>_app_info</code>	Application run-time information.

6.4.3 Member Function Documentation

6.4.3.1 bool ArgsParser::Parse (int argc, char ** argv)

Parses and handles the application command line parameters.

Parameters

<code>argc</code>	Number of parameters.
<code>argv</code>	Command line parameters.

Returns

`true` if successful.

Here is the call graph for this function:

6.4.4 Member Data Documentation

6.4.4.1 AppInfo& ArgsParser::app_info `[private]`

Application run-time information.

6.4.4.2 AppConfig& ArgsParser::cfg `[private]`

Application configuration.

The documentation for this class was generated from the following files:

- [args_parser.h](#)
- [args_parser.cc](#)

6.5 base Struct Reference

Contains a set of useful static methods used by the application.

```
#include <base.h>
```

Collaboration diagram for base:

Static Public Member Functions

- `template<typename TYPE >`
`static std::string to_string (TYPE val)`
Converts a value to a string.
- `template<typename T >`
`static void copy (std::vector< T > &dest, const std::vector< T > &src)`
Copies a vector.
- `template<typename T >`
`static void copy (std::vector< std::vector< T > > &dest, const std::vector< std::vector< T > > &src)`
Copies a vector of vectors.
- `template<typename T1 , typename T2 >`
`static void copy (std::multimap< T1, T2 > &dest, const std::multimap< T1, T2 > &src)`
Copies a multimap.

6.5.1 Detailed Description

Contains a set of useful static methods used by the application.

6.5.2 Member Function Documentation

6.5.2.1 `template<typename T > static void base::copy (std::vector< T > & dest, const std::vector< T > & src)`
`[inline], [static]`

Copies a vector.

Here is the caller graph for this function:

6.5.2.2 `template<typename T > static void base::copy (std::vector< std::vector< T > > & dest, const std::vector< std::vector< T > > & src)` `[inline], [static]`

Copies a vector of vectors.

Here is the call graph for this function:

6.5.2.3 `template<typename T1 , typename T2 > static void base::copy (std::multimap< T1, T2 > & dest, const std::multimap< T1, T2 > & src)` `[inline], [static]`

Copies a multimap.

6.5.2.4 `template<typename TYPE > static std::string base::to_string (TYPE val)` `[inline], [static]`

Converts a value to a string.

Parameters

<i>val</i>	Value to convert.
------------	-------------------

Here is the caller graph for this function:

The documentation for this struct was generated from the following file:

- [base.h](#)

6.6 data::BaseFile< IO > Class Template Reference

This is a wrapper class for the `FILE` functions that provides all the functionality to handle files safely.

```
#include <file.h>
```

Collaboration diagram for data::BaseFile< IO >:

Public Types

- typedef [SHARED_PTR< BaseFile< IO >>](#) [Ptr](#)
Safe pointer to this class.

Public Member Functions

- [BaseFile](#) ()
Initialized the internal file pointer to `NULL`.
- bool [Open](#) (const char *file_name, const char *access)
Opens a file with a specific access mode.
- bool [Open](#) (const string &file_name, const char *access)
Opens a file with a specific access mode.
- template<class IO2 >
bool [Open](#) (const [BaseFile](#)< IO2 > &file, const char *access)
Opens a file with a specific access mode given an already opened `File` object.
- bool [OpenForReading](#) (const char *file_name)
- bool [OpenForReading](#) (const string &file_name)
- template<class IO2 >
bool [OpenForReading](#) (const [BaseFile](#)< IO2 > &file)
- bool [OpenForWriting](#) (const char *file_name)
- bool [OpenForWriting](#) (const string &file_name)
- template<class IO2 >
bool [OpenForWriting](#) (const [BaseFile](#)< IO2 > &file)
- bool [Seek](#) (int offset, int origin=SEEK_SET) const
Changes the current position of the file.
- void [Close](#) ()
Closes the file.
- uint64_t [GetOffset](#) () const
Returns the current file position.
- int [IsEOF](#) () const
Returns the EOF status (`feof`) of the file.
- int [GetDescriptor](#) () const
Returns the file descriptor.
- uint64_t [GetSize](#) () const

- Return the current size of the file, without modifying the file position.*

 - int [ReadByte](#) () const
Reads a byte from the file.
 - template<typename T >
bool [Read](#) (T *value, int num_bytes=sizeof(T)) const
Reads a value from the file.
 - template<typename T >
bool [ReadReverse](#) (T *value, int num_bytes=sizeof(T)) const
Reads a value from the file in reverse order.
 - int [WriteByte](#) (int c) const
Writes a byte to the file.
 - template<typename T >
bool [Write](#) (T *value, int num_bytes=sizeof(T)) const
Writes a value to the file.
 - template<typename T >
bool [WriteReverse](#) (T *value, int num_bytes=sizeof(T)) const
Writes a value to the file in reverse order.
 - bool [IsValid](#) () const
Returns true if the file pointer is not NULL.
 - operator bool () const
Returns true if the file pointer is not NULL.
 - virtual [~BaseFile](#) ()
The destructor closes the file.

Static Public Member Functions

- static bool [Exists](#) (const char *file_name)
Returns true if the given file exists.

Private Attributes

- FILE * [file_ptr](#)
File pointer.

6.6.1 Detailed Description

template<class IO>class data::BaseFile< IO >

This is a wrapper class for the FILE functions that provides all the functionality to handle files safely.

It is defined as a template in order to allow to use either the locked or the unlocked API, by means of the structs [LockedAccess](#) and [UnlockedAccess](#). The unlocked API is not thread-safe, but it provides faster file operations.

See Also

[LockedAccess](#)
[UnlockedAccess](#)

6.6.2 Member Typedef Documentation

6.6.2.1 template<class IO> typedef SHARED_PTR< BaseFile<IO> > data::BaseFile< IO >::Ptr

Safe pointer to this class.

6.6.3 Constructor & Destructor Documentation

6.6.3.1 `template<class IO> data::BaseFile< IO >::BaseFile () [inline]`

Initialized the internal file pointer to `NULL`.

6.6.3.2 `template<class IO> virtual data::BaseFile< IO >::~~BaseFile () [inline],[virtual]`

The destructor closes the file.

6.6.4 Member Function Documentation

6.6.4.1 `template<class IO> void data::BaseFile< IO >::Close () [inline]`

Closes the file.

Here is the caller graph for this function:

6.6.4.2 `template<class IO> static bool data::BaseFile< IO >::Exists (const char * file_name) [inline],[static]`

Returns `true` if the given file exists.

This is a wrapper of the system function `stat`.

6.6.4.3 `template<class IO> int data::BaseFile< IO >::GetDescriptor () const [inline]`

Returns the file descriptor.

Here is the caller graph for this function:

6.6.4.4 `template<class IO> uint64_t data::BaseFile< IO >::GetOffset () const [inline]`

Returns the current file position.

Here is the caller graph for this function:

6.6.4.5 `template<class IO> uint64_t data::BaseFile< IO >::GetSize () const [inline]`

Return the current size of the file, without modifying the file position.

Here is the caller graph for this function:

6.6.4.6 `template<class IO> int data::BaseFile< IO >::IsEOF () const [inline]`

Returns the EOF status (`feof`) of the file.

6.6.4.7 `template<class IO> bool data::BaseFile< IO >::IsValid () const [inline]`

Returns `true` if the file pointer is not `NULL`.

Here is the caller graph for this function:

6.6.4.8 `template<class IO> bool data::BaseFile< IO >::Open (const char * file_name, const char * access)`
`[inline]`

Opens a file with a specific access mode.

Parameters

<i>file_name</i>	Path name of the file to open.
<i>access</i>	Access mode as a <code>fopen</code> compatible format string.

Returns

`true` if successful.

6.6.4.9 `template<class IO> bool data::BaseFile< IO >::Open (const string & file_name, const char * access)`
`[inline]`

Opens a file with a specific access mode.

Parameters

<i>file_name</i>	Path name of the file to open.
<i>access</i>	Access mode as a <code>fopen</code> compatible format string.

Returns

`true` if successful.

6.6.4.10 `template<class IO> template<class IO2 > bool data::BaseFile< IO >::Open (const BaseFile< IO2 > & file, const char * access)` `[inline]`

Opens a file with a specific access mode given an already opened `File` object.

The descriptor of the opened file is duplicated and re-opened with the access mode given.

Parameters

<i>file</i>	Opened file.
<i>access</i>	Access mode as a <code>fopen</code> compatible format string.

Returns

`true` if successful.

6.6.4.11 `template<class IO> bool data::BaseFile< IO >::OpenForReading (const char * file_name)` `[inline]`

Here is the caller graph for this function:

6.6.4.12 `template<class IO> bool data::BaseFile< IO >::OpenForReading (const string & file_name)` `[inline]`

6.6.4.13 `template<class IO> template<class IO2 > bool data::BaseFile< IO >::OpenForReading (const BaseFile< IO2 > & file)` `[inline]`

6.6.4.14 `template<class IO> bool data::BaseFile< IO >::OpenForWriting (const char * file_name)` `[inline]`

6.6.4.15 `template<class IO> bool data::BaseFile< IO >::OpenForWriting (const string & file_name)` `[inline]`

6.6.4.16 `template<class IO> template<class IO2 > bool data::BaseFile< IO >::OpenForWriting (const BaseFile< IO2 > & file)` `[inline]`

6.6.4.17 `template<class IO> data::BaseFile< IO >::operator bool () const` `[inline]`

Returns `true` if the file pointer is not `NULL`.

6.6.4.18 `template<class IO> template<typename T > bool data::BaseFile< IO >::Read (T * value, int num_bytes = sizeof(T)) const [inline]`

Reads a value from the file.

Parameters

<i>value</i>	Pointer to the value where to store.
<i>num_bytes</i>	Number of bytes to read (by default, the size of the value).

Returns

`true` if successful.

Here is the caller graph for this function:

6.6.4.19 `template<class IO> int data::BaseFile< IO >::ReadByte () const [inline]`

Reads a byte from the file.

6.6.4.20 `template<class IO> template<typename T > bool data::BaseFile< IO >::ReadReverse (T * value, int num_bytes = sizeof(T)) const [inline]`

Reads a value from the file in reverse order.

Parameters

<i>value</i>	Pointer to the value where to store.
<i>num_bytes</i>	Number of bytes to read (by default, the size of the value).

Returns

`true` if successful.

Here is the caller graph for this function:

6.6.4.21 `template<class IO> bool data::BaseFile< IO >::Seek (int offset, int origin = SEEK_SET) const [inline]`

Changes the current position of the file.

Parameters

<i>offset</i>	Offset to add to the current position.
<i>origin</i>	Origin to use for the change (SEEK_SET by default).

Returns

`true` if successful.

Here is the caller graph for this function:

6.6.4.22 `template<class IO> template<typename T > bool data::BaseFile< IO >::Write (T * value, int num_bytes = sizeof(T)) const [inline]`

Writes a value to the file.

Parameters

<i>value</i>	Pointer to the value.
<i>num_bytes</i>	Number of bytes to write (by default, the size of the value).

Returns

`true` if successful.

Here is the caller graph for this function:

6.6.4.23 `template<class IO> int data::BaseFile< IO >::WriteByte (int c) const [inline]`

Writes a byte to the file.

6.6.4.24 `template<class IO> template<typename T > bool data::BaseFile< IO >::WriteReverse (T * value, int num_bytes = sizeof(T)) const [inline]`

Writes a value to the file in reverse order.

Parameters

<i>value</i>	Pointer to the value.
<i>num_bytes</i>	Number of bytes to write (by default, the size of the value).

Returns

`true` if successful.

6.6.5 Member Data Documentation

6.6.5.1 `template<class IO> FILE* data::BaseFile< IO >::file_ptr [private]`

File pointer.

The documentation for this class was generated from the following file:

- [data/file.h](#)

6.7 data::BaseStream< StreamClass, StreamOperator > Class Template Reference

This template is used as the base for the input/output stream classes.

```
#include <serialize.h>
```

Collaboration diagram for data::BaseStream< StreamClass, StreamOperator >:

Public Member Functions

- [BaseStream](#) ()
Initializes the status to false.
- [StreamClass & Open](#) (const char *file_name)
Opens a file for serialization.
- [StreamClass & Open](#) (const char *file_name, const char *access)
Opens a file for serialization.

- StreamClass & [Close](#) ()
Closes the file of the serialization and finish the serialization.
- StreamClass & [SerializeBytes](#) (void *ptr, int num_bytes)
Serializes a number of bytes.
- template<typename T >
StreamClass & [operator&](#) (T &var)
This operator overloading is the key of the serialization mechanism.
- bool [result](#) () const
Returns the internal serialization status.
- [operator bool](#) () const
Return the internal serialization status.
- virtual [~BaseStream](#) ()
The destructor automatically closes the file-.

Protected Attributes

- File [file_](#)
File used for the serialization.
- bool [result_](#)
Internal current status of the serialization.

6.7.1 Detailed Description

template<typename StreamClass, typename StreamOperator> class data::BaseStream< StreamClass, StreamOperator >

This template is used as the base for the input/output stream classes.

Contains the basic functionality for the serialization with files, composed by a file object and an internal status. This status is updated with each operation and, in a sequence of serialization, this is stopped just after this status is set to `false`.

In order to have a type serializable, it must comply with one of these requirements: i) to have implemented a "serializer" with the class [Serializer](#), or ii) to have defined a member method called `SerializeWith`.

The first option is useful for the basic types (int, float, etc.) and for those classes already defined and that can not be modified. The second option is more elegant for those classes that can be modified specifically for serialization.

The `SerializeWith` method must be defined as follows:

```
template<typename T> T& SerializeWith(T& stream) { return (stream & member1
& member2 & ...); }
```

See Also

[Serializer](#)
[InputStream](#)
[OutputStream](#)

6.7.2 Constructor & Destructor Documentation

6.7.2.1 template<typename StreamClass, typename StreamOperator> data::BaseStream< StreamClass, StreamOperator >::BaseStream () [inline]

Initializes the status to `false`.

6.7.2.2 `template<typename StreamClass, typename StreamOperator> virtual data::BaseStream< StreamClass, StreamOperator >::~~BaseStream () [inline], [virtual]`

The destructor automatically closes the file-.

6.7.3 Member Function Documentation

6.7.3.1 `template<typename StreamClass, typename StreamOperator> StreamClass& data::BaseStream< StreamClass, StreamOperator >::Close () [inline]`

Closes the file of the serialization and finish the serialization.

Here is the caller graph for this function:

6.7.3.2 `template<typename StreamClass, typename StreamOperator> StreamClass& data::BaseStream< StreamClass, StreamOperator >::Open (const char * file_name) [inline]`

Opens a file for serialization.

Parameters

<i>file_name</i>	Path name of the file to open.
------------------	--------------------------------

Returns

*this.

Here is the caller graph for this function:

6.7.3.3 `template<typename StreamClass, typename StreamOperator> StreamClass& data::BaseStream< StreamClass, StreamOperator >::Open (const char * file_name, const char * access) [inline]`

Opens a file for serialization.

Parameters

<i>file_name</i>	Path name of the file to open.
<i>access</i>	Access mode to use to open the file.

Returns

*this.

6.7.3.4 `template<typename StreamClass, typename StreamOperator> data::BaseStream< StreamClass, StreamOperator >::operator bool () const [inline]`

Return the internal serialization status.

6.7.3.5 `template<typename StreamClass, typename StreamOperator> template<typename T > StreamClass& data::BaseStream< StreamClass, StreamOperator >::operator& (T & var) [inline]`

This operator overloading is the key of the serialization mechanism.

6.7.3.6 `template<typename StreamClass, typename StreamOperator> bool data::BaseStream< StreamClass, StreamOperator >::result () const [inline]`

Returns the internal serialization status.

6.7.3.7 `template<typename StreamClass, typename StreamOperator> StreamClass& data::BaseStream< StreamClass, StreamOperator >::SerializeBytes (void * ptr, int num_bytes) [inline]`

Serializes a number of bytes.

Depending on the stream operator in the template, this serialization is either a read or a write operation.

Parameters

<i>ptr</i>	Pointer to the buffer.
<i>num_bytes</i>	Number of bytes.

Returns

`*this.`

Here is the caller graph for this function:

6.7.4 Member Data Documentation

6.7.4.1 `template<typename StreamClass, typename StreamOperator> File data::BaseStream< StreamClass, StreamOperator >::file_ [protected]`

File used for the serialization.

6.7.4.2 `template<typename StreamClass, typename StreamOperator> bool data::BaseStream< StreamClass, StreamOperator >::result_ [protected]`

Internal current status of the serialization.

The documentation for this class was generated from the following file:

- [data/serialize.h](#)

6.8 jpip::CacheModel Class Reference

The cache model of a JPIP client is handled using this class.

```
#include <cache_model.h>
```

Collaboration diagram for jpip::CacheModel:

Classes

- class [Codestream](#)

Sub-class of the cache model class used to identify a codestream.

Public Member Functions

- [CacheModel](#) ()
Empty constructor.
- [CacheModel](#) (const [CacheModel](#) &model)
Copy constructor.
- [CacheModel](#) & [operator=](#) (const [CacheModel](#) &model)
Copy assignment.
- [CacheModel](#) & [operator+=](#) (const [CacheModel](#) &model)
Add the content of the given cache model.
- template<typename T >
T & [SerializeWith](#) (T &stream)
- [Codestream](#) & [GetCodestream](#) (int num_codestream)
Returns the reference of a codestream.
- int [GetMetadata](#) (int id)
Returns the amount of a meta-data.
- int [AddToMetadata](#) (int id, int amount, bool complete=false)
Increases the amount of a meta-data.
- template<int BIN_CLASS>
int [GetDataBin](#) (int num_codestream, int id)
Returns the amount of a data-bin item using the class [DataBinSelector](#).
- template<int BIN_CLASS>
int [AddToDataBin](#) (int num_codestream, int id, int amount, bool complete=false)
Increases the amount of a data-bin item using the class [DataBinSelector](#).
- bool [IsFullMetadata](#) () const
Returns the full flag of the meta-datas.
- void [SetFullMetadata](#) ()
Sets the full flag for the meta-datas to true.
- void [Pack](#) (int min_sum=1)
Calls the `Pack` method of all the codestreams.
- void [Clear](#) ()
Clear all the amounts.
- virtual [~CacheModel](#) ()

Private Attributes

- bool [full_meta](#)
Says if the meta-data has been totally sent.
- vector< int > [meta_data](#)
Amounts for the meta-datas.
- vector< [Codestream](#) > [codestreams](#)
Amounts for the codestreams.

6.8.1 Detailed Description

The cache model of a JPIP client is handled using this class.

It allows to maintain a cache model recording the amount of data sent by the server regarding the meta-datas, headers, tile-headers and precincts. This implementation only allows to record incremental amounts, from the beginning of each entity. The value `INT_MAX` is used to specify that an item is complete. This class is serializable.

6.8.2 Constructor & Destructor Documentation

6.8.2.1 `jpip::CacheModel::CacheModel ()` `[inline]`

Empty constructor.

6.8.2.2 `jpip::CacheModel::CacheModel (const CacheModel & model)` `[inline]`

Copy constructor.

6.8.2.3 `virtual jpip::CacheModel::~~CacheModel ()` `[inline]`, `[virtual]`

6.8.3 Member Function Documentation

6.8.3.1 `template<int BIN_CLASS> int jpip::CacheModel::AddToDataBin (int num_codestream, int id, int amount, bool complete = false)` `[inline]`

Increases the amount of a data-bin item using the class [DataBinSelector](#).

Parameters

<i>num_ - codestream</i>	Index number of the associated codestream.
<i>id</i>	Index number of the data-bin.
<i>amount</i>	Amount increment.
<i>complete</i>	<code>true</code> if the data-bin is complete after the increment.

Returns

the new amount value.

6.8.3.2 `int jpip::CacheModel::AddToMetadata (int id, int amount, bool complete = false)` `[inline]`

Increases the amount of a meta-data.

Parameters

<i>id</i>	Index number of the meta-data.
<i>amount</i>	Amount increment.
<i>complete</i>	<code>true</code> if the meta-data is complete after the increment.

Returns

the new amount value.

Here is the caller graph for this function:

6.8.3.3 `void jpip::CacheModel::Clear ()` `[inline]`

Clear all the amounts.

Here is the caller graph for this function:

6.8.3.4 `Codestream& jpip::CacheModel::GetCodestream (int num_codestream)` `[inline]`

Returns the reference of a codestream.

Parameters

<i>num_ - codestream</i>	Index number of the codestream.
------------------------------	---------------------------------

Here is the caller graph for this function:

6.8.3.5 `template<int BIN_CLASS> int jpip::CacheModel::GetDataBin (int num_codestream, int id) [inline]`

Returns the amount of a data-bin item using the class [DataBinSelector](#).

Parameters

<i>num_ - codestream</i>	Index number of the associated codestream.
<i>id</i>	Index number of the data-bin.

6.8.3.6 `int jpip::CacheModel::GetMetadata (int id) [inline]`

Returns the amount of a meta-data.

Parameters

<i>id</i>	Index number of the meta-data.
-----------	--------------------------------

Here is the caller graph for this function:

6.8.3.7 `bool jpip::CacheModel::IsFullMetadata () const [inline]`

Returns the full flag of the meta-datas.

Here is the caller graph for this function:

6.8.3.8 `CacheModel& jpip::CacheModel::operator+= (const CacheModel & model) [inline]`

Add the content of the given cache model.

6.8.3.9 `CacheModel& jpip::CacheModel::operator= (const CacheModel & model) [inline]`

Copy assignment.

Here is the call graph for this function:

6.8.3.10 `void jpip::CacheModel::Pack (int min_sum = 1) [inline]`

Calls the `Pack` method of all the codestreams.

Here is the caller graph for this function:

6.8.3.11 `template<typename T> T& jpip::CacheModel::SerializeWith (T & stream) [inline]`

6.8.3.12 `void jpip::CacheModel::SetFullMetadata () [inline]`

Sets the full flag for the meta-datas to true.

Here is the caller graph for this function:

6.8.4 Member Data Documentation

6.8.4.1 `vector<Codestream> jpip::CacheModel::codestreams` [private]

Amounts for the codestreams.

6.8.4.2 `bool jpip::CacheModel::full_meta` [private]

Says if the meta-data has been totally sent.

6.8.4.3 `vector<int> jpip::CacheModel::meta_data` [private]

Amounts for the meta-datas.

The documentation for this class was generated from the following file:

- [jpip/cache_model.h](#)

6.9 ClientInfo Class Reference

Contains information of a connected client.

```
#include <client_info.h>
```

Collaboration diagram for ClientInfo:

Public Member Functions

- [ClientInfo](#) (int [base_id](#), int [sock](#), int [father_sock](#))
Initializes the object.
- int [sock](#) () const
Returns the client socket.
- int [base_id](#) () const
Returns the base identifier.
- int [father_sock](#) () const
Returns the father socket.
- long [bytes_sent](#) () const
Returns the total bytes sent.
- long [time](#) () const
Returns the time spent from the starting of the connection.
- virtual [~ClientInfo](#) ()

Private Attributes

- int [sock_](#)
Client socket.
- int [base_id_](#)
Base identifier.
- time_t [tm_start](#)
When the connection started.
- int [father_sock_](#)
Father socket.

- long [bytes_sent](#)
Total bytes sent.

6.9.1 Detailed Description

Contains information of a connected client.

6.9.2 Constructor & Destructor Documentation

6.9.2.1 ClientInfo::ClientInfo (int *base_id*, int *sock*, int *father_sock*) [inline]

Initializes the object.

Parameters

<i>base_id</i>	Base identifier.
<i>sock</i>	Client socket.
<i>father_sock</i>	Father socket.

Here is the call graph for this function:

6.9.2.2 virtual ClientInfo::~~ClientInfo () [inline],[virtual]

6.9.3 Member Function Documentation

6.9.3.1 int ClientInfo::base_id () const [inline]

Returns the base identifier.

Here is the caller graph for this function:

6.9.3.2 long ClientInfo::bytes_sent () const [inline]

Returns the total bytes sent.

6.9.3.3 int ClientInfo::father_sock () const [inline]

Returns the father socket.

Here is the caller graph for this function:

6.9.3.4 int ClientInfo::sock () const [inline]

Returns the client socket.

Here is the caller graph for this function:

6.9.3.5 long ClientInfo::time () const [inline]

Returns the time spent from the starting of the connection.

Here is the caller graph for this function:

6.9.4 Member Data Documentation

6.9.4.1 `int ClientInfo::base_id_` [private]

Base identifier.

6.9.4.2 `long ClientInfo::bytes_sent_` [private]

Total bytes sent.

6.9.4.3 `int ClientInfo::father_sock_` [private]

Father socket.

6.9.4.4 `int ClientInfo::sock_` [private]

Client socket.

6.9.4.5 `time_t ClientInfo::tm_start` [private]

When the connection started.

The documentation for this class was generated from the following file:

- [client_info.h](#)

6.10 ClientManager Class Reference

Handles a client connection with a dedicated thread.

```
#include <client_manager.h>
```

Collaboration diagram for ClientManager:

Public Member Functions

- [ClientManager](#) ([AppConfig](#) &_cfg, [AppInfo](#) &_app_info, [IndexManager](#) &_index_manager)
Initializes the object.
- void [Run](#) ([ClientInfo](#) *client_info)
Starts the handling of a client connection.
- void [RunBasic](#) ([ClientInfo](#) *client_info)
Starts the handling of a client connection but it does not do anything.
- virtual [~ClientManager](#) ()

Private Attributes

- [AppConfig](#) & cfg
Application configuration.
- [AppInfo](#) & app_info
Application run-time information.
- [IndexManager](#) & index_manager
Index manager.

6.10.1 Detailed Description

Handles a client connection with a dedicated thread.

6.10.2 Constructor & Destructor Documentation

6.10.2.1 ClientManager::ClientManager (AppConfig & _cfg, AppInfo & _app_info, IndexManager & _index_manager) [inline]

Initializes the object.

Parameters

<i>_cfg</i>	Application configuration.
<i>_app_info</i>	Application run-time information.
<i>_index_manager</i>	Index manager.

6.10.2.2 virtual ClientManager::~ClientManager () [inline],[virtual]

6.10.3 Member Function Documentation

6.10.3.1 void ClientManager::Run (ClientInfo * client_info)

Starts the handling of a client connection.

Parameters

<i>client_info</i>	Client information.
--------------------	---------------------

Here is the call graph for this function:

Here is the caller graph for this function:

6.10.3.2 void ClientManager::RunBasic (ClientInfo * client_info)

Starts the handling of a client connection but it does not do anything.

This method is used for testing the architecture of the server.

Parameters

<i>client_info</i>	Client information.
--------------------	---------------------

Here is the call graph for this function:

Here is the caller graph for this function:

6.10.4 Member Data Documentation

6.10.4.1 AppInfo& ClientManager::app_info [private]

Application run-time information.

6.10.4.2 AppConfig& ClientManager::cfg [private]

Application configuration.

6.10.4.3 IndexManager& ClientManager::index_manager [private]

Index manager.

The documentation for this class was generated from the following files:

- [client_manager.h](#)
- [client_manager.cc](#)

6.11 jpip::CacheModel::Codestream Class Reference

Sub-class of the cache model class used to identify a codestream.

```
#include <cache_model.h>
```

Collaboration diagram for jpip::CacheModel::Codestream:

Public Member Functions

- [Codestream](#) ()
Initializes all the members to zero.
- [Codestream](#) (const [Codestream](#) &model)
Copy constructor.
- [Codestream](#) & [operator=](#) (const [Codestream](#) &model)
Copy assignment.
- [Codestream](#) & [operator+=](#) (const [Codestream](#) &model)
Add the content of the given codestream cache model.
- template<typename T >
T & [SerializeWith](#) (T &stream)
- int [GetMainHeader](#) () const
Returns the amount of the main header.
- int [GetTileHeader](#) () const
Returns the amount of the tile header.
- int [AddToMainHeader](#) (int amount, bool complete=false)
Increases the amount of the main header.
- int [AddToTileHeader](#) (int amount, bool complete=false)
Increases the amount of the tile header.
- int [GetPrecinct](#) (int num_precinct)
Returns the amount of a precinct.
- int [AddToPrecinct](#) (int num_precinct, int amount, bool complete=false)
Increases the amount of a precinct.
- void [Pack](#) (int min_sum=1)
Packs the information stored regarding the precincts, removing those initial elements that are consecutive and completes.

Private Attributes

- int [header](#)
Amount for the header.
- int [tile_header](#)
Amount for the tile-header.
- vector< int > [precincts](#)

Amount for the precincts.

- int `min_precinct`

Minimum identifier of the non-consecutive precinct completely sent.

6.11.1 Detailed Description

Sub-class of the cache model class used to identify a codestream.

This class is serializable.

6.11.2 Constructor & Destructor Documentation

6.11.2.1 `jpip::CacheModel::Codestream::Codestream ()` `[inline]`

Initializes all the members to zero.

6.11.2.2 `jpip::CacheModel::Codestream::Codestream (const Codestream & model)` `[inline]`

Copy constructor.

6.11.3 Member Function Documentation

6.11.3.1 `int jpip::CacheModel::Codestream::AddToMainHeader (int amount, bool complete = false)` `[inline]`

Increases the amount of the main header.

Parameters

<i>amount</i>	Amount increment.
<i>complete</i>	<code>true</code> if the main header is complete after the increment.

Returns

the new amount value.

Here is the caller graph for this function:

6.11.3.2 `int jpip::CacheModel::Codestream::AddToPrecinct (int num_precinct, int amount, bool complete = false)` `[inline]`

Increases the amount of a precinct.

Parameters

<i>num_precinct</i>	Index number of the precinct.
<i>amount</i>	Amount increment.
<i>complete</i>	<code>true</code> if the precinct is complete after the increment.

Returns

the new amount value.

Here is the caller graph for this function:

6.11.3.3 `int jpip::CacheModel::Codestream::AddToTileHeader (int amount, bool complete = false) [inline]`

Increases the amount of the tile header.

Parameters

<i>amount</i>	Amount increment.
<i>complete</i>	<code>true</code> if the tile header is complete after the increment.

Returns

the new amount value.

Here is the caller graph for this function:

6.11.3.4 `int jpip::CacheModel::Codestream::GetMainHeader () const [inline]`

Returns the amount of the main header.

Here is the caller graph for this function:

6.11.3.5 `int jpip::CacheModel::Codestream::GetPrecinct (int num_precinct) [inline]`

Returns the amount of a precinct.

Parameters

<i>num_precinct</i>	Index number of the precinct.
---------------------	-------------------------------

Here is the caller graph for this function:

6.11.3.6 `int jpip::CacheModel::Codestream::GetTileHeader () const [inline]`

Returns the amount of the tile header.

Here is the caller graph for this function:

6.11.3.7 `Codestream& jpip::CacheModel::Codestream::operator+=(const Codestream & model) [inline]`

Add the content of the given codestream cache model.

6.11.3.8 `Codestream& jpip::CacheModel::Codestream::operator=(const Codestream & model) [inline]`

Copy assignment.

Here is the call graph for this function:

6.11.3.9 `void jpip::CacheModel::Codestream::Pack (int min_sum = 1) [inline]`

Packs the information stored regarding the precincts, removing those initial elements that are consecutive and completes.

Parameters

<i>min_sum</i>	Only the packing is performed if there are a number of items equal or greater than this value (1 by default).
----------------	---

6.11.3.10 `template<typename T> T& jpip::CacheModel::Codestream::SerializeWith (T & stream) [inline]`

6.11.4 Member Data Documentation

6.11.4.1 `int jpip::CacheModel::Codestream::header` [private]

Amount for the header.

6.11.4.2 `int jpip::CacheModel::Codestream::min_precinct` [private]

Minimum identifier of the non-consecutive precinct completely sent.

All the initial precincts already sent completely to the client are removed, so this value contains the next precinct. The vector `precincts` is related to the precincts starting from this index.

6.11.4.3 `vector<int> jpip::CacheModel::Codestream::precincts` [private]

Amount for the precincts.

6.11.4.4 `int jpip::CacheModel::Codestream::tile_header` [private]

Amount for the tile-header.

The documentation for this class was generated from the following file:

- [jpip/cache_model.h](#)

6.12 `jpeg2000::CodestreamIndex` Class Reference

Class used for indexing the information of a JPEG2000 codestream.

```
#include <codestream_index.h>
```

Collaboration diagram for `jpeg2000::CodestreamIndex`:

Public Member Functions

- [CodestreamIndex](#) ()
Empty constructor.
- [CodestreamIndex](#) (const [CodestreamIndex](#) &index)
Copy constructor.
- void [Clear](#) ()
Clears the information.
- const [CodestreamIndex](#) & [operator=](#) (const [CodestreamIndex](#) &index)
Copy assignment.
- template<typename T >
T & [SerializeWith](#) (T &stream)
- virtual [~CodestreamIndex](#) ()

Public Attributes

- [FileSegment](#) header
Main header segment.
- vector< [FileSegment](#) > packets
Tile-part packets segments.

- `vector< FileSegment > PLT_markers`
PLT markers segments.

Friends

- `ostream & operator<< (ostream &out, const CodestreamIndex &index)`

6.12.1 Detailed Description

Class used for indexing the information of a JPEG2000 codestream.

The indexed information is the segment of the main header, the contiguous segments of packets (usually the data of each tile-part) and the segments of the existing PLT markers. This class can be printed and serialized.

See Also

[data::FileSegment](#)

6.12.2 Constructor & Destructor Documentation

6.12.2.1 `jpeg2000::CodestreamIndex::CodestreamIndex ()` `[inline]`

Empty constructor.

6.12.2.2 `jpeg2000::CodestreamIndex::CodestreamIndex (const CodestreamIndex &index)` `[inline]`

Copy constructor.

6.12.2.3 `virtual jpeg2000::CodestreamIndex::~~CodestreamIndex ()` `[inline],[virtual]`

6.12.3 Member Function Documentation

6.12.3.1 `void jpeg2000::CodestreamIndex::Clear ()` `[inline]`

Clears the information.

6.12.3.2 `const CodestreamIndex& jpeg2000::CodestreamIndex::operator= (const CodestreamIndex &index)`
`[inline]`

Copy assignment.

Here is the call graph for this function:

6.12.3.3 `template<typename T> T& jpeg2000::CodestreamIndex::SerializeWith (T &stream)` `[inline]`

6.12.4 Friends And Related Function Documentation

6.12.4.1 `ostream& operator<< (ostream &out, const CodestreamIndex &index)` `[friend]`

6.12.5 Member Data Documentation

6.12.5.1 `FileSegment jpeg2000::CodestreamIndex::header`

Main header segment.

6.12.5.2 `vector<FileSegment> jpeg2000::CodestreamIndex::packets`

Tile-part packets segments.

6.12.5.3 `vector<FileSegment> jpeg2000::CodestreamIndex::PLT_markers`

PLT markers segments.

The documentation for this class was generated from the following file:

- [jpeg2000/codestream_index.h](#)

6.13 `jpeg2000::CodingParameters` Class Reference

Contains the coding parameters of a JPEG2000 image codestream.

```
#include <coding_parameters.h>
```

Collaboration diagram for `jpeg2000::CodingParameters`:

Public Types

- enum {
`LRCP_PROGRESSION = 0, RLCP_PROGRESSION = 1, RPCL_PROGRESSION = 2, PCRL_PROGRESSION = 3,`
`CPRL_PROGRESSION = 4 }`
All the progression orders defined in the JPEG2000 standard (Part 1).
- typedef `SHARED_PTR`
`< CodingParameters > Ptr`
Pointer to an object of this class.

Public Member Functions

- `CodingParameters ()`
Initializes the object.
- `CodingParameters (const CodingParameters &cod_params)`
Copy constructor.
- `const CodingParameters & operator= (const CodingParameters &cod_params)`
Copy assignment.
- `template<typename T>`
`T & SerializeWith (T &stream)`
- `bool IsResolutionProgression () const`
Returns `true` if the progression is RLCP or RPCL.
- `Size GetPrecincts (int r, const Size &point)`
Returns a precinct coordinate adjusted to a given resolution level.
- `int GetProgressionIndex (const Packet &packet)`
Returns the index of a packet according to the progression order.
- `int GetPrecinctDataBinId (const Packet &packet)`
Returns the data-bin identifier associated to the given packet.
- `int GetClosestResolution (const Size &res_size, Size *res_image_size)`
Returns the resolution level according to the given size and the closest round policy.
- `int GetRoundUpResolution (const Size &res_size, Size *res_image_size)`

- Returns the resolution level according to the given size and the round-up round policy.*
 - int [GetRoundDownResolution](#) (const [Size](#) &res_size, [Size](#) *res_image_size)
 - Returns the resolution level according to the given size and the round-down round policy.*
- virtual [~CodingParameters](#) ()

Public Attributes

- [Size](#) size
Image size.
- int [num_levels](#)
Number of resolution levels.
- int [num_layers](#)
Number of quality layers.
- int [progression](#)
Progression order.
- int [num_components](#)
Number of components.
- vector< [Size](#) > [precinct_size](#)
Precinct sizes of each resolution level.

Private Member Functions

- void [FillTotalPrecinctsVector](#) ()
Fills the vector `total_precincts`.
- int [GetProgressionIndexRPCL](#) (int l, int r, int c, int px, int py)
Returns the index of a packet according to the RPCL progression.
- int [GetProgressionIndexRLCP](#) (int l, int r, int c, int px, int py)
Returns the index of a packet according to the RLCP progression.
- int [GetProgressionIndexLRCP](#) (int l, int r, int c, int px, int py)
Returns the index of a packet according to the LRCP progression.

Private Attributes

- vector< int > [total_precincts](#)
Contains the number of precincts of each resolution level.

Friends

- ostream & [operator<<](#) (ostream &out, const [CodingParameters](#) ¶ms)

6.13.1 Detailed Description

Contains the coding parameters of a JPEG2000 image codestream.

This class can be serialized and printed.

6.13.2 Member Typedef Documentation

6.13.2.1 typedef [SHARED_PTR](#)<[CodingParameters](#)> [jpeg2000::CodingParameters::Ptr](#)

Pointer to an object of this class.

6.13.3 Member Enumeration Documentation

6.13.3.1 anonymous enum

All the progression orders defined in the JPEG2000 standard (Part 1).

Enumerator

LRCP_PROGRESSION LRCP.
RLCP_PROGRESSION RLCP.
RPCL_PROGRESSION RPCL.
PCRL_PROGRESSION PCRL.
CPRL_PROGRESSION CPRL.

6.13.4 Constructor & Destructor Documentation

6.13.4.1 jpeg2000::CodingParameters::CodingParameters () [inline]

Initializes the object.

6.13.4.2 jpeg2000::CodingParameters::CodingParameters (const CodingParameters & *cod_params*) [inline]

Copy constructor.

6.13.4.3 virtual jpeg2000::CodingParameters::~~CodingParameters () [inline],[virtual]

6.13.5 Member Function Documentation

6.13.5.1 void jpeg2000::CodingParameters::FillTotalPrecinctsVector () [private]

Fills the vector `total_precincts`.

Here is the call graph for this function:

Here is the caller graph for this function:

6.13.5.2 int jpeg2000::CodingParameters::GetClosestResolution (const Size & *res_size*, Size * *res_image_size*)

Returns the resolution level according to the given size and the closest round policy.

Parameters

<i>res_size</i>	Resolution size.
<i>res_image_size</i>	Image size associated to the resolution level returned.

6.13.5.3 int jpeg2000::CodingParameters::GetPrecinctDataBinId (const Packet & *packet*) [inline]

Returns the data-bin identifier associated to the given packet.

Parameters

<i>packet</i>	Packet information.
---------------	-------------------------------------

Here is the call graph for this function:

6.13.5.4 Size jpeg2000::CodingParameters::GetPrecincts (int *r*, const Size & *point*) [inline]

Returns a precinct coordinate adjusted to a given resolution level.

Parameters

<i>r</i>	Resolution level.
<i>point</i>	Precinct coordinate.

Here is the caller graph for this function:

6.13.5.5 int jpeg2000::CodingParameters::GetProgressionIndex (const Packet & *packet*) [inline]

Returns the index of a packet according to the progression order.

Parameters

<i>packet</i>	Packet information.
---------------	-------------------------------------

Here is the call graph for this function:

6.13.5.6 int jpeg2000::CodingParameters::GetProgressionIndexLRCP (int *l*, int *r*, int *c*, int *px*, int *py*) [inline], [private]

Returns the index of a packet according to the LRCP progression.

Parameters

<i>l</i>	Quality layer.
<i>r</i>	Resolution level.
<i>c</i>	Component.
<i>px</i>	Precinct position X.
<i>py</i>	Precinct position Y.

Here is the call graph for this function:

Here is the caller graph for this function:

6.13.5.7 int jpeg2000::CodingParameters::GetProgressionIndexRLCP (int *l*, int *r*, int *c*, int *px*, int *py*) [inline], [private]

Returns the index of a packet according to the RLCP progression.

Parameters

<i>l</i>	Quality layer.
<i>r</i>	Resolution level.
<i>c</i>	Component.
<i>px</i>	Precinct position X.
<i>py</i>	Precinct position Y.

Here is the call graph for this function:

Here is the caller graph for this function:

6.13.5.8 `int jpeg2000::CodingParameters::GetProgressionIndexRPCL (int l, int r, int c, int px, int py)` `[inline]`,
`[private]`

Returns the index of a packet according to the RPCL progression.

Parameters

<i>l</i>	Quality layer.
<i>r</i>	Resolution level.
<i>c</i>	Component.
<i>px</i>	Precinct position X.
<i>py</i>	Precinct position Y.

Here is the call graph for this function:

Here is the caller graph for this function:

6.13.5.9 int jpeg2000::CodingParameters::GetRoundDownResolution (const Size & res_size, Size * res_image_size)

Returns the resolution level according to the given size and the round-down round policy.

Parameters

<i>res_size</i>	Resolution size.
<i>res_image_size</i>	Image size associated to the resolution level returned.

6.13.5.10 int jpeg2000::CodingParameters::GetRoundUpResolution (const Size & res_size, Size * res_image_size)

Returns the resolution level according to the given size and the round-up round policy.

Parameters

<i>res_size</i>	Resolution size.
<i>res_image_size</i>	Image size associated to the resolution level returned.

6.13.5.11 bool jpeg2000::CodingParameters::IsResolutionProgression () const [inline]

Returns `true` if the progression is RLCP or RPCL.

6.13.5.12 const CodingParameters& jpeg2000::CodingParameters::operator= (const CodingParameters & cod_params) [inline]

Copy assignment.

Here is the call graph for this function:

6.13.5.13 template<typename T> T& jpeg2000::CodingParameters::SerializeWith (T & stream) [inline]

6.13.6 Friends And Related Function Documentation

6.13.6.1 ostream& operator<< (ostream & out, const CodingParameters & params) [friend]

6.13.7 Member Data Documentation

6.13.7.1 int jpeg2000::CodingParameters::num_components

Number of components.

6.13.7.2 `int jpeg2000::CodingParameters::num_layers`

Number of quality layers.

6.13.7.3 `int jpeg2000::CodingParameters::num_levels`

Number of resolution levels.

6.13.7.4 `vector<Size> jpeg2000::CodingParameters::precinct_size`

Precinct sizes of each resolution level.

6.13.7.5 `int jpeg2000::CodingParameters::progression`

Progression order.

6.13.7.6 `Size jpeg2000::CodingParameters::size`

Image size.

6.13.7.7 `vector<int> jpeg2000::CodingParameters::total_precincts` `[private]`

Contains the number of precincts of each resolution level.

The documentation for this class was generated from the following files:

- [jpeg2000/coding_parameters.h](#)
- [jpeg2000/coding_parameters.cc](#)

6.14 `AppInfo::Data` Struct Reference

Contains the data block that is maintained in shared memory.

Collaboration diagram for `AppInfo::Data`:

Public Member Functions

- void [Reset](#) ()
Clears the values.

Public Attributes

- int [father_pid](#)
PID of the father process.
- int [child_pid](#)
PID of the child process.
- int [num_connections](#)
Number of open connections.
- int [child_iterations](#)
Number of iterations done by the child.

6.14.1 Detailed Description

Contains the data block that is maintained in shared memory.

6.14.2 Member Function Documentation

6.14.2.1 void AppInfo::Data::Reset () `[inline]`

Clears the values.

6.14.3 Member Data Documentation

6.14.3.1 int AppInfo::Data::child_iterations

Number of iterations done by the child.

6.14.3.2 int AppInfo::Data::child_pid

PID of the child process.

6.14.3.3 int AppInfo::Data::father_pid

PID of the father process.

6.14.3.4 int AppInfo::Data::num_connections

Number of open connections.

The documentation for this struct was generated from the following file:

- [app_info.h](#)

6.15 jpip::DataBinClass Class Reference

Class that contains the definitions of all the data-bin classes defined for the JPIP protocol.

```
#include <jpip.h>
```

Collaboration diagram for jpip::DataBinClass:

Public Types

- enum {
[PRECINCT](#) = 0, [EXTENDED_PRECINCT](#) = 1, [TILE_HEADER](#) = 2, [TILE_DATA](#) = 4,
[EXTENDED_TILE](#) = 5, [MAIN_HEADER](#) = 6, [META_DATA](#) = 8 }

Static Public Member Functions

- static const char * [GetName](#) (int class_name)
Returns a string with the name of the databin class name given,.

Private Member Functions

- [DataBinClass](#) ()

6.15.1 Detailed Description

Class that contains the definitions of all the data-bin classes defined for the JPIP protocol.

It is not possible to create an object of this class.

6.15.2 Member Enumeration Documentation

6.15.2.1 anonymous enum

Enumerator

PRECINCT Class identifier for precinct data-bins.

EXTENDED_PRECINCT Class identifier for extended precinct data-bins.

TILE_HEADER Class identifier for tile header data-bins.

TILE_DATA Class identifier for tile data-bins.

EXTENDED_TILE Class identifier for extended tile data-bins.

MAIN_HEADER Class identifier for main header data-bins.

META_DATA Class identifier for meta-data data-bins.

6.15.3 Constructor & Destructor Documentation

6.15.3.1 `jpip::DataBinClass::DataBinClass ()` `[inline]`, `[private]`

6.15.4 Member Function Documentation

6.15.4.1 `const char * jpip::DataBinClass::GetName (int class_name)` `[static]`

Returns a string with the name of the databin class name given,.

The documentation for this class was generated from the following files:

- [jpip/jpip.h](#)
- [jpip/jpip.cc](#)

6.16 `jpip::DataBinSelector< BIN_CLASS >` Struct Template Reference

Template class that is specialized for allowing basic operations (add and get) with cache models depending on the data-bin classes.

```
#include <cache_model.h>
```

Collaboration diagram for `jpip::DataBinSelector< BIN_CLASS >`:

6.16.1 Detailed Description

```
template<int BIN_CLASS> struct jpip::DataBinSelector< BIN_CLASS >
```

Template class that is specialized for allowing basic operations (add and get) with cache models depending on the data-bin classes.

The documentation for this struct was generated from the following file:

- [jpip/cache_model.h](#)

6.17 jpip::DataBinSelector< DataBinClass::MAIN_HEADER > Struct Template Reference

```
#include <cache_model.h>
```

Collaboration diagram for jpip::DataBinSelector< DataBinClass::MAIN_HEADER >:

Static Public Member Functions

- static int [Get](#) ([CacheModel](#) &model, int num_codestream, int id)
- static int [AddTo](#) ([CacheModel](#) &model, int num_codestream, int id, int amount, bool complete)

6.17.1 Member Function Documentation

6.17.1.1 static int jpip::DataBinSelector< DataBinClass::MAIN_HEADER >::AddTo ([CacheModel](#) & model, int num_codestream, int id, int amount, bool complete) [\[inline\]](#), [\[static\]](#)

Here is the call graph for this function:

6.17.1.2 static int jpip::DataBinSelector< DataBinClass::MAIN_HEADER >::Get ([CacheModel](#) & model, int num_codestream, int id) [\[inline\]](#), [\[static\]](#)

Here is the call graph for this function:

The documentation for this struct was generated from the following file:

- [jpip/cache_model.h](#)

6.18 jpip::DataBinSelector< DataBinClass::META_DATA > Struct Template Reference

```
#include <cache_model.h>
```

Collaboration diagram for jpip::DataBinSelector< DataBinClass::META_DATA >:

Static Public Member Functions

- static int [Get](#) ([CacheModel](#) &model, int num_codestream, int id)
- static int [AddTo](#) ([CacheModel](#) &model, int num_codestream, int id, int amount, bool complete)

6.18.1 Member Function Documentation

6.18.1.1 static int jpip::DataBinSelector< DataBinClass::META_DATA >::AddTo ([CacheModel](#) & model, int num_codestream, int id, int amount, bool complete) [\[inline\]](#), [\[static\]](#)

Here is the call graph for this function:

6.18.1.2 `static int jpip::DataBinSelector< DataBinClass::META_DATA >::Get (CacheModel & model, int num_codestream, int id) [inline], [static]`

Here is the call graph for this function:

The documentation for this struct was generated from the following file:

- [jpip/cache_model.h](#)

6.19 jpip::DataBinSelector< DataBinClass::PRECINCT > Struct Template Reference

```
#include <cache_model.h>
```

Collaboration diagram for jpip::DataBinSelector< DataBinClass::PRECINCT >:

Static Public Member Functions

- static int [Get](#) ([CacheModel](#) &model, int num_codestream, int id)
- static int [AddTo](#) ([CacheModel](#) &model, int num_codestream, int id, int amount, bool complete)

6.19.1 Member Function Documentation

6.19.1.1 `static int jpip::DataBinSelector< DataBinClass::PRECINCT >::AddTo (CacheModel & model, int num_codestream, int id, int amount, bool complete) [inline], [static]`

Here is the call graph for this function:

6.19.1.2 `static int jpip::DataBinSelector< DataBinClass::PRECINCT >::Get (CacheModel & model, int num_codestream, int id) [inline], [static]`

Here is the call graph for this function:

The documentation for this struct was generated from the following file:

- [jpip/cache_model.h](#)

6.20 jpip::DataBinSelector< DataBinClass::TILE_HEADER > Struct Template Reference

```
#include <cache_model.h>
```

Collaboration diagram for jpip::DataBinSelector< DataBinClass::TILE_HEADER >:

Static Public Member Functions

- static int [Get](#) ([CacheModel](#) &model, int num_codestream, int id)
- static int [AddTo](#) ([CacheModel](#) &model, int num_codestream, int id, int amount, bool complete)

6.20.1 Member Function Documentation

6.20.1.1 `static int jpip::DataBinSelector< DataBinClass::TILE_HEADER >::AddTo (CacheModel & model, int num_codestream, int id, int amount, bool complete) [inline], [static]`

Here is the call graph for this function:

6.20.1.2 `static int jpip::DataBinSelector< DataBinClass::TILE_HEADER >::Get (CacheModel & model, int num_codestream, int id) [inline], [static]`

Here is the call graph for this function:

The documentation for this struct was generated from the following file:

- [jpip/cache_model.h](#)

6.21 jpip::DataBinServer Class Reference

Contains the core functionality of a (JPIP) data-bin server, which maintains a cache model and is capable of generating data chunks of variable length;.

```
#include <databin_server.h>
```

Collaboration diagram for jpip::DataBinServer:

Public Member Functions

- [DataBinServer](#) ()
Initializes the object.
- `bool end_woi () const`
Returns `true` if the end of the `WOI` has been reached, that is, there is not more associated packets to send.
- `bool Reset (const ImageIndex::Ptr image_index)`
Resets the server assigning a new image to serve.
- `bool SetRequest (const Request &req)`
Sets the new current request to take into account for generating the chunks of data.
- `bool GenerateChunk (char *buff, int *len, bool *last)`
Generates a new chunk of data for the current image and `WOI`, according to the last indicated request.
- `virtual ~DataBinServer ()`

Private Types

- `enum { MINIMUM_SPACE = 60 }`

Private Member Functions

- `template<int BIN_CLASS>`
`int WriteSegment (int num_codestream, int id, FileSegment segment, int offset=0, bool last=true)`
Writes a new data-bin segment or a part of it that is not already cached.
- `int WritePlaceholder (int num_codestream, int id, const Placeholder &place_holder, int offset=0, bool last=false)`
Writes a new place-holder segment, only if it is possible to write it completely.

Private Attributes

- `WOI woi`
Current `WOI`.
- `int pending`
Number of pending bytes.
- `Range range`

- Range of codestreams.*
 - bool `has_woi`
true if the last request contained a WOI
 - bool `metareq`
true if the last request contained a "metareq"
 - bool `end_woi_`
true if the WOI has been completely sent
 - `File::Ptr` `file`
Pointer to the associated image file.
 - int `current_idx`
Current codestream index.
 - bool `eof`
true if the end has been reached and the last write operation could not be completed.
 - `CacheModel` `cache_model`
Cache model of the client.
 - `vector< File::Ptr >` `files`
List of files (for hyperlinked JPX files)
 - `WOIComposer` `woi_composer`
WOI composer for determining the packets.
 - `ImageIndex::Ptr` `im_index`
Pointer to the associated image index.
 - `DataBinWriter` `data_writer`
Data-bin writer for generating the chunks.

6.21.1 Detailed Description

Contains the core functionality of a (JPIP) data-bin server, which maintains a cache model and is capable of generating data chunks of variable length;.

6.21.2 Member Enumeration Documentation

6.21.2.1 anonymous enum `[private]`

Enumerator

`MINIMUM_SPACE` Minimum space in the chunk.

6.21.3 Constructor & Destructor Documentation

6.21.3.1 `jpip::DataBinServer::DataBinServer ()` `[inline]`

Initializes the object.

6.21.3.2 `virtual jpip::DataBinServer::~~DataBinServer ()` `[inline], [virtual]`

6.21.4 Member Function Documentation

6.21.4.1 `bool jpip::DataBinServer::end_woi () const` `[inline]`

Returns `true` if the end of the `WOI` has been reached, that is, there is not more associated packets to send.

Here is the caller graph for this function:

6.21.4.2 bool jpip::DataBinServer::GenerateChunk (char * *buff*, int * *len*, bool * *last*)

Generates a new chunk of data for the current image and [WOI](#), according to the last indicated request.

Parameters

<i>buff</i>	Pointer to the memory buffer.
<i>len</i>	Length of the memory buffer. It is modified by the method to indicate how many bytes have been written to the buffer.
<i>last</i>	Output parameter to indicates if this is the last chunk of data associated to the last request.

Returns

`true` if successful.

Here is the call graph for this function:

Here is the caller graph for this function:

6.21.4.3 bool jpip::DataBinServer::Reset (const ImageIndex::Ptr image_index)

Resets the server assigning a new image to serve.

It also resets the maintained cache model.

Parameters

<i>image_index</i>	Pointer to the new image index to use.
--------------------	--

Returns

`true` if successful.

Here is the caller graph for this function:

6.21.4.4 bool jpip::DataBinServer::SetRequest (const Request & req)

Sets the new current request to take into account for generating the chunks of data.

Parameters

<i>req</i>	Request .
------------	---------------------------

Returns

`true` if successful.

Here is the call graph for this function:

Here is the caller graph for this function:

6.21.4.5 int jpip::DataBinServer::WritePlaceholder (int num_codestream, int id, const Placeholder & place_holder, int offset = 0, bool last = false) [inline],[private]

Writes a new place-holder segment, only if it is possible to write it completely.

Parameters

<i>num_codestream</i>	Index number of the codestream.
-----------------------	---------------------------------

<i>id</i>	Data-bin identifier.
<i>place_holder</i>	Place-holder information.
<i>offset</i>	Data-bin offset of the data (0 by default).
<i>last</i>	<code>true</code> if this is the last data of the data-bin.

Returns

1 if the segment content was completely written and/or cached, 0 if it was incompletely written (or not at all, if EOF flag is set), or -1 if an error was generated.

Here is the call graph for this function:

Here is the caller graph for this function:

6.21.4.6 `template<int BIN_CLASS> int jpip::DataBinServer::WriteSegment (int num_codestream, int id, FileSegment segment, int offset = 0, bool last = true) [inline], [private]`

Writes a new data-bin segment or a part of it that is not already cached.

Parameters

<i>num_codestream</i>	Index number of the codestream.
<i>id</i>	Data-bin identifier.
<i>segment</i>	File segment associated.
<i>offset</i>	Data-bin offset of the data (0 by default).
<i>last</i>	<code>true</code> if this is the last data of the data-bin.

Returns

1 if the segment content was completely written and/or cached, 0 if it was incompletely written (or not at all, if EOF flag is set), or -1 if an error was generated.

Here is the call graph for this function:

6.21.5 Member Data Documentation

6.21.5.1 `CacheModel jpip::DataBinServer::cache_model [private]`

Cache model of the client.

6.21.5.2 `int jpip::DataBinServer::current_idx [private]`

Current codestream index.

6.21.5.3 `DataBinWriter jpip::DataBinServer::data_writer [private]`

Data-bin writer for generating the chunks.

6.21.5.4 `bool jpip::DataBinServer::end_woi_ [private]`

`true` if the [WOI](#) has been completely sent

6.21.5.5 `bool jpip::DataBinServer::eof` [private]

`true` if the end has been reached and the last write operation could not be completed.

6.21.5.6 `File::Ptr jpip::DataBinServer::file` [private]

Pointer to the associated image file.

6.21.5.7 `vector<File::Ptr> jpip::DataBinServer::files` [private]

List of files (for hyperlinked JPX files)

6.21.5.8 `bool jpip::DataBinServer::has_woi` [private]

`true` if the last request contained a [WOI](#)

6.21.5.9 `ImageIndex::Ptr jpip::DataBinServer::im_index` [private]

Pointer to the associated image index.

6.21.5.10 `bool jpip::DataBinServer::metareq` [private]

`true` if the last request contained a "metareq"

6.21.5.11 `int jpip::DataBinServer::pending` [private]

Number of pending bytes.

6.21.5.12 `Range jpip::DataBinServer::range` [private]

Range of codestreams.

6.21.5.13 `WOI jpip::DataBinServer::woi` [private]

Current [WOI](#).

6.21.5.14 `WOIComposer jpip::DataBinServer::woi_composer` [private]

[WOI](#) composer for determining the packets.

The documentation for this class was generated from the following files:

- [jpip/databin_server.h](#)
- [jpip/databin_server.cc](#)

6.22 `jpip::DataBinWriter` Class Reference

Class used to generate data-bin segments and write them into a memory buffer.

```
#include <databin_writer.h>
```

Collaboration diagram for `jpip::DataBinWriter`:

Public Member Functions

- [DataBinWriter](#) ()
Initializes the object.
- [DataBinWriter](#) & [SetBuffer](#) (char *buf, int buf_len)
Sets the associated memory buffer.
- [DataBinWriter](#) & [ClearPreviousIds](#) ()
Clears the previous identifiers of data-bin class and codestream index numbers.
- [DataBinWriter](#) & [SetCodestream](#) (int value)
Sets the current codestream.
- [DataBinWriter](#) & [SetDataBinClass](#) (int databin_class)
Sets the current data-bin class.
- [DataBinWriter](#) & [Write](#) (uint64_t bin_id, uint64_t bin_offset, const [File](#) &file, const [FileSegment](#) &segment, bool last_byte=false)
Writes a data-bin segment into the buffer.
- [DataBinWriter](#) & [WritePlaceholder](#) (uint64_t bin_id, uint64_t bin_offset, const [File](#) &file, const [Placeholder](#) &place_holder, bool last_byte=false)
Writes a place-holder segment into the buffer.
- [DataBinWriter](#) & [WriteEmpty](#) (uint64_t bin_id=0)
Writes an empty segment.
- int [GetCount](#) () const
Returns the number of bytes written.
- int [GetFree](#) () const
Returns the number of bytes available.
- [DataBinWriter](#) & [WriteEOR](#) (int reason)
*Writes a *EOR* message into the buffer.*
- operator bool () const
*Returns the *EOF* status of the object.*
- virtual ~[DataBinWriter](#) ()

Private Member Functions

- template<typename T >
[DataBinWriter](#) & [WriteValue](#) (T value)
Writes a value into the buffer.
- [DataBinWriter](#) & [WriteVBAS](#) (uint64_t value)
Writes a new integer value into the buffer coded as VBAS.
- [DataBinWriter](#) & [WriteHeader](#) (uint64_t bin_id, uint64_t bin_offset, uint64_t bin_length, bool last_byte=false)
Writes a data-bin header into the buffer.

Private Attributes

- bool eof
true if the end of the buffer has been reached and the last value could not be written.
- char * ini
Pointer to the beginning of the buffer.
- char * ptr
Current position of the buffer.
- char * end
Pointer to the end of the buffer.
- int databin_class

- Current data-bin class.*
- int [codestream_idx](#)
Current codestream index number.
- int [prev_databin_class](#)
Previous data-bin class.
- int [prev_codestream_idx](#)
Previous codestream index number.

6.22.1 Detailed Description

Class used to generate data-bin segments and write them into a memory buffer.

See Also

[DataBinServer](#)
[DataBinClass](#)
[EOR](#)

6.22.2 Constructor & Destructor Documentation

6.22.2.1 `jpeg::DataBinWriter::DataBinWriter () [inline]`

Initializes the object.

6.22.2.2 `virtual jpeg::DataBinWriter::~~DataBinWriter () [inline], [virtual]`

6.22.3 Member Function Documentation

6.22.3.1 `DataBinWriter& jpeg::DataBinWriter::ClearPreviousIds () [inline]`

Clears the previous identifiers of data-bin class and codestream index numbers.

Returns

The object itself.

Here is the caller graph for this function:

6.22.3.2 `int jpeg::DataBinWriter::GetCount () const [inline]`

Returns the number of bytes written.

Here is the caller graph for this function:

6.22.3.3 `int jpeg::DataBinWriter::GetFree () const [inline]`

Returns the number of bytes available.

6.22.3.4 `jpeg::DataBinWriter::operator bool () const [inline]`

Returns the EOF status of the object.

6.22.3.5 DataBinWriter& jpip::DataBinWriter::SetBuffer (char * *buf*, int *buf_len*) [inline]

Sets the associated memory buffer.

Parameters

<i>buf</i>	Memory buffer.
<i>buf_len</i>	Length of the memory buffer.

Returns

The object itself.

Here is the caller graph for this function:

6.22.3.6 DataBinWriter& jpip::DataBinWriter::SetCodestream (int *value*) [inline]

Sets the current codestream.

Parameters

<i>value</i>	Index number of the codestream.
--------------	---------------------------------

Returns

The object itself.

6.22.3.7 DataBinWriter& jpip::DataBinWriter::SetDataBinClass (int *databin_class*) [inline]

Sets the current data-bin class.

Parameters

<i>databin_class</i>	Data-bin class.
----------------------	-----------------

Returns

The object itself.

6.22.3.8 DataBinWriter & jpip::DataBinWriter::Write (uint64_t *bin_id*, uint64_t *bin_offset*, const File & *file*, const FileSegment & *segment*, bool *last_byte* = false)

Writes a data-bin segment into the buffer.

Parameters

<i>bin_id</i>	Data-bin identifier.
<i>bin_offset</i>	Data-bin offset.
<i>file</i>	File from where to read the data.
<i>segment</i>	File segment of the data.
<i>last_byte</i>	true if the data contains the last byte of the data-bin.

Returns

The object itself.

Here is the call graph for this function:

Here is the caller graph for this function:

6.22.3.9 DataBinWriter & jpip::DataBinWriter::WriteEmpty (uint64_t *bin_id* = 0)

Writes an empty segment.

Parameters

<i>bin_id</i>	Data-bin identifier.
---------------	----------------------

Returns

The object itself.

Here is the call graph for this function:

6.22.3.10 DataBinWriter& jpip::DataBinWriter::WriteEOR (int *reason*) [inline]

Writes a [EOR](#) message into the buffer.

Parameters

<i>reason</i>	Reason of the message.
---------------	------------------------

Returns

The object itself.

Here is the caller graph for this function:

6.22.3.11 DataBinWriter & jpip::DataBinWriter::WriteHeader (uint64_t *bin_id*, uint64_t *bin_offset*, uint64_t *bin_length*, bool *last_byte = false*) [private]

Writes a data-bin header into the buffer.

Parameters

<i>bin_id</i>	Data-bin identifier.
<i>bin_offset</i>	Data-bin offset.
<i>bin_length</i>	Data-bin length.
<i>last_byte</i>	<code>true</code> if the data related to this header contains the last byte of the data-bin.

Returns

The object itself.

Here is the call graph for this function:

Here is the caller graph for this function:

6.22.3.12 DataBinWriter & jpip::DataBinWriter::WritePlaceholder (uint64_t *bin_id*, uint64_t *bin_offset*, const File & *file*, const Placeholder & *place_holder*, bool *last_byte = false*)

Writes a place-holder segment into the buffer.

Parameters

<i>bin_id</i>	Data-bin identifier.
<i>bin_offset</i>	Data-bin offset.
<i>file</i>	File from where to read the data.

<i>place_holder</i>	Place-holder information.
<i>last_byte</i>	true if the data contains the last byte of the data-bin.

Returns

The object itself.

Here is the call graph for this function:

6.22.3.13 `template<typename T> DataBinWriter& jpip::DataBinWriter::WriteValue (T value) [inline],
[private]`

Writes a value into the buffer.

Parameters

<i>value</i>	Value to write.
--------------	-----------------

Returns

The object itself.

6.22.3.14 `DataBinWriter & jpip::DataBinWriter::WriteVBAS (uint64_t value) [private]`

Writes a new integer value into the buffer coded as VBAS.

Parameters

<i>value</i>	Value to write.
--------------	-----------------

Returns

The object itself.

Here is the caller graph for this function:

6.22.4 Member Data Documentation

6.22.4.1 `int jpip::DataBinWriter::codestream_idx [private]`

Current codestream index number.

6.22.4.2 `int jpip::DataBinWriter::databin_class [private]`

Current data-bin class.

6.22.4.3 `char* jpip::DataBinWriter::end [private]`

Pointer to the end of the buffer.

6.22.4.4 `bool jpip::DataBinWriter::eof [private]`

true if the end of the buffer has been reached and the last value could not be written.

6.22.4.5 `char* jpip::DataBinWriter::ini` [private]

Pointer to the beginning of the buffer.

6.22.4.6 `int jpip::DataBinWriter::prev_codestream_idx` [private]

Previous codestream index number.

6.22.4.7 `int jpip::DataBinWriter::prev_databin_class` [private]

Previous data-bin class.

6.22.4.8 `char* jpip::DataBinWriter::ptr` [private]

Current position of the buffer.

The documentation for this class was generated from the following files:

- [jpip/databin_writer.h](#)
- [jpip/databin_writer.cc](#)

6.23 jpip::EOR Class Reference

Class that contains all the definitions of the EOF messages defined for the JPIP protocol.

```
#include <jpip.h>
```

Collaboration diagram for jpip::EOR:

Public Types

- enum {
`IMAGE_DONE` = 1, `WINDOW_DONE` = 2, `WINDOW_CHANGE` = 3, `BYTE_LIMIT_REACHED` = 4,
`QUALITY_LIMIT_REACHED` = 5, `SESSION_LIMIT_REACHED` = 6, `RESPONSE_LIMIT_REACHED` = 7, `N-ON_SPECIFIED` = 0xFF }

Private Member Functions

- `EOR()`

6.23.1 Detailed Description

Class that contains all the definitions of the EOF messages defined for the JPIP protocol.

It is not possible to create an object of this class.

6.23.2 Member Enumeration Documentation

6.23.2.1 anonymous enum

Enumerator

`IMAGE_DONE` `EOR` code sent when the server has transferred all available image information (not just information relevant to the requested view-window) to the client.

WINDOW_DONE [EOR](#) code sent when the server has transferred all available information that is relevant to the requested view-window.

WINDOW_CHANGE [EOR](#) code sent when the server is terminating its response in order to service a new request.

BYTE_LIMIT_REACHED [EOR](#) code sent when the server is terminating its response because the byte limit specified in a byte limit specified in a max length request field has been reached.

QUALITY_LIMIT_REACHED [EOR](#) code sent when the server is terminating its response because the quality limit specified in a quality request field has been reached.

SESSION_LIMIT_REACHED [EOR](#) code sent when the server is terminating its response because some limit on the session resources, e.g. a time limit, has been reached. No further request should be issued using a channel ID assigned in that session.

RESPONSE_LIMIT_REACHED [EOR](#) code sent when the server is terminating its response because some limit, e.g., a time limit, has been reached. If the request is issued in a session, further requests can still be issued using a channel ID assigned in that session.

NON_SPECIFIED [EOR](#) code sent when there is not any specific [EOR](#) reason.

6.23.3 Constructor & Destructor Documentation

6.23.3.1 `jpeg::EOR::EOR()` `[inline]`, `[private]`

The documentation for this class was generated from the following file:

- [jpeg/jpeg.h](#)

6.24 `ipc::Event` Class Reference

IPC object that offers the functionality of an event (Windows IPC object), implemented by means of a combination of the pthread mutex and conditional variables API.

```
#include <event.h>
```

Inheritance diagram for `ipc::Event`:

Collaboration diagram for `ipc::Event`:

Public Types

- typedef [SHARED_PTR](#)< [Event](#) > [Ptr](#)
Pointer to a [Event](#) object.

Public Member Functions

- virtual bool [Init](#) ()
Initializes the object deactivated and with automatic reset.
- bool [Init](#) (bool [manual_reset](#), bool initial_state=false)
Initializes the object.
- virtual [WaitResult](#) [Wait](#) (int time_out=-1)
Performs a wait operation with the object to get it.
- virtual bool [Dispose](#) ()
*Release the resources associated to the IPC object and sets the internal status to *false*.*
- bool [Set](#) (bool new_state=true)
Sets the state of the object.

- bool [Get](#) () const
Returns the current activation state of the object.
- bool [Pulse](#) ()
Generates the same result as if the event has automatic reset and the `Set` method is called with `true`, independently of the real reset type.
- bool [Reset](#) ()
Desactivates the object.

Private Attributes

- bool [state](#)
Current activation state of the event.
- bool [manual_reset](#)
Indicates if the event reset is manual.
- pthread_cond_t [condv](#)
Conditional variable information.
- pthread_mutex_t [mutex](#)
Mutex information.

6.24.1 Detailed Description

IPC object that offers the functionality of an event (Windows IPC object), implemented by means of a combination of the pthread mutex and conditional variables API.

See Also

[IPCObject](#)

6.24.2 Member Typedef Documentation

6.24.2.1 typedef SHARED_PTR<Event> ipc::Event::Ptr

Pointer to a [Event](#) object.

6.24.3 Member Function Documentation

6.24.3.1 bool ipc::Event::Dispose () [virtual]

Release the resources associated to the IPC object and sets the internal status to `false`.

Returns

`true` if successful.

Reimplemented from [ipc::IPCObject](#).

Here is the call graph for this function:

6.24.3.2 bool ipc::Event::Get () const [inline]

Returns the current activation state of the object.

6.24.3.3 `virtual bool ipc::Event::Init () [inline],[virtual]`

Initializes the object deactivated and with automatic reset.

Returns

`true` if successful.

Reimplemented from [ipc::IPCObject](#).

6.24.3.4 `bool ipc::Event::Init (bool manual_reset, bool initial_state = false)`

Initializes the object.

Parameters

<i>manual_reset</i>	<code>true</code> if the reset is manual.
<i>initial_state</i>	<code>true</code> if the initial state is activated.

Returns

`true` if successful.

Here is the call graph for this function:

6.24.3.5 `bool ipc::Event::Pulse ()`

Generates the same result as if the event has automatic reset and the `Set` method is called with `true`, independently of the real reset type.

Returns

`true` if successful.

Here is the call graph for this function:

6.24.3.6 `bool ipc::Event::Reset () [inline]`

Deactivates the object.

Returns

`true` if successful.

Here is the call graph for this function:

Here is the caller graph for this function:

6.24.3.7 `bool ipc::Event::Set (bool new_state = true)`

Sets the state of the object.

If it is activated (with `true`) and the reset is manual, all the threads waiting for the object will be resumed. If the reset is not manual (automatic), only one thread will be resumed and the state will be set to `false` again.

Parameters

<i>new_state</i>	New state of the object.
------------------	--------------------------

Returns

`true` if successful.

Here is the call graph for this function:

Here is the caller graph for this function:

6.24.3.8 WaitResult ipc::Event::Wait (int *time_out* = -1) [virtual]

Performs a wait operation with the object to get it.

Parameters

<i>time_out</i>	Time out (infinite by default).
-----------------	---------------------------------

Returns

`WAIT_OBJECT` if successful, `WAIT_TIMEOUT` if time out or `WAIT_ERROR` is error.

Reimplemented from [ipc::IPCObject](#).

Here is the call graph for this function:

6.24.4 Member Data Documentation

6.24.4.1 pthread_cond_t ipc::Event::condv [private]

Conditional variable information.

6.24.4.2 bool ipc::Event::manual_reset [private]

Indicates if the event reset is manual.

6.24.4.3 pthread_mutex_t ipc::Event::mutex [private]

[Mutex](#) information.

6.24.4.4 bool ipc::Event::state [private]

Current activation state of the event.

The documentation for this class was generated from the following files:

- [ipc/event.h](#)
- [ipc/event.cc](#)

6.25 jpeg2000::FileManager Class Reference

Manages the image files of a repository, allowing read their indexing information, with a caching mechanism for efficiency.

```
#include <file_manager.h>
```

Collaboration diagram for jpeg2000::FileManager:

Public Member Functions

- string [GetCacheFileName](#) (const string &path_image_file)
Returns the cache file name equivalent to the given image file name.
- [FileManager](#) ()
Initializes the object.
- [FileManager](#) (string root_dir, string cache_dir)
Initializes the object.
- bool [Init](#) (string root_dir=".", string cache_dir=".")
Initializes the object.
- string [root_dir](#) () const
Returns the root directory of the image repository.
- string [cache_dir](#) () const
Returns the directory used for caching.
- bool [ReadImage](#) (const string &name_image_file, [ImageInfo](#) *image_info)
Reads an image file and creates the associated cache file if it does not exist yet.
- virtual [~FileManager](#) ()

Private Member Functions

- bool [ExistCacheImage](#) (const string &path_image_file, string *path_cache_file)
Returns `true` if the cache file exists and it is updated.
- bool [ReadBoxHeader](#) (const [File](#) &file, uint32_t *type_box, uint64_t *length_box)
Reads the header information.
- bool [ReadCodestream](#) (const [File](#) &file, [CodingParameters](#) *params, [CodestreamIndex](#) *index)
Reads the information of a codestream.
- bool [ReadSIZMarker](#) (const [File](#) &file, [CodingParameters](#) *params)
Reads the information of a SIZ marker.
- bool [ReadCODMarker](#) (const [File](#) &file, [CodingParameters](#) *params)
Reads the information of a COD marker.
- bool [ReadSOTMarker](#) (const [File](#) &file, [CodestreamIndex](#) *index)
Reads the information of a SOT marker.
- bool [ReadPLTMarker](#) (const [File](#) &file, [CodestreamIndex](#) *index)
Reads the information of a PLT marker.
- bool [ReadSODMarker](#) (const [File](#) &file, [CodestreamIndex](#) *index)
Reads the information of a SOD marker.
- bool [ReadJP2](#) (const [File](#) &file, [ImageInfo](#) *image_info)
Reads the information of a JP2 image file.
- bool [ReadJPX](#) (const [File](#) &file, [ImageInfo](#) *image_info)
Reads the information of a JPX image file.
- bool [ReadNlStBox](#) (const [File](#) &file, int *num_codestream, int length_box)
Reads the information of a NLST box.
- bool [ReadFlStBox](#) (const [File](#) &file, uint64_t length_box, uint16_t *data_reference)
Reads the information of a FLST box.
- bool [ReadUrlBox](#) (const [File](#) &file, uint64_t length_box, string *path_file)
Reads the information of a URL box.

Private Attributes

- string `root_dir_`
Root directory of the repository.
- string `cache_dir_`
Caching directory.

6.25.1 Detailed Description

Manages the image files of a repository, allowing read their indexing information, with a caching mechanism for efficiency.

6.25.2 Constructor & Destructor Documentation

6.25.2.1 jpeg2000::FileManager::FileManager () `[inline]`

Initializes the object.

6.25.2.2 jpeg2000::FileManager::FileManager (string *root_dir*, string *cache_dir*) `[inline]`

Initializes the object.

Parameters

<i>root_dir</i>	Root directory of the image repository.
<i>cache_dir</i>	Directory for caching.

Here is the call graph for this function:

6.25.2.3 virtual jpeg2000::FileManager::~~FileManager () `[inline], [virtual]`

6.25.3 Member Function Documentation

6.25.3.1 string jpeg2000::FileManager::cache_dir () const `[inline]`

Returns the directory used for caching.

Here is the caller graph for this function:

6.25.3.2 bool jpeg2000::FileManager::ExistCacheImage (const string & *path_image_file*, string * *path_cache_file*) `[private]`

Returns `true` if the cache file exists and it is updated.

Parameters

<i>path_image_file</i>	Path of the image file.
<i>path_cache_file</i>	Receives the path of the associated cache file.

6.25.3.3 string jpeg2000::FileManager::GetCacheFileName (const string & *path_image_file*)

Returns the cache file name equivalent to the given image file name.

Here is the caller graph for this function:

6.25.3.4 `bool jpeg2000::FileManager::Init (string root_dir = " ./ ", string cache_dir = " ./ ") [inline]`

Initializes the object.

Parameters

<i>root_dir</i>	Root directory of the image repository.
<i>cache_dir</i>	Directory for caching.

Returns

`true` if successful

Here is the call graph for this function:

Here is the caller graph for this function:

6.25.3.5 `bool jpeg2000::FileManager::ReadBoxHeader (const File & fm, uint32_t * type_box, uint64_t * length_box)`
[private]

Reads the header information.

of a JP2/JPX box.

Parameters

<i>fm</i>	Image file.
<i>type_box</i>	Receives the type of the box.
<i>length_box</i>	Receives the length of the box.

Returns

`true` if successful.

Here is the call graph for this function:

6.25.3.6 `bool jpeg2000::FileManager::ReadCodestream (const File & file, CodingParameters * params, CodestreamIndex * index)` [private]

Reads the information of a codestream.

Parameters

<i>file</i>	Image file.
<i>params</i>	Receives the coding parameters.
<i>index</i>	Receives the indexing information.

Returns

`true` if successful.

Here is the call graph for this function:

6.25.3.7 `bool jpeg2000::FileManager::ReadCODMarker (const File & file, CodingParameters * params)` [private]

Reads the information of a COD marker.

Parameters

<i>file</i>	Image file.
<i>params</i>	Pointer to the coding parameters to update.

Returns

`true` if successful.

Here is the call graph for this function:

6.25.3.8 `bool jpeg2000::FileManager::ReadFistBox (const File & file, uint64_t length_box, uint16_t * data_reference)`
`[private]`

Reads the information of a FLST box.

Parameters

<i>file</i>	Image file.
<i>length_box</i>	Box length in bytes.
<i>data_reference</i>	Receives the data reference.

Returns

`true` if successful.

Here is the call graph for this function:

6.25.3.9 `bool jpeg2000::FileManager::ReadImage (const string & name_image_file, ImageInfo * image_info)`

Reads an image file and creates the associated cache file if it does not exist yet.

Parameters

<i>name_image_file</i>	File name of the image.
<i>image_info</i>	Receives the information of the image.

Returns

`true` if successful.

Here is the call graph for this function:

6.25.3.10 `bool jpeg2000::FileManager::ReadJP2 (const File & file, ImageInfo * image_info)` `[private]`

Reads the information of a JP2 image file.

Parameters

<i>file</i>	Image file.
<i>image_info</i>	Receives the image information.

Returns

`true` if successful.

Here is the call graph for this function:

6.25.3.11 `bool jpeg2000::FileManager::ReadJPX (const File & file, ImageInfo * image_info)` `[private]`

Reads the information of a JPX image file.

Parameters

<i>file</i>	Image file.
<i>image_info</i>	Receives the image information.

Returns

true if successful.

Here is the call graph for this function:

6.25.3.12 bool jpeg2000::FileManager::ReadNlStBox (const File & *file*, int * *num_codestream*, int *length_box*)
[private]

Reads the information of a NLST box.

Parameters

<i>file</i>	Image file.
<i>num_ - codestream</i>	Receives the number of codestream read.
<i>length_box</i>	Box length in bytes.

Returns

true if successful.

Here is the call graph for this function:

6.25.3.13 bool jpeg2000::FileManager::ReadPLTMarker (const File & *file*, CodestreamIndex * *index*) [private]

Reads the information of a PLT marker.

Parameters

<i>file</i>	Image file.
<i>index</i>	Pointer to the indexing information to update.

Returns

true if successful.

Here is the call graph for this function:

6.25.3.14 bool jpeg2000::FileManager::ReadSIZMarker (const File & *file*, CodingParameters * *params*) [private]

Reads the information of a SIZ marker.

Parameters

<i>file</i>	Image file.
<i>params</i>	Pointer to the coding parameters to update.

Returns

true if successful.

Here is the call graph for this function:

6.25.3.15 `bool jpeg2000::FileManager::ReadSODMarker (const File & file, CodestreamIndex * index)` `[private]`

Reads the information of a SOD marker.

Parameters

<i>file</i>	Image file.
<i>index</i>	Pointer to the indexing information to update.

Returns

`true` if successful.

Here is the call graph for this function:

6.25.3.16 `bool jpeg2000::FileManager::ReadSOTMarker (const File & file, CodestreamIndex * index)` `[private]`

Reads the information of a SOT marker.

Parameters

<i>file</i>	Image file.
<i>index</i>	Pointer to the indexing information to update.

Returns

`true` if successful.

Here is the call graph for this function:

6.25.3.17 `bool jpeg2000::FileManager::ReadUrlBox (const File & file, uint64_t length_box, string * path_file)`
`[private]`

Reads the information of a URL box.

Parameters

<i>file</i>	Image file.
<i>length_box</i>	Box length in bytes.
<i>path_file</i>	Receives the URL path read.

Returns

`true` if successful.

Here is the call graph for this function:

6.25.3.18 `string jpeg2000::FileManager::root_dir () const` `[inline]`

Returns the root directory of the image repository.

Here is the caller graph for this function:

6.25.4 Member Data Documentation

6.25.4.1 `string jpeg2000::FileManager::cache_dir_` `[private]`

Caching directory.

6.25.4.2 string jpeg2000::FileManager::root_dir_ [private]

Root directory of the repository.

The documentation for this class was generated from the following files:

- [jpeg2000/file_manager.h](#)
- [jpeg2000/file_manager.cc](#)

6.26 data::FileSegment Class Reference

Identifies a data segment of a file.

```
#include <file_segment.h>
```

Collaboration diagram for data::FileSegment:

Public Member Functions

- [FileSegment](#) ()
Initializes all the member variables with zero, being a null segment.
- [FileSegment](#) (uint64_t offset, uint64_t length)
Initializes the segment with the given parameters.
- [FileSegment](#) (const [FileSegment](#) &segment)
Copy constructor.
- [FileSegment](#) & operator= (const [FileSegment](#) &segment)
Copy assignment.
- [FileSegment](#) & RemoveFirst (int count)
Removes the first bytes of the segment.
- [FileSegment](#) & RemoveLast (int count)
Removes the last bytes of the segment.
- bool IsContiguousTo (const [FileSegment](#) &segment) const
Returns true if the segment is contiguous to another given segment, so the first byte of the given segment is just the next byte after the last byte of the segment.
- bool operator== (const [FileSegment](#) &segment) const
- bool operator!= (const [FileSegment](#) &segment) const
- template<typename T >
T & SerializeWith (T &stream)
- virtual ~[FileSegment](#) ()

Public Attributes

- uint64_t offset
Offset of the data segment.
- uint64_t length
Length of the data segment.

Static Public Attributes

- static const [FileSegment](#) Null
Identifies a null segment, with the offset as well as the length set to zero.

Friends

- ostream & [operator<<](#) (ostream &out, const [FileSegment](#) &segment)

6.26.1 Detailed Description

Identifies a data segment of a file.

This segment is defined by an offset and a length (number of bytes), both of them with an unsigned integer of 64 bits. This class is serializable and can be printed.

6.26.2 Constructor & Destructor Documentation

6.26.2.1 data::FileSegment::FileSegment () [\[inline\]](#)

Initializes all the member variables with zero, being a null segment.

6.26.2.2 data::FileSegment::FileSegment (uint64_t *offset*, uint64_t *length*) [\[inline\]](#)

Initializes the segment with the given parameters.

Parameters

<i>offset</i>	Offset of the segment.
<i>length</i>	Length of the segment.

6.26.2.3 data::FileSegment::FileSegment (const [FileSegment](#) & *segment*) [\[inline\]](#)

Copy constructor.

6.26.2.4 virtual data::FileSegment::~~FileSegment () [\[inline\]](#), [\[virtual\]](#)

6.26.3 Member Function Documentation

6.26.3.1 bool data::FileSegment::IsContiguousTo (const [FileSegment](#) & *segment*) const [\[inline\]](#)

Returns `true` if the segment is contiguous to another given segment, so the first byte of the given segment is just the next byte after the last byte of the segment.

6.26.3.2 bool data::FileSegment::operator!= (const [FileSegment](#) & *segment*) const [\[inline\]](#)

6.26.3.3 [FileSegment](#)& data::FileSegment::operator= (const [FileSegment](#) & *segment*) [\[inline\]](#)

Copy assignment.

6.26.3.4 bool data::FileSegment::operator== (const [FileSegment](#) & *segment*) const [\[inline\]](#)

6.26.3.5 [FileSegment](#)& data::FileSegment::RemoveFirst (int *count*) [\[inline\]](#)

Removes the first bytes of the segment.

Modifies the segment as if a number of bytes (specified by the parameter) was removed from the beginning of the segment.

Parameters

<i>count</i>	Number of bytes to remove.
--------------	----------------------------

Returns

*this.

Here is the caller graph for this function:

6.26.3.6 FileSegment& data::FileSegment::RemoveLast (int *count*) [inline]

Removes the last bytes of the segment.

Modifies the segment as if a number of bytes (specified by the parameter) was removed from the end of the segment.

Parameters

<i>count</i>	Number of bytes to remove.
--------------	----------------------------

Returns

*this.

6.26.3.7 template<typename T > T& data::FileSegment::SerializeWith (T & *stream*) [inline]

6.26.4 Friends And Related Function Documentation

6.26.4.1 ostream& operator<< (ostream & *out*, const FileSegment & *segment*) [friend]

6.26.5 Member Data Documentation

6.26.5.1 uint64_t data::FileSegment::length

Length of the data segment.

6.26.5.2 const FileSegment data::FileSegment::Null [static]

Identifies a null segment, with the offset as well as the length set to zero.

6.26.5.3 uint64_t data::FileSegment::offset

Offset of the data segment.

The documentation for this class was generated from the following files:

- [data/file_segment.h](#)
- [data/file_segment.cc](#)

6.27 http::Header Class Reference

Class used to handle a HTTP header.

```
#include <header.h>
```

Inheritance diagram for http::Header:

Collaboration diagram for http::Header:

Public Types

- typedef [HeaderBase](#)
 < [HeaderName::CONTENT_TYPE](#) > [ContentType](#)
Predefined "Content-Type".
- typedef [HeaderBase](#)
 < [HeaderName::CACHE_CONTROL](#) > [CacheControl](#)
Predefined "Cache-Control" header.
- typedef [HeaderBase](#)
 < [HeaderName::CONTENT_LENGTH](#) > [ContentLength](#)
Predefined "Content-Length" header.
- typedef [HeaderBase](#)
 < [HeaderName::TRANSFER_ENCODING](#) > [TransferEncoding](#)
Predefined "Transfer-Encoding" header.

Public Member Functions

- [Header](#) ()
Empty constructor.
- [Header](#) (const string &[name](#), const string &[value](#))
Initializes the header content (name and value).

Friends

- template<const char * NAME>
 bool [operator==](#) (const [Header](#) &a, const [HeaderBase](#)< NAME > &b)
Returns `true` if the names of the two headers are equal.

Additional Inherited Members

6.27.1 Detailed Description

Class used to handle a HTTP header.

See Also

[HeaderBase](#)
[HeaderName](#)

6.27.2 Member Typedef Documentation

6.27.2.1 typedef [HeaderBase](#)<[HeaderName::CACHE_CONTROL](#)> [http::Header::CacheControl](#)

Predefined "Cache-Control" header.

6.27.2.2 typedef [HeaderBase](#)<[HeaderName::CONTENT_LENGTH](#)> [http::Header::ContentLength](#)

Predefined "Content-Length" header.

6.27.2.3 typedef [HeaderBase](#)<[HeaderName::CONTENT_TYPE](#)> [http::Header::ContentType](#)

Predefined "Content-Type".

6.27.2.4 `typedef HeaderBase<HeaderName::TRANSFER_ENCODING> http::Header::TransferEncoding`

Predefined "Transfer-Encoding" header.

6.27.3 Constructor & Destructor Documentation

6.27.3.1 `http::Header::Header () [inline]`

Empty constructor.

6.27.3.2 `http::Header::Header (const string & name, const string & value) [inline]`

Initializes the header content (name and value).

Parameters

<i>name</i>	Header name.
<i>value</i>	Header value.

6.27.4 Friends And Related Function Documentation

6.27.4.1 `template<const char * NAME> bool operator== (const Header & a, const HeaderBase< NAME > & b) [friend]`

Returns `true` if the names of the two headers are equal.

The documentation for this class was generated from the following file:

- [http/header.h](#)

6.28 `http::HeaderBase< NAME >` Class Template Reference

Template class used to identify a HTTP header.

```
#include <header.h>
```

Collaboration diagram for `http::HeaderBase< NAME >`:

Public Member Functions

- [HeaderBase](#) ()
Empty constructor.
- [HeaderBase](#) (const string &value)
Initializes the header value.

Static Public Member Functions

- static const char * [name](#) ()
Returns the name of the header, used in the specialization of the class.

Private Attributes

- string [value](#)

String value of the header.

Friends

- ostream & [operator<<](#) (ostream &out, const [HeaderBase](#) &header)
- istream & [operator>>](#) (istream &in, [HeaderBase](#) &header)

6.28.1 Detailed Description

```
template<const char * NAME>class http::HeaderBase< NAME >
```

Template class used to identify a HTTP header.

It is possible to use this class with standard streams. This class is specialized with the header name.

See Also

[Header](#)

6.28.2 Constructor & Destructor Documentation

6.28.2.1 `template<const char * NAME> http::HeaderBase< NAME >::HeaderBase () [inline]`

Empty constructor.

6.28.2.2 `template<const char * NAME> http::HeaderBase< NAME >::HeaderBase (const string & value) [inline]`

Initializes the header value.

6.28.3 Member Function Documentation

6.28.3.1 `template<const char * NAME> static const char* http::HeaderBase< NAME >::name () [inline], [static]`

Returns the name of the header, used in the specialization of the class.

Here is the caller graph for this function:

6.28.4 Friends And Related Function Documentation

6.28.4.1 `template<const char * NAME> ostream& operator<< (ostream & out, const HeaderBase< NAME > & header) [friend]`

6.28.4.2 `template<const char * NAME> istream& operator>> (istream & in, HeaderBase< NAME > & header) [friend]`

6.28.5 Member Data Documentation

6.28.5.1 `template<const char * NAME> string http::HeaderBase< NAME >::value` [private]

String value of the header.

The documentation for this class was generated from the following file:

- [http/header.h](#)

6.29 `http::HeaderBase< HeaderName::UNDEFINED >` Class Template Reference

Specialization of the `HeaderBase` template class with the `HeaderName::UNDEFINED` value.

```
#include <header.h>
```

Inheritance diagram for `http::HeaderBase< HeaderName::UNDEFINED >`:

Collaboration diagram for `http::HeaderBase< HeaderName::UNDEFINED >`:

Public Member Functions

- `HeaderBase()`
Empty constructor.
- `HeaderBase(const string &name, const string &value)`
Initializes the header content (name and value).

Public Attributes

- string `name`
Header name.
- string `value`
Header value.

Friends

- ostream & `operator<<` (ostream &out, const `HeaderBase` &header)
- istream & `operator>>` (istream &in, `HeaderBase` &header)

6.29.1 Detailed Description

```
template<> class http::HeaderBase< HeaderName::UNDEFINED >
```

Specialization of the `HeaderBase` template class with the `HeaderName::UNDEFINED` value.

In this case the header name is not fixed, handled by an internal variable. This class is used as base for the class `Header`.

See Also

[Header](#)

6.29.2 Constructor & Destructor Documentation

6.29.2.1 `http::HeaderBase< HeaderName::UNDEFINED >::HeaderBase()` [inline]

Empty constructor.

6.29.2.2 `http::HeaderBase< HeaderName::UNDEFINED >::HeaderBase (const string & name, const string & value) [inline]`

Initializes the header content (name and value).

Parameters

<i>name</i>	Header name.
<i>value</i>	Header value.

Here is the call graph for this function:

6.29.3 Friends And Related Function Documentation

6.29.3.1 `ostream& operator<< (ostream & out, const HeaderBase< HeaderName::UNDEFINED > & header) [friend]`

6.29.3.2 `istream& operator>> (istream & in, HeaderBase< HeaderName::UNDEFINED > & header) [friend]`

6.29.4 Member Data Documentation

6.29.4.1 `string http::HeaderBase< HeaderName::UNDEFINED >::name`

[Header](#) name.

6.29.4.2 `string http::HeaderBase< HeaderName::UNDEFINED >::value`

[Header](#) value.

The documentation for this class was generated from the following file:

- [http/header.h](#)

6.30 http::HeaderName Class Reference

Container for the strings associated to the most common HTTP headers, used for the specialization of the class [HeaderBase](#).

```
#include <header.h>
```

Collaboration diagram for http::HeaderName:

Static Public Attributes

- static const char [UNDEFINED](#) [] = ""
No header name defined.
- static const char [CONTENT_TYPE](#) [] = "Content-Type"
The header Content-Type
- static const char [CACHE_CONTROL](#) [] = "Cache-Control"
The header Cache-Control
- static const char [CONTENT_LENGTH](#) [] = "Content-Length"
The header Content-Length
- static const char [TRANSFER_ENCODING](#) [] = "Transfer-Encoding"
The header Transfer-Encoding

6.30.1 Detailed Description

Container for the strings associated to the most common HTTP headers, used for the specialization of the class [HeaderBase](#).

See Also

[HeaderBase](#)

6.30.2 Member Data Documentation

6.30.2.1 `const char http::HeaderName::CACHE_CONTROL = "Cache-Control" [static]`

The header `Cache-Control`

6.30.2.2 `const char http::HeaderName::CONTENT_LENGTH = "Content-Length" [static]`

The header `Content-Length`

6.30.2.3 `const char http::HeaderName::CONTENT_TYPE = "Content-Type" [static]`

The header `Content-Type`

6.30.2.4 `const char http::HeaderName::TRANSFER_ENCODING = "Transfer-Encoding" [static]`

The header `Transfer-Encoding`

6.30.2.5 `const char http::HeaderName::UNDEFINED = "" [static]`

No header name defined.

The documentation for this class was generated from the following files:

- [http/header.h](#)
- [http/header.cc](#)

6.31 jpeg2000::ImageIndex Class Reference

Contains the indexing information of a JPEG2000 image file that is managed by the index manager.

```
#include <image_index.h>
```

Collaboration diagram for jpeg2000::ImageIndex:

Public Types

- typedef list< [ImageIndex](#) >
::iterator [Ptr](#)

Pointer of an object of this class.

Public Member Functions

- [ImageIndex](#) (const [ImageIndex](#) &image_index)
Copy constructor.
- int [GetNumCodestreams](#) () const
Returns the number of codestreams.
- int [GetNumMetadatas](#) () const
Returns the number of meta-data blocks.
- bool [ReadLock](#) (const [Range](#) &range=[Range](#)(0, 0))
Gets the lock for reading, for a specific range of codestreams.
- bool [ReadUnlock](#) (const [Range](#) &range=[Range](#)(0, 0))
Releases the lock for reading, for a specific range of codestreams.
- string [GetPathName](#) () const
Returns the path name of the image.
- string [GetPathName](#) (int num_codestream) const
Returns the path name of a given codestream, if it is a hyperlinked codestream.
- [FileSegment](#) [GetMainHeader](#) (int num_codestream) const
Returns the file segment the main header of a given codestream.
- [FileSegment](#) [GetMetadata](#) (int num_metadata) const
Returns the file segment of a meta-data block.
- [Placeholder](#) [GetPlaceholder](#) (int num_placeholder) const
Returns the information of a place-holder.
- [FileSegment](#) [GetPacket](#) (int num_codestream, const [Packet](#) &packet, int *offset=NULL)
Returns the file segment of a packet.
- [CodingParameters::Ptr](#) [GetCodingParameters](#) () const
Returns a pointer to the coding parameters.
- bool [IsHyperLinked](#) (int num_codestream) const
Returns true if the image contains hyperlinks.
- [Ptr](#) [GetHyperLink](#) (int num_codestream) const
Returns a pointer to a hyperlink.
- int [GetNumHyperLinks](#) () const
Returns the number of hyperlinks.
- [operator CodingParameters::Ptr](#) () const
- [ImageIndex](#) & [operator=](#) (const [ImageIndex](#) &image_index)
- virtual [~ImageIndex](#) ()

Private Member Functions

- bool [GetPLTLength](#) (const [File](#) &file, int ind_codestream, uint64_t *length_packet)
Gets the packet lengths from a PLT marker.
- void [GetOffsetPacket](#) (const [File](#) &file, int ind_codestream, uint64_t length_packet)
Gets the packet offsets.
- bool [BuildIndex](#) (int ind_codestream, int max_index)
Builds the required index for the required resolution levels.
- bool [Init](#) (const string &path_name, const [ImageInfo](#) &image_info)
Initializes the object.
- bool [Init](#) (const string &path_name, [CodingParameters::Ptr](#) coding_parameters, const [ImageInfo](#) &image_info, int index)
Initializes the object.
- [ImageIndex](#) ()
Empty constructor.

Private Attributes

- [RdWrLock::Ptr rdwr_lock](#)
Read/write lock.
- `vector< int >` [last_plt](#)
- `vector< int >` [last_packet](#)
- `vector< uint64_t >` [last_offset_PLT](#)
- `vector< uint64_t >` [last_offset_packet](#)
- `string` [path_name](#)
Image file name.
- `Metadata` [meta_data](#)
Image Metadata.
- `int` [num_references](#)
Number of references.
- `vector< int >` [max_resolution](#)
Maximum resolution number.
- `vector< PacketIndex >` [packet_indexes](#)
Code-stream packet index.
- `vector< CodestreamIndex >` [codestreams](#)
Image code-streams.
- `CodingParameters::Ptr` [coding_parameters](#)
Image coding parameters.
- `vector< list< ImageIndex >::iterator >` [hyper_links](#)
Image hyperlinks.

Friends

- class [IndexManager](#)
- `ostream &` [operator<<](#) (`ostream &out`, `const` [ImageIndex](#) &`info_node`)

6.31.1 Detailed Description

Contains the indexing information of a JPEG2000 image file that is managed by the index manager.

This class can be printed.

Maintains a read/write lock for controlling the multi-thread access to the indexing information. For instance, by default all the threads usually want to read the information. The packet index built on demand, so only when a thread wants to create a new level of the packet index, it needs to write.

See Also

[IndexManager](#)

6.31.2 Member Typedef Documentation

6.31.2.1 `typedef list<ImageIndex>::iterator jpeg2000::ImageIndex::Ptr`

Pointer of an object of this class.

6.31.3 Constructor & Destructor Documentation

6.31.3.1 jpeg2000::ImageIndex::ImageIndex () [inline], [private]

Empty constructor.

Only the index manager can use this constructor.

6.31.3.2 jpeg2000::ImageIndex::ImageIndex (const ImageIndex & *image_index*) [inline]

Copy constructor.

6.31.3.3 virtual jpeg2000::ImageIndex::~~ImageIndex () [inline], [virtual]

6.31.4 Member Function Documentation

6.31.4.1 bool jpeg2000::ImageIndex::BuildIndex (int *ind_codestream*, int *max_index*) [private]

Builds the required index for the required resolution levels.

Parameters

<i>ind_codestream</i>	Codestream index.
<i>max_index</i>	Maximum resolution level.

Returns

`true` if successful

Here is the call graph for this function:

Here is the caller graph for this function:

6.31.4.2 CodingParameters::Ptr jpeg2000::ImageIndex::GetCodingParameters () const [inline]

Returns a pointer to the coding parameters.

6.31.4.3 Ptr jpeg2000::ImageIndex::GetHyperLink (int *num_codestream*) const [inline]

Returns a pointer to a hyperlink.

Parameters

<i>num_ - codestream</i>	Number of the hyperlink (codestream).
------------------------------	---------------------------------------

6.31.4.4 FileSegment jpeg2000::ImageIndex::GetMainHeader (int *num_codestream*) const [inline]

Returns the file segment the main header of a given codestream.

Parameters

<i>num_ - codestream</i>	Codestream number
------------------------------	-------------------

6.31.4.5 **FileSegment** jpeg2000::ImageIndex::GetMetadata (int *num_metadata*) const [inline]

Returns the file segment of a meta-data block.

Parameters

<i>num_metadata</i>	Meta-data number.
---------------------	-------------------

6.31.4.6 `int jpeg2000::ImageIndex::GetNumCodestreams () const [inline]`

Returns the number of codestreams.

6.31.4.7 `int jpeg2000::ImageIndex::GetNumHyperLinks () const [inline]`

Returns the number of hyperlinks.

6.31.4.8 `int jpeg2000::ImageIndex::GetNumMetadatas () const [inline]`

Returns the number of meta-data blocks.

6.31.4.9 `void jpeg2000::ImageIndex::GetOffsetPacket (const File & file, int ind_codestream, uint64_t length_packet) [private]`

Gets the packet offsets.

Parameters

<i>file</i>	File where to read the data from.
<i>ind_codestream</i>	Codestream index.
<i>length_packet</i>	Packet length.

Returns

`true` if successful.

Here is the caller graph for this function:

6.31.4.10 `FileSegment jpeg2000::ImageIndex::GetPacket (int num_codestream, const Packet & packet, int * offset = NULL)`

Returns the file segment of a packet.

Parameters

<i>num_codestream</i>	Codestream number.
<i>packet</i>	Packet information.
<i>offset</i>	If it is not <code>NULL</code> receives the offset of the packet.

Here is the call graph for this function:

6.31.4.11 `string jpeg2000::ImageIndex::GetPathName () const [inline]`

Returns the path name of the image.

6.31.4.12 `string jpeg2000::ImageIndex::GetPathName (int num_codestream) const [inline]`

Returns the path name of a given codestream, if it is a hyperlinked codestream.

Parameters

<i>num_ - codestream</i>	Codestream number.
------------------------------	--------------------

6.31.4.13 Placeholder jpeg2000::ImageIndex::GetPlaceholder (int *num_placeholder*) const [inline]

Returns the information of a place-holder.

Parameters

<i>num_ - placeholder</i>	Place-holder number.
-------------------------------	----------------------

6.31.4.14 bool jpeg2000::ImageIndex::GetPLTLength (const File & *file*, int *ind_codestream*, uint64_t * *length_packet*) [private]

Gets the packet lengths from a PLT marker.

Parameters

<i>file</i>	File where to read the data from.
<i>ind_codestream</i>	Codestream index.
<i>length_packet</i>	It is returned the length of the packet.

Returns

`true` if successful.

Here is the call graph for this function:

Here is the caller graph for this function:

6.31.4.15 bool jpeg2000::ImageIndex::Init (const string & *path_name*, const ImageInfo & *image_info*) [private]

Initializes the object.

Parameters

<i>path_name</i>	Path name of the image.
<i>image_info</i>	Indexing image information.

Returns

`true` if successful

Here is the call graph for this function:

Here is the caller graph for this function:

6.31.4.16 bool jpeg2000::ImageIndex::Init (const string & *path_name*, CodingParameters::Ptr *coding_parameters*, const ImageInfo & *image_info*, int *index*) [private]

Initializes the object.

Parameters

<i>path_name</i>	Path name of the image.
<i>coding_ - parameters</i>	Coding parameters.
<i>image_info</i>	Indexing image information.
<i>index</i>	Image index.

Returns

`true` if successful

6.31.4.17 `bool jpeg2000::ImageIndex::IsHyperLinked (int num_codestream) const` `[inline]`

Returns `true` if the image contains hyperlinks.

6.31.4.18 `jpeg2000::ImageIndex::operator CodingParameters::Ptr () const` `[inline]`

6.31.4.19 `ImageIndex& jpeg2000::ImageIndex::operator= (const ImageIndex & image_index)` `[inline]`

Here is the call graph for this function:

6.31.4.20 `bool jpeg2000::ImageIndex::ReadLock (const Range & range = Range (0, 0))`

Gets the lock for reading, for a specific range of codestreams.

Returns

`true` if successful

6.31.4.21 `bool jpeg2000::ImageIndex::ReadUnlock (const Range & range = Range (0, 0))`

Releases the lock for reading, for a specific range of codestreams.

Returns

`true` if successful

6.31.5 Friends And Related Function Documentation

6.31.5.1 `friend class IndexManager` `[friend]`

6.31.5.2 `ostream& operator<< (ostream & out, const ImageIndex & info_node)` `[friend]`

6.31.6 Member Data Documentation

6.31.6.1 `vector<CodestreamIndex> jpeg2000::ImageIndex::codestreams` `[private]`

Image code-streams.

6.31.6.2 `CodingParameters::Ptr jpeg2000::ImageIndex::coding_parameters` `[private]`

Image coding parameters.

6.31.6.3 `vector<list<ImageIndex>::iterator> jpeg2000::ImageIndex::hyper_links` [private]

Image hyperlinks.

6.31.6.4 `vector<uint64_t> jpeg2000::ImageIndex::last_offset_packet` [private]

6.31.6.5 `vector<uint64_t> jpeg2000::ImageIndex::last_offset_PLT` [private]

6.31.6.6 `vector<int> jpeg2000::ImageIndex::last_packet` [private]

6.31.6.7 `vector<int> jpeg2000::ImageIndex::last_plt` [private]

6.31.6.8 `vector<int> jpeg2000::ImageIndex::max_resolution` [private]

Maximum resolution number.

6.31.6.9 **Metadata** `jpeg2000::ImageIndex::meta_data` [private]

Image [Metadata](#).

6.31.6.10 `int jpeg2000::ImageIndex::num_references` [private]

Number of references.

6.31.6.11 `vector<PacketIndex> jpeg2000::ImageIndex::packet_indexes` [private]

Code-stream packet index.

6.31.6.12 `string jpeg2000::ImageIndex::path_name` [private]

Image file name.

6.31.6.13 **RdWrLock::Ptr** `jpeg2000::ImageIndex::rdwr_lock` [private]

Read/write lock.

The documentation for this class was generated from the following files:

- [jpeg2000/image_index.h](#)
- [jpeg2000/image_index.cc](#)

6.32 jpeg2000::ImageInfo Class Reference

Contains the indexing information of a JPEG2000 image.

```
#include <image_info.h>
```

Collaboration diagram for jpeg2000::ImageInfo:

Public Member Functions

- [ImageInfo](#) ()
Empty constructor.
- [ImageInfo](#) (const [ImageInfo](#) &info)
Copy constructor.
- const [ImageInfo](#) & [operator=](#) (const [ImageInfo](#) &info)
Copy assignment.
- template<typename T >
T & [SerializeWith](#) (T &stream)
- virtual [~ImageInfo](#) ()

Public Attributes

- [Metadata](#) meta_data
Meta-data information.
- multimap< string, int > [paths](#)
Paths of the hyperlinks (if any)
- [CodingParameters](#) coding_parameters
Coding parameters.
- vector< [CodestreamIndex](#) > [codestreams](#)
Codestreams information.
- vector< [Metadata](#) > [meta_data_hyperlinks](#)
Meta-data of the hyperlinks.

Friends

- ostream & [operator<<](#) (ostream &out, const [ImageInfo](#) &info)

6.32.1 Detailed Description

Contains the indexing information of a JPEG2000 image.

This class can be serialized and printed.

See Also

[CodingParameters](#)
[CodestreamIndex](#)
[Metadata](#)

6.32.2 Constructor & Destructor Documentation

6.32.2.1 jpeg2000::ImageInfo::ImageInfo () [\[inline\]](#)

Empty constructor.

6.32.2.2 jpeg2000::ImageInfo::ImageInfo (const ImageInfo & info) [\[inline\]](#)

Copy constructor.

6.32.2.3 `virtual jpeg2000::ImageInfo::~ImageInfo () [inline],[virtual]`

6.32.3 Member Function Documentation

6.32.3.1 `const ImageInfo& jpeg2000::ImageInfo::operator= (const ImageInfo & info) [inline]`

Copy assignment.

Here is the call graph for this function:

6.32.3.2 `template<typename T> T& jpeg2000::ImageInfo::SerializeWith (T & stream) [inline]`

6.32.4 Friends And Related Function Documentation

6.32.4.1 `ostream& operator<< (ostream & out, const ImageInfo & info) [friend]`

6.32.5 Member Data Documentation

6.32.5.1 `vector<CodestreamIndex> jpeg2000::ImageInfo::codestreams`

Codestreams information.

6.32.5.2 `CodingParameters jpeg2000::ImageInfo::coding_parameters`

Coding parameters.

6.32.5.3 `Metadata jpeg2000::ImageInfo::meta_data`

Meta-data information.

6.32.5.4 `vector<Metadata> jpeg2000::ImageInfo::meta_data_hyperlinks`

Meta-data of the hyperlinks.

6.32.5.5 `multimap<string, int> jpeg2000::ImageInfo::paths`

Paths of the hyperlinks (if any)

The documentation for this class was generated from the following file:

- [jpeg2000/image_info.h](#)

6.33 jpeg2000::IndexManager Class Reference

Manages the indexing information of a repository fo images.

```
#include <index_manager.h>
```

Collaboration diagram for jpeg2000::IndexManager:

Public Member Functions

- [IndexManager](#) ()

- *Empty constructor.*
- [bool Init](#) (string root_dir, string cache_dir)
Initializes the object.
- [ImageIndex::Ptr GetBegin](#) ()
Returns a pointer to the first image index.
- [ImageIndex::Ptr GetEnd](#) ()
Returns a pointer to the last image index.
- [FileManager & file_manager](#) ()
Returns a reference to the base file manager.
- [bool OpenImage](#) (string &path_image_file, [ImageIndex::Ptr](#) *image_index)
Opens an image and adds its index to the list.
- [bool CloseImage](#) (const [ImageIndex::Ptr](#) &image_index)
Closes an image and removes its index from the list, only if it is not used by any other one.
- [int GetSize](#) () const
Returns the size of the list.
- [virtual ~IndexManager](#) ()

Private Member Functions

- [bool UnsafeOpenImage](#) (string &path_image_file, [ImageIndex::Ptr](#) *image_index)
Unsafely (without mutex) opens an image and adds its index to the list.
- [bool UnsafeCloseImage](#) (const [ImageIndex::Ptr](#) &image_index)
Unsafely (without mutex) closes an image and removes its index from the list, only if it is not used by any other one.

Private Attributes

- [Mutex mutex](#)
Mutex for the operations with the list.
- [FileManager file_manager_](#)
File manager.
- [list< ImageIndex > index_list](#)
List of the indexes.

6.33.1 Detailed Description

Manages the indexing information of a repository fo images.

Maintains a list in memory of the indexes (using the class [ImageIndex](#) for the nodes) of all the opened images and allows a multi-thread access to the information.

See Also

[FileManager](#)
[ImageIndex](#)

6.33.2 Constructor & Destructor Documentation

6.33.2.1 jpeg2000::IndexManager::IndexManager () [inline]

Empty constructor.

6.33.2.2 `virtual jpeg2000::IndexManager::~~IndexManager () [inline],[virtual]`

6.33.3 Member Function Documentation

6.33.3.1 `bool jpeg2000::IndexManager::CloseImage (const ImageIndex::Ptr & image_index)`

Closes an image and removes its index from the list, only if it is not used by any other one.

Parameters

<i>image_index</i>	Associated image index.
--------------------	-------------------------

Returns

`true` if successful.

Here is the caller graph for this function:

6.33.3.2 `FileManager& jpeg2000::IndexManager::file_manager () [inline]`

Returns a reference to the base file manager.

Here is the caller graph for this function:

6.33.3.3 `ImageIndex::Ptr jpeg2000::IndexManager::GetBegin () [inline]`

Returns a pointer to the first image index.

Here is the caller graph for this function:

6.33.3.4 `ImageIndex::Ptr jpeg2000::IndexManager::GetEnd () [inline]`

Returns a pointer to the last image index.

Here is the caller graph for this function:

6.33.3.5 `int jpeg2000::IndexManager::GetSize () const [inline]`

Returns the size of the list.

Here is the caller graph for this function:

6.33.3.6 `bool jpeg2000::IndexManager::Init (string root_dir, string cache_dir) [inline]`

Initializes the object.

Parameters

<i>root_dir</i>	Root directory of the image repository.
<i>cache_dir</i>	Directory used for caching.

Returns

`true` if successful

Here is the caller graph for this function:

6.33.3.7 `bool jpeg2000::IndexManager::OpenImage (string & path_image_file, ImageIndex::Ptr * image_index)`

Opens an image and adds its index to the list.

Parameters

<i>path_image_file</i>	Path of the image file.
<i>image_index</i>	Receives the pointer to the image index created.

Returns

`true` if successful.

Here is the caller graph for this function:

6.33.3.8 `bool jpeg2000::IndexManager::UnsafeCloseImage (const ImageIndex::Ptr & image_index) [private]`

Unsafely (without mutex) closes an image and removes its index from the list, only if it is not used by any other one.

Parameters

<i>image_index</i>	Associated image index.
--------------------	-------------------------

Returns

`true` if successful.

6.33.3.9 `bool jpeg2000::IndexManager::UnsafeOpenImage (string & path_image_file, ImageIndex::Ptr * image_index) [private]`

Unsafely (without mutex) opens an image and adds its index to the list.

Parameters

<i>path_image_file</i>	Path of the image file.
<i>image_index</i>	Receives the pointer to the image index created.

Returns

`true` if successful.

Here is the call graph for this function:

6.33.4 Member Data Documentation

6.33.4.1 `FileManager jpeg2000::IndexManager::file_manager_ [private]`

File manager.

6.33.4.2 `list<ImageIndex> jpeg2000::IndexManager::index_list [private]`

List of the indexes.

6.33.4.3 `Mutex jpeg2000::IndexManager::mutex [private]`

Mutex for the operations with the list.

The documentation for this class was generated from the following files:

- [jpeg2000/index_manager.h](#)
- [jpeg2000/index_manager.cc](#)

6.34 net::InetAddress Class Reference

Class to identify and handle an Internet address.

```
#include <address.h>
```

Inheritance diagram for net::InetAddress:

Collaboration diagram for net::InetAddress:

Public Member Functions

- [InetAddress](#) ()
Initializes the address to zero.
- [InetAddress](#) (const [InetAddress](#) &address)
Copy constructor.
- [InetAddress](#) (int port)
Initializes the address with given port.
- [InetAddress](#) (const char *path, int port)
Initializes the address with the given path and port.
- [InetAddress](#) & [operator=](#) (const [InetAddress](#) &address)
Copy assignment.
- virtual sockaddr * [GetSockAddr](#) () const
Overloaded from the base class to use the internal address structure.
- virtual int [GetSize](#) () const
Overloaded from the base class to use the internal address structure.
- string [GetPath](#) () const
Returns the address path.
- int [GetPort](#) () const
Returns the port number.

Private Attributes

- sockaddr_in [sock_addr](#)
Internal address structure.

6.34.1 Detailed Description

Class to identify and handle an Internet address.

The used internal address structure is `sockaddr_in`.

See Also

[Address](#)

6.34.2 Constructor & Destructor Documentation

6.34.2.1 net::InetAddress::InetAddress () [inline]

Initializes the address to zero.

6.34.2.2 `net::InetAddress::InetAddress (const InetAddress & address)` `[inline]`

Copy constructor.

6.34.2.3 `net::InetAddress::InetAddress (int port)` `[inline]`

Initializes the address with given port.

The used path is `INADDR_ANY`.

Parameters

<i>port</i>	Port number.
-------------	--------------

6.34.2.4 `net::InetAddress::InetAddress (const char * path, int port)` `[inline]`

Initializes the address with the given path and port.

Parameters

<i>path</i>	Address path.
<i>port</i>	Port number.

6.34.3 Member Function Documentation

6.34.3.1 `string net::InetAddress::GetPath () const` `[inline]`

Returns the address path.

Here is the caller graph for this function:

6.34.3.2 `int net::InetAddress::GetPort () const` `[inline]`

Returns the port number.

Here is the caller graph for this function:

6.34.3.3 `virtual int net::InetAddress::GetSize () const` `[inline],[virtual]`

Overloaded from the base class to use the internal address structure.

Implements [net::Address](#).

6.34.3.4 `virtual sockaddr* net::InetAddress::GetSockAddr () const` `[inline],[virtual]`

Overloaded from the base class to use the internal address structure.

Implements [net::Address](#).

6.34.3.5 `InetAddress& net::InetAddress::operator= (const InetAddress & address)` `[inline]`

Copy assignment.

6.34.4 Member Data Documentation

6.34.4.1 sockaddr_in net::InetAddress::sock_addr [private]

Internal address structure.

The documentation for this class was generated from the following file:

- net/[address.h](#)

6.35 data::InputOperator Struct Reference

This struct identifies a basic input operator to be applied to a `File` object.

```
#include <serialize.h>
```

Collaboration diagram for data::InputOperator:

Static Public Member Functions

- static const char * [FileAccess](#) ()
Returns the required file access for this operator.
- static bool [SerializeBytes](#) ([File](#) &file, void *ptr, int num_bytes)
Performs an input (read) serialization of bytes for a file.

6.35.1 Detailed Description

This struct identifies a basic input operator to be applied to a `File` object.

See Also

[BaseStream](#)
[File](#)

6.35.2 Member Function Documentation

6.35.2.1 static const char* data::InputOperator::FileAccess () [inline],[static]

Returns the required file access for this operator.

6.35.2.2 static bool data::InputOperator::SerializeBytes ([File](#) &file, void * ptr, int num_bytes) [inline],[static]

Performs an input (read) serialization of bytes for a file.

Parameters

<i>file</i>	File to use for the operation.
<i>ptr</i>	Pointer to the buffer where to store the bytes.
<i>num_bytes</i>	Number of bytes to read from the file.

Returns

`true` if successful.

Here is the call graph for this function:

The documentation for this struct was generated from the following file:

- [data/serialize.h](#)

6.36 data::InputStream Class Reference

Specialization of the [BaseStream](#) for input serializations.

```
#include <serialize.h>
```

Inheritance diagram for data::InputStream:

Collaboration diagram for data::InputStream:

Public Member Functions

- `template<typename T >`
[InputStream](#) & [Serialize](#) (T &var)

Additional Inherited Members

6.36.1 Detailed Description

Specialization of the [BaseStream](#) for input serializations.

See Also

[BaseStream](#)

6.36.2 Member Function Documentation

6.36.2.1 `template<typename T > InputStream& data::InputStream::Serialize (T & var)` `[inline]`

Here is the call graph for this function:

Here is the caller graph for this function:

The documentation for this class was generated from the following file:

- [data/serialize.h](#)

6.37 ipc::IPCObject Class Reference

Class base of all the IPC classes that has the basic operations (`Init`, `Wait` and `Dispose`) to be overloaded.

```
#include <ipc_object.h>
```

Inheritance diagram for ipc::IPCObject:

Collaboration diagram for ipc::IPCObject:

Public Types

- typedef `SHARED_PTR< IPCObject > Ptr`
Pointer to an IPC object.

Public Member Functions

- `IPCObject ()`
Initializes the internal status to `false`.
- virtual `bool Init ()`
Sets the internal status to `true`
- virtual `WaitResult Wait (int time_out=-1)`
Performs a wait operation with the object to get it.
- `bool IsValid ()`
Returns `true` if the object is valid, that is, the internal status value is `true`.
- virtual `bool Dispose ()`
Release the resources associated to the IPC object and sets the internal status to `false`.
- virtual `~IPCObject ()`
The desctructor calls the method `Dispose`.

Private Attributes

- `bool valid`
Internal status of the object.

6.37.1 Detailed Description

Class base of all the IPC classes that has the basic operations (`Init`, `Wait` and `Dispose`) to be overloaded.

It has also an internal boolean value to set the object status.

For the IPC objects the Windows IPC philosophy has been adopted because of its simplicity and flexibility. Under this philosophy, the main operation that can be performed to an IPC object is `Wait`, to wait for getting the control of the object. Depending on the type of the IPC object (mutex, event, etc.), the meaning of "getting" the control of the object can be different.

6.37.2 Member Typedef Documentation

6.37.2.1 typedef `SHARED_PTR<IPCObject> ipc::IPCObject::Ptr`

Pointer to an IPC object.

6.37.3 Constructor & Destructor Documentation

6.37.3.1 `ipc::IPCObject::IPCObject ()` `[inline]`

Initializes the internal status to `false`.

6.37.3.2 `virtual ipc::IPCObject::~~IPCObject ()` `[inline]`, `[virtual]`

The desctructor calls the method `Dispose`.

Here is the call graph for this function:

6.37.4 Member Function Documentation

6.37.4.1 `virtual bool ipc::IPCObject::Dispose () [inline],[virtual]`

Release the resources associated to the IPC object and sets the internal status to `false`.

Returns

`true` if successful. If it is not overloaded, it always returns `true`.

Reimplemented in [ipc::Event](#), [ipc::Mutex](#), and [ipc::RdWrLock](#).

Here is the caller graph for this function:

6.37.4.2 `virtual bool ipc::IPCObject::Init () [inline],[virtual]`

Sets the internal status to `true`

Returns

`true` if successful. If it is not overloaded, it always returns `true` .

Reimplemented in [ipc::Event](#), [ipc::Mutex](#), and [ipc::RdWrLock](#).

Here is the caller graph for this function:

6.37.4.3 `bool ipc::IPCObject::IsValid () [inline]`

Returns `true` if the object is valid, that is, the internal status value is `true`.

Here is the caller graph for this function:

6.37.4.4 `virtual WaitResult ipc::IPCObject::Wait (int time_out = -1) [inline],[virtual]`

Performs a wait operation with the object to get it.

Parameters

<i>time_out</i>	Time out (infinite by default).
-----------------	---------------------------------

Returns

`WAIT_OBJECT` if successful, `WAIT_TIMEOUT` if time out or `WAIT_ERROR` is error. If it is not overloaded, it always returns `WAIT_ERROR`.

Reimplemented in [ipc::Event](#), [ipc::Mutex](#), and [ipc::RdWrLock](#).

6.37.5 Member Data Documentation

6.37.5.1 `bool ipc::IPCObject::valid [private]`

Internal status of the object.

As it is a private member, the derived classes must use the methods `Init` and `Dispose` to set the value of this status.

The documentation for this class was generated from the following file:

- [ipc/ipc_object.h](#)

6.38 data::LockedAccess Struct Reference

Struct for wrapping the basic `FILE` locked functions for reading and writing defined in `stdio.h`.

```
#include <file.h>
```

Collaboration diagram for data::LockedAccess:

Static Public Member Functions

- static void [configure](#) (FILE *file_ptr)
- static size_t [fwrite](#) (const void *ptr, size_t size, size_t count, FILE *file_ptr)
- static size_t [fread](#) (void *ptr, size_t size, size_t count, FILE *file_ptr)
- static int [fgetc](#) (FILE *file_ptr)
- static int [fputc](#) (int c, FILE *file_ptr)

6.38.1 Detailed Description

Struct for wrapping the basic `FILE` locked functions for reading and writing defined in `stdio.h`.

See Also

[File](#)

6.38.2 Member Function Documentation

6.38.2.1 static void data::LockedAccess::configure (FILE * file_ptr) [inline], [static]

6.38.2.2 static int data::LockedAccess::fgetc (FILE * file_ptr) [inline], [static]

6.38.2.3 static int data::LockedAccess::fputc (int c, FILE * file_ptr) [inline], [static]

6.38.2.4 static size_t data::LockedAccess::fread (void * ptr, size_t size, size_t count, FILE * file_ptr) [inline], [static]

6.38.2.5 static size_t data::LockedAccess::fwrite (const void * ptr, size_t size, size_t count, FILE * file_ptr) [inline], [static]

The documentation for this struct was generated from the following file:

- data/[file.h](#)

6.39 jpeg2000::Metadata Class Reference

Contains the indexing information associated to the meta-data of a JPEG2000 image file.

```
#include <meta_data.h>
```

Collaboration diagram for jpeg2000::Metadata:

Public Member Functions

- [Metadata](#) ()
Empty constructor.

- [Metadata](#) (const [Metadata](#) &info)
Copy constructor.
- template<typename T >
T & [SerializeWith](#) (T &stream)
- [Metadata](#) & [operator=](#) (const [Metadata](#) &info)
Copy assignment.
- virtual [~Metadata](#) ()

Public Attributes

- vector< [FileSegment](#) > [meta_data](#)
File segments of all the meta-data blocks.
- vector< [Placeholder](#) > [place_holders](#)
Associated place-holders.

Friends

- ostream & [operator<<](#) (ostream &out, const [Metadata](#) &info)

6.39.1 Detailed Description

Contains the indexing information associated to the meta-data of a JPEG2000 image file.

This class can be printed and serialized.

6.39.2 Constructor & Destructor Documentation

6.39.2.1 jpeg2000::Metadata::Metadata () [\[inline\]](#)

Empty constructor.

6.39.2.2 jpeg2000::Metadata::Metadata (const [Metadata](#) & *info*) [\[inline\]](#)

Copy constructor.

6.39.2.3 virtual jpeg2000::Metadata::~~Metadata () [\[inline\]](#), [\[virtual\]](#)

6.39.3 Member Function Documentation

6.39.3.1 [Metadata&](#) jpeg2000::Metadata::operator= (const [Metadata](#) & *info*) [\[inline\]](#)

Copy assignment.

Here is the call graph for this function:

6.39.3.2 template<typename T > T& jpeg2000::Metadata::SerializeWith (T & *stream*) [\[inline\]](#)

6.39.4 Friends And Related Function Documentation

6.39.4.1 ostream& operator<< (ostream & *out*, const [Metadata](#) & *info*) [\[friend\]](#)

6.39.5 Member Data Documentation

6.39.5.1 vector<FileSegment> jpeg2000::Metadata::meta_data

File segments of all the meta-data blocks.

6.39.5.2 vector<Placeholder> jpeg2000::Metadata::place_holders

Associated place-holders.

The documentation for this class was generated from the following file:

- [jpeg2000/meta_data.h](#)

6.40 ipc::Mutex Class Reference

IPC object that offers the functionality of a mutex, implemented by means of the pthread mutex API.

```
#include <mutex.h>
```

Inheritance diagram for ipc::Mutex:

Collaboration diagram for ipc::Mutex:

Public Types

- typedef [SHARED_PTR< Mutex > Ptr](#)
Pointer to a [Mutex](#) object.

Public Member Functions

- virtual bool [Init](#) ()
Initializes the object without locking the mutex.
- bool [Init](#) (bool initial_owner)
Initializes the object.
- virtual [WaitResult Wait](#) (int time_out=-1)
Performs a wait operation with the object to get it.
- virtual bool [Dispose](#) ()
*Release the resources associated to the IPC object and sets the internal status to *false*.*
- bool [Release](#) ()
Releases/unlocks the mutex.

Private Attributes

- pthread_t [locker](#)
Id. of the thread that locks the mutex.
- pthread_mutex_t [mutex](#)
[Mutex](#) information.

6.40.1 Detailed Description

IPC object that offers the functionality of a mutex, implemented by means of the pthread mutex API.

See Also

[IPCObject](#)

6.40.2 Member Typedef Documentation

6.40.2.1 typedef SHARED_PTR<Mutex> ipc::Mutex::Ptr

Pointer to a [Mutex](#) object.

6.40.3 Member Function Documentation

6.40.3.1 bool ipc::Mutex::Dispose () [virtual]

Release the resources associated to the IPC object and sets the internal status to *false*.

Returns

true if successful.

Reimplemented from [ipc::IPCObject](#).

Here is the call graph for this function:

6.40.3.2 virtual bool ipc::Mutex::Init () [inline],[virtual]

Initializes the object without locking the mutex.

Returns

true if successful.

Reimplemented from [ipc::IPCObject](#).

6.40.3.3 bool ipc::Mutex::Init (bool *initial_owner*)

Initializes the object.

Parameters

<i>initial_owner</i>	If <i>true</i> the mutex is locked.
----------------------	-------------------------------------

Returns

true if successful.

Here is the call graph for this function:

6.40.3.4 bool ipc::Mutex::Release ()

Releases/unlocks the mutex.

Returns

`true` if successful.

Here is the call graph for this function:

Here is the caller graph for this function:

6.40.3.5 WaitResult ipc::Mutex::Wait (int *time_out* = -1) [virtual]

Performs a wait operation with the object to get it.

Parameters

<i>time_out</i>	Time out (infinite by default).
-----------------	---------------------------------

Returns

`WAIT_OBJECT` if successful, `WAIT_TIMEOUT` if time out or `WAIT_ERROR` is error.

Reimplemented from [ipc::IPCObject](#).

Here is the call graph for this function:

Here is the caller graph for this function:

6.40.4 Member Data Documentation**6.40.4.1 pthread_t ipc::Mutex::locker [private]**

Id. of the thread that locks the mutex.

6.40.4.2 pthread_mutex_t ipc::Mutex::mutex [private]

[Mutex](#) information.

The documentation for this class was generated from the following files:

- [ipc/mutex.h](#)
- [ipc/mutex.cc](#)

6.41 data::OutputOperator Struct Reference

This struct identifies a basic output operator to be applied to a `File` object.

```
#include <serialize.h>
```

Collaboration diagram for `data::OutputOperator`:

Static Public Member Functions

- static const char * [FileAccess](#) ()
Returns the required file access for this operator.
- static bool [SerializeBytes](#) ([File](#) &file, void *ptr, int num_bytes)
Performs an output (write) serialization of bytes for a file.

6.41.1 Detailed Description

This struct identifies a basic output operator to be applied to a `File` object.

See Also

[BaseStream](#)
[File](#)

6.41.2 Member Function Documentation

6.41.2.1 `static const char* data::OutputOperator::FileAccess () [inline],[static]`

Returns the required file access for this operator.

6.41.2.2 `static bool data::OutputOperator::SerializeBytes (File & file, void * ptr, int num_bytes) [inline],[static]`

Performs an output (write) serialization of bytes for a file.

Parameters

<i>file</i>	File to use for the operation.
<i>ptr</i>	Pointer to the buffer where to read the bytes.
<i>num_bytes</i>	Number of bytes to write to the file.

Returns

`true` if successful.

Here is the call graph for this function:

The documentation for this struct was generated from the following file:

- [data/serialize.h](#)

6.42 data::OutputStream Class Reference

Specialization of the [BaseStream](#) for output serializations.

```
#include <serialize.h>
```

Inheritance diagram for `data::OutputStream`:

Collaboration diagram for `data::OutputStream`:

Public Member Functions

- `template<typename T>`
[OutputStream](#) & [Serialize](#) (T &var)

Additional Inherited Members

6.42.1 Detailed Description

Specialization of the [BaseStream](#) for output serializations.

See Also

[BaseStream](#)

6.42.2 Member Function Documentation

6.42.2.1 `template<typename T> OutputStream& data::OutputStream::Serialize (T & var) [inline]`

Here is the call graph for this function:

Here is the caller graph for this function:

The documentation for this class was generated from the following file:

- data/[serialize.h](#)

6.43 jpeg2000::Packet Class Reference

Contains the information of a packet.

```
#include <packet.h>
```

Collaboration diagram for jpeg2000::Packet:

Public Member Functions

- [Packet](#) ()
Initializes the object to zero.
- [Packet](#) (int [layer](#), int [resolution](#), int [component](#), [Point](#) [precinct_xy](#))
Initializes the object.
- [Packet](#) (const [Packet](#) &packet)
Copy constructor.
- const [Packet](#) & [operator=](#) (const [Packet](#) &packet)
Copy assignment.
- virtual [~Packet](#) ()

Public Attributes

- int [layer](#)
Quality layer.
- int [component](#)
Component number.
- int [resolution](#)
Resolution level.
- [Point](#) [precinct_xy](#)
Precinct coordinate.

Friends

- ostream & [operator<<](#) (ostream &out, const [Packet](#) &packet)

6.43.1 Detailed Description

Contains the information of a packet.

This class can be printed.

6.43.2 Constructor & Destructor Documentation

6.43.2.1 `jpeg2000::Packet::Packet ()` [inline]

Initializes the object to zero.

6.43.2.2 `jpeg2000::Packet::Packet (int layer, int resolution, int component, Point precinct_xy)` [inline]

Initializes the object.

6.43.2.3 `jpeg2000::Packet::Packet (const Packet & packet)` [inline]

Copy constructor.

6.43.2.4 `virtual jpeg2000::Packet::~~Packet ()` [inline],[virtual]

6.43.3 Member Function Documentation

6.43.3.1 `const Packet& jpeg2000::Packet::operator= (const Packet & packet)` [inline]

Copy assignment.

6.43.4 Friends And Related Function Documentation

6.43.4.1 `ostream& operator<< (ostream & out, const Packet & packet)` [friend]

6.43.5 Member Data Documentation

6.43.5.1 `int jpeg2000::Packet::component`

Component number.

6.43.5.2 `int jpeg2000::Packet::layer`

Quality layer.

6.43.5.3 `Point jpeg2000::Packet::precinct_xy`

Precinct coordinate.

6.43.5.4 `int jpeg2000::Packet::resolution`

Resolution level.

The documentation for this class was generated from the following file:

- [jpeg2000/packet.h](#)

6.44 jpeg2000::PacketIndex Class Reference

Class used for indexing the packets of a codestream image.

```
#include <packet_index.h>
```

Collaboration diagram for jpeg2000::PacketIndex:

Public Types

- enum { [MINIMUM_OFFSET](#) = 64 }

Public Member Functions

- [PacketIndex](#) ()
Empty constructor.
- [PacketIndex](#) (uint64_t max_offset)
Initializes the object.
- [PacketIndex](#) (const [PacketIndex](#) &index)
Copy constructor.
- const [PacketIndex](#) & [operator=](#) (const [PacketIndex](#) &index)
Copy assignment.
- [PacketIndex](#) & [Add](#) (const [FileSegment](#) &segment)
Adds a new packet segment to the index.
- int [Size](#) () const
Returns the number of elements of the vector.
- void [Clear](#) ()
Clears the content.
- [FileSegment](#) [operator\[\]](#) (int i) const
Operator used for accessing the items.
- virtual [~PacketIndex](#) ()

Private Attributes

- [vint_vector](#) offsets
Vector of packet offsets.
- vector< [FileSegment](#) > [aux](#)
Vector of file segments to handle the different sets of packets that are not contiguous.

6.44.1 Detailed Description

Class used for indexing the packets of a codestream image.

The class `vint_vector` is used internally to store the offsets of the packets with the minimum required bytes.

See Also

[data::vint_vector](#)

6.44.2 Member Enumeration Documentation

6.44.2.1 anonymous enum

Enumerator

MINIMUM_OFFSET All the offsets must be greater than this value.

6.44.3 Constructor & Destructor Documentation

6.44.3.1 jpeg2000::PacketIndex::PacketIndex () [inline]

Empty constructor.

6.44.3.2 jpeg2000::PacketIndex::PacketIndex (uint64_t max_offset) [inline]

Initializes the object.

Parameters

<i>max_offset</i>	Maximum value for an offset.
-------------------	------------------------------

6.44.3.3 jpeg2000::PacketIndex::PacketIndex (const PacketIndex & index) [inline]

Copy constructor.

6.44.3.4 virtual jpeg2000::PacketIndex::~~PacketIndex () [inline],[virtual]

6.44.4 Member Function Documentation

6.44.4.1 PacketIndex& jpeg2000::PacketIndex::Add (const FileSegment & segment) [inline]

Adds a new packet segment to the index.

Parameters

<i>segment</i>	Fiel segment associated to the packet.
----------------	--

Returns

The object itself.

6.44.4.2 void jpeg2000::PacketIndex::Clear () [inline]

Clears the content.

6.44.4.3 const PacketIndex& jpeg2000::PacketIndex::operator= (const PacketIndex & index) [inline]

Copy assignment.

Here is the call graph for this function:

6.44.4.4 FileSegment jpeg2000::PacketIndex::operator[] (int i) const [inline]

Operator used for accessing the items.

Parameters

<i>i</i>	Item index.
----------	-------------

Returns

File segment of the packet.

6.44.4.5 `int jpeg2000::PacketIndex::Size () const` `[inline]`

Returns the number of elements of the vector.

6.44.5 Member Data Documentation

6.44.5.1 `vector<FileSegment> jpeg2000::PacketIndex::aux` `[private]`

Vector of file segments to handle the different sets of packets that are not contiguous.

6.44.5.2 `vint_vector jpeg2000::PacketIndex::offsets` `[private]`

Vector of packet offsets.

The documentation for this class was generated from the following file:

- [jpeg2000/packet_index.h](#)

6.45 jpip::Request::ParametersMask Union Reference

Union used to control the presence of the different JPIP parameters in a request.

```
#include <request.h>
```

Collaboration diagram for jpip::Request::ParametersMask:

Public Member Functions

- [ParametersMask](#) ()
Initializes the mask to zero.
- `bool` [HasWOI](#) () `const`
Returns `true` if the mask contains the parameters associated to the [WOI](#) (`fsiz`, `roff` and `rsiz`).
- `void` [Clear](#) ()
Sets the mask to zero.

Public Attributes

- `struct` {
 `int` [fsiz](#): 1
 `int` [roff](#): 1
 `int` [rsiz](#): 1
 `int` [metareq](#): 1
 `int` [len](#): 1
 `int` [target](#): 1
 `int` [cid](#): 1
}

```

    int cnew: 1
    int cclose: 1
    int model: 1
    int stream: 1
    int context: 1
} items

```

Parameters mask.

- int [value](#)

Parameters mask as integer.

6.45.1 Detailed Description

Union used to control the presence of the different JPIP parameters in a request.

6.45.2 Constructor & Destructor Documentation

6.45.2.1 `jpip::Request::ParametersMask::ParametersMask ()` `[inline]`

Initializes the mask to zero.

6.45.3 Member Function Documentation

6.45.3.1 `void jpip::Request::ParametersMask::Clear ()` `[inline]`

Sets the mask to zero.

Here is the caller graph for this function:

6.45.3.2 `bool jpip::Request::ParametersMask::HasWOI () const` `[inline]`

Returns `true` if the mask contains the parameters associated to the [WOI](#) (fsiz, roff and rsiz).

Here is the caller graph for this function:

6.45.4 Member Data Documentation

6.45.4.1 `int jpip::Request::ParametersMask::cclose`

6.45.4.2 `int jpip::Request::ParametersMask::cid`

6.45.4.3 `int jpip::Request::ParametersMask::cnew`

6.45.4.4 `int jpip::Request::ParametersMask::context`

6.45.4.5 `int jpip::Request::ParametersMask::fsiz`

6.45.4.6 `struct { ... } jpip::Request::ParametersMask::items`

Parameters mask.

- 6.45.4.7 int jpip::Request::ParametersMask::len
- 6.45.4.8 int jpip::Request::ParametersMask::metareq
- 6.45.4.9 int jpip::Request::ParametersMask::model
- 6.45.4.10 int jpip::Request::ParametersMask::roff
- 6.45.4.11 int jpip::Request::ParametersMask::rsiz
- 6.45.4.12 int jpip::Request::ParametersMask::stream
- 6.45.4.13 int jpip::Request::ParametersMask::target
- 6.45.4.14 int jpip::Request::ParametersMask::value

Parameters mask as integer.

The documentation for this union was generated from the following file:

- [jpip/request.h](#)

6.46 jpeg2000::Placeholder Class Reference

Contains the information of a place-holder.

```
#include <place_holder.h>
```

Collaboration diagram for jpeg2000::Placeholder:

Public Member Functions

- [Placeholder](#) ()
Initializes the object.
- [Placeholder](#) (int [id](#), bool [is_jp2c](#), const [FileSegment](#) &[header](#), uint64_t [data_length](#))
Initializes the object.
- [Placeholder](#) (const [Placeholder](#) &[place_holder](#))
Copy constructor.
- template<typename T >
T & [SerializeWith](#) (T &[stream](#))
- [Placeholder](#) & [operator=](#) (const [Placeholder](#) &[place_holder](#))
Copy assignment.
- int [length](#) () const
Returns the length of the place-holder.
- virtual [~Placeholder](#) ()

Public Attributes

- int [id](#)
Place-holder identifier.
- bool [is_jp2c](#)
true if refers to a codestream.
- [FileSegment](#) [header](#)

File segment associated to the box header.

- uint64_t [data_length](#)

Length of the place-holder data.

Friends

- ostream & [operator<<](#) (ostream &out, const [Placeholder](#) &place_holder)

6.46.1 Detailed Description

Contains the information of a place-holder.

This class can be printed and serialized.

6.46.2 Constructor & Destructor Documentation

6.46.2.1 jpeg2000::Placeholder::Placeholder () [inline]

Initializes the object.

6.46.2.2 jpeg2000::Placeholder::Placeholder (int *id*, bool *is_jp2c*, const FileSegment & *header*, uint64_t *data_length*) [inline]

Initializes the object.

Parameters

<i>id</i>	Place-holder identifier.
<i>is_jp2c</i>	Indicates if is a codestream place-holder.
<i>header</i>	File segment of the associated header.
<i>data_length</i>	Length of the place-holder data.

6.46.2.3 jpeg2000::Placeholder::Placeholder (const Placeholder & *place_holder*) [inline]

Copy constructor.

6.46.2.4 virtual jpeg2000::Placeholder::~~Placeholder () [inline],[virtual]

6.46.3 Member Function Documentation

6.46.3.1 int jpeg2000::Placeholder::length () const [inline]

Returns the length of the place-holder.

Here is the caller graph for this function:

6.46.3.2 Placeholder& jpeg2000::Placeholder::operator= (const Placeholder & *place_holder*) [inline]

Copy assignment.

6.46.3.3 `template<typename T> T& jpeg2000::Placeholder::SerializeWith (T & stream)` `[inline]`

6.46.4 Friends And Related Function Documentation

6.46.4.1 `ostream& operator<< (ostream & out, const Placeholder & place_holder)` `[friend]`

6.46.5 Member Data Documentation

6.46.5.1 `uint64_t jpeg2000::Placeholder::data_length`

Length of the place-holder data.

6.46.5.2 `FileSegment jpeg2000::Placeholder::header`

File segment associated to the box header.

6.46.5.3 `int jpeg2000::Placeholder::id`

Place-holder identifier.

6.46.5.4 `bool jpeg2000::Placeholder::is_jp2c`

`true` if refers to a codestream.

The documentation for this class was generated from the following file:

- [jpeg2000/place_holder.h](#)

6.47 jpeg2000::Point Class Reference

Represents a couple of integer values that can be used to identify a coordinate as well as a size.

`#include <point.h>`

Collaboration diagram for jpeg2000::Point:

Public Member Functions

- [Point \(\)](#)
Initializes the object.
- [Point \(int x, int y\)](#)
Initializes the object.
- [Point \(const Point &p\)](#)
Copy constructor.
- [Point & operator= \(const Point &p\)](#)
Copy assignment.
- [Point & operator++ \(\)](#)
Increments by one the two values.
- [Point & operator-- \(\)](#)
Decrements by one the two values.
- [Point & operator+= \(int val\)](#)
Increments the two values.

- `Point & operator-=` (int val)
Decrements the two values.
- `Point & operator*=` (int val)
Multiplies the two values by one value.
- `Point & operator/=` (int val)
Divides the two values by one value.
- `template<typename T >`
`T & SerializeWith` (T &stream)
- `virtual ~Point` ()

Public Attributes

- int `x`
Value X.
- int `y`
Value Y.

Friends

- `Point operator+` (const `Point` &a, int value)
Returns the sum of a point with an integer value.
- `Point operator-` (const `Point` &a, int value)
Returns the subtraction of a point with an integer value.
- `Point operator*` (const `Point` &a, int value)
Returns the multiplication of a point with an integer value.
- `Point operator/` (const `Point` &a, int value)
Returns the division of a point with an integer value.
- `Point operator+` (const `Point` &a, const `Point` &b)
Returns the sum of two points.
- `Point operator-` (const `Point` &a, const `Point` &b)
Returns the subtraction of two points.
- `Point operator*` (const `Point` &a, const `Point` &b)
Returns the multiplication of two points.
- `Point operator/` (const `Point` &a, const `Point` &b)
Returns the division of two points.
- `bool operator==` (const `Point` &a, const `Point` &b)
Returns `true` if the two points are equal.
- `bool operator!=` (const `Point` &a, const `Point` &b)
Returns `true` if the two points are not equal.
- `ostream & operator<<` (ostream &out, const `Point` &point)

6.47.1 Detailed Description

Represents a couple of integer values that can be used to identify a coordinate as well as a size.

This class can be printed and serialized.

6.47.2 Constructor & Destructor Documentation

6.47.2.1 `jpeg2000::Point::Point ()` [`inline`]

Initializes the object.

6.47.2.2 `jpeg2000::Point::Point (int x, int y) [inline]`

Initializes the object.

Parameters

<i>x</i>	Value X.
<i>y</i>	Value Y.

6.47.2.3 `jpeg2000::Point::Point (const Point & p)` `[inline]`

Copy constructor.

6.47.2.4 `virtual jpeg2000::Point::~~Point ()` `[inline],[virtual]`**6.47.3 Member Function Documentation****6.47.3.1** `Point& jpeg2000::Point::operator*=(int val)` `[inline]`

Multiplies the two values by one value.

Parameters

<i>val</i>	Value to multiply.
------------	--------------------

Returns

The object itself.

6.47.3.2 `Point& jpeg2000::Point::operator++ ()` `[inline]`

Increments by one the two values.

Returns

The object itself.

6.47.3.3 `Point& jpeg2000::Point::operator+=(int val)` `[inline]`

Increments the two values.

Parameters

<i>val</i>	Value to increment.
------------	---------------------

Returns

The object itself.

6.47.3.4 `Point& jpeg2000::Point::operator-- ()` `[inline]`

Decrements by one the two values.

Returns

The object itself.

6.47.3.5 `Point& jpeg2000::Point::operator-=(int val)` `[inline]`

Decrements the two values.

Parameters

<i>val</i>	Value to decrement.
------------	---------------------

Returns

The object itself.

6.47.3.6 Point& jpeg2000::Point::operator/= (int *val*) [inline]

Divides the two values by one value.

Parameters

<i>val</i>	Value to divide.
------------	------------------

Returns

The object itself.

6.47.3.7 Point& jpeg2000::Point::operator= (const Point & *p*) [inline]

Copy assignment.

6.47.3.8 template<typename T> T& jpeg2000::Point::SerializeWith (T & *stream*) [inline]**6.47.4 Friends And Related Function Documentation****6.47.4.1 bool operator!= (const Point & *a*, const Point & *b*) [friend]**

Returns `true` if the two points are not equal.

6.47.4.2 Point operator* (const Point & *a*, int *value*) [friend]

Returns the multiplication of a point with an integer value.

The value is multiplied to the two values of the point.

6.47.4.3 Point operator* (const Point & *a*, const Point & *b*) [friend]

Returns the multiplication of two points.

The operation is applied each value of each point.

6.47.4.4 Point operator+ (const Point & *a*, int *value*) [friend]

Returns the sum of a point with an integer value.

The value is added to the two values of the point.

6.47.4.5 Point operator+ (const Point & *a*, const Point & *b*) [friend]

Returns the sum of two points.

The operation is applied each value of each point.

6.47.4.6 Point operator- (const Point & a, int value) [friend]

Returns the subtraction of a point with an integer value.

The value is subtracted from the two values of the point.

6.47.4.7 Point operator- (const Point & a, const Point & b) [friend]

Returns the subtraction of two points.

The operation is applied each value of each point.

6.47.4.8 Point operator/ (const Point & a, int value) [friend]

Returns the division of a point with an integer value.

The value is divided to the two values of the point.

6.47.4.9 Point operator/ (const Point & a, const Point & b) [friend]

Returns the division of two points.

The operation is applied each value of each point.

6.47.4.10 ostream& operator<< (ostream & out, const Point & point) [friend]**6.47.4.11 bool operator== (const Point & a, const Point & b) [friend]**

Returns `true` if the two points are equal.

6.47.5 Member Data Documentation**6.47.5.1 int jpeg2000::Point::x**

Value X.

6.47.5.2 int jpeg2000::Point::y

Value Y.

The documentation for this class was generated from the following file:

- [jpeg2000/point.h](#)

6.48 net::PollFD Struct Reference

Wrapper structure for the structure `pollfd` used by the kernel `poll` functions.

```
#include <poll_table.h>
```

Inheritance diagram for `net::PollFD`:

Collaboration diagram for `net::PollFD`:

Public Member Functions

- [PollFD](#) (int vfd, int mask)
Initializes the structure.
- bool [operator==](#) (int n)
Returns `true` if the file descriptor is the same as the given value.

6.48.1 Detailed Description

Wrapper structure for the structure `pollfd` used by the kernel `poll` functions.

See Also

[PollTable](#)

6.48.2 Constructor & Destructor Documentation

6.48.2.1 `net::PollFD::PollFD (int vfd, int mask)` `[inline]`

Initializes the structure.

Parameters

<i>vfd</i>	File descriptor.
<i>mask</i>	Poll mask.

6.48.3 Member Function Documentation

6.48.3.1 `bool net::PollFD::operator== (int n)` `[inline]`

Returns `true` if the file descriptor is the same as the given value.

The documentation for this struct was generated from the following file:

- [net/poll_table.h](#)

6.49 net::PollTable Class Reference

This class allows to perform polls easily over a vector of descriptors.

```
#include <poll_table.h>
```

Collaboration diagram for `net::PollTable`:

Public Member Functions

- [PollTable](#) ()
- void [Add](#) (int fd, int mask)
Adds a new file descriptor and mask to the vector.
- int [Poll](#) (int timeout=-1)
Performs a poll over all the descriptors using the associated masks.
- int [GetSize](#) () const
Returns the size of the internal vector.
- void [Remove](#) (int fd)

- Removes an item of the internal vector giving its file descriptor.
- void [RemoveAt](#) (int n)
Remove an item of the internal vector giving its index position.
- [PollFD](#) & [operator\[\]](#) (int n)
Indexing operator.
- virtual [~PollTable](#) ()

Private Attributes

- vector< [PollFD](#) > [fds](#)
Vector with the file descriptors and masks for polling.

6.49.1 Detailed Description

This class allows to perform polls easily over a vector of descriptors.

It uses an internal STL vector of [PollFD](#) objects to handle dynamically the file descriptors and masks.

See Also

[PollFD](#)

6.49.2 Constructor & Destructor Documentation

6.49.2.1 `net::PollTable::PollTable () [inline]`

6.49.2.2 `virtual net::PollTable::~~PollTable () [inline],[virtual]`

6.49.3 Member Function Documentation

6.49.3.1 `void net::PollTable::Add (int fd, int mask) [inline]`

Adds a new file descriptor and mask to the vector.

Parameters

<i>fd</i>	File descriptor.
<i>mask</i>	Polling mask.

Here is the caller graph for this function:

6.49.3.2 `int net::PollTable::GetSize () const [inline]`

Returns the size of the internal vector.

Here is the caller graph for this function:

6.49.3.3 `PollFD& net::PollTable::operator[] (int n) [inline]`

Indexing operator.

6.49.3.4 `int net::PollTable::Poll (int timeout = -1) [inline]`

Performs a poll over all the descriptors using the associated masks.

Parameters

<i>timeout</i>	Time out of the poll (infinite by default).
----------------	---

Returns

The value given by the kernel function `poll`.

Here is the caller graph for this function:

6.49.3.5 void net::PollTable::Remove (int *fd*) [inline]

Removes an item of the internal vector giving its file descriptor.

Parameters

<i>fd</i>	File descriptor to remove.
-----------	----------------------------

Here is the caller graph for this function:

6.49.3.6 void net::PollTable::RemoveAt (int *n*) [inline]

Remove an item of the internal vector giving its index position.

Parameters

<i>n</i>	Position of the item to remove.
----------	---------------------------------

Here is the caller graph for this function:

6.49.4 Member Data Documentation

6.49.4.1 vector<PollFD> net::PollTable::fds [private]

Vector with the file descriptors and masks for polling.

The documentation for this class was generated from the following file:

- [net/poll_table.h](#)

6.50 http::Protocol Class Reference

Class used to identify the HTTP protocol.

```
#include <protocol.h>
```

Collaboration diagram for http::Protocol:

Public Member Functions

- [Protocol](#) (int [majorVersion](#)=1, int [minorVersion](#)=1)
Initialized the protocol with the given version.
- [Protocol](#) (const [Protocol](#) &protocol)
Copy constructor.
- int [majorVersion](#) () const
Returns the mayor number of the protocol version.
- int [minorVersion](#) () const
Returns the minor number of the protocol version.

Static Public Attributes

- static const char `CRLF` [] = "\r\n"

String with the characters 13 (CR) and 10 (LF), the line separator used in the HTTP protocol.

Private Attributes

- int `mayorVersion_`

Mayor protocol version.

- int `minorVersion_`

Minor protocol version.

Friends

- ostream & `operator<<` (ostream &out, const `Protocol` &protocol)
- istream & `operator>>` (istream &in, `Protocol` &protocol)

6.50.1 Detailed Description

Class used to identify the HTTP protocol.

It is possible to use this class with standard streams.

6.50.2 Constructor & Destructor Documentation

6.50.2.1 `http::Protocol::Protocol (int mayorVersion = 1, int minorVersion = 1)` `[inline]`

Initialized the protocol with the given version.

By default the version is 1.1.

Parameters

<i>mayorVersion</i>	Mayor protocol version
<i>minorVersion</i>	Minor protocol version

6.50.2.2 `http::Protocol::Protocol (const Protocol & protocol)` `[inline]`

Copy constructor.

6.50.3 Member Function Documentation

6.50.3.1 `int http::Protocol::mayorVersion () const` `[inline]`

Returns the mayor number of the protocol version.

6.50.3.2 `int http::Protocol::minorVersion () const` `[inline]`

Returns the minor number of the protocol version.

6.50.4 Friends And Related Function Documentation

6.50.4.1 ostream& operator<< (ostream & *out*, const Protocol & *protocol*) [friend]

6.50.4.2 istream& operator>> (istream & *in*, Protocol & *protocol*) [friend]

6.50.5 Member Data Documentation

6.50.5.1 const char http::Protocol::CRLF = "\r\n" [static]

String with the characters 13 (CR) and 10 (LF), the line separator used in the HTTP protocol.

6.50.5.2 int http::Protocol::majorVersion_ [private]

Mayor protocol version.

6.50.5.3 int http::Protocol::minorVersion_ [private]

Minor protocol version.

The documentation for this class was generated from the following files:

- [http/protocol.h](#)
- [http/protocol.cc](#)

6.51 jpeg2000::Range Class Reference

Represents a range of integer values, defined by two values, first and last, which are assumed to be included in the range.

```
#include <range.h>
```

Collaboration diagram for jpeg2000::Range:

Public Member Functions

- [Range](#) ()
Initializes the object.
- [Range](#) (int *first*, int *last*)
Initializes the object.
- [Range](#) (const [Range](#) &range)
Copy constructor.
- [Range](#) & operator= (const [Range](#) &range)
Copy assignment.
- bool [IsValid](#) () const
Returns true if the first value is greater or equal to zero, and it is less or equal to the last value.
- int [GetItem](#) (int *i*) const
Returns an item of the range, starting at the first value.
- int [GetIndex](#) (int *item*) const
Returns the index of an item of the range.
- int [Length](#) () const
Returns the length of the range (last - first + 1).
- virtual [~Range](#) ()

Public Attributes

- int [first](#)
First value of the range.
- int [last](#)
Last value of the range.

Friends

- bool [operator==](#) (const [Range](#) &a, const [Range](#) &b)
- bool [operator!=](#) (const [Range](#) &a, const [Range](#) &b)
- ostream & [operator<<](#) (ostream &out, const [Range](#) &range)

6.51.1 Detailed Description

Represents a range of integer values, defined by two values, first and last, which are assumed to be included in the range.

Some basic operations are defined for easing the work with ranges.

6.51.2 Constructor & Destructor Documentation

6.51.2.1 `jpeg2000::Range::Range ()` `[inline]`

Initializes the object.

6.51.2.2 `jpeg2000::Range::Range (int first, int last)` `[inline]`

Initializes the object.

Parameters

<i>first</i>	First value.
<i>last</i>	Last value.

6.51.2.3 `jpeg2000::Range::Range (const Range &range)` `[inline]`

Copy constructor.

6.51.2.4 `virtual jpeg2000::Range::~Range ()` `[inline]`, `[virtual]`

6.51.3 Member Function Documentation

6.51.3.1 `int jpeg2000::Range::GetIndex (int item) const` `[inline]`

Returns the index of an item of the range.

Parameters

<i>item</i>	Item of the range.
-------------	--------------------

Returns

item - first.

6.51.3.2 `int jpeg2000::Range::GetItem (int i) const` `[inline]`

Returns an item of the range, starting at the first value.

Parameters

<i>i</i>	Item index.
----------	-------------

Returns

first + *i*.

Here is the caller graph for this function:

6.51.3.3 `bool jpeg2000::Range::IsValid () const` `[inline]`

Returns `true` if the first value is greater or equal to zero, and it is less or equal to the last value.

6.51.3.4 `int jpeg2000::Range::Length () const` `[inline]`

Returns the length of the range (last - first + 1).

Here is the caller graph for this function:

6.51.3.5 `Range& jpeg2000::Range::operator= (const Range & range)` `[inline]`

Copy assignment.

6.51.4 Friends And Related Function Documentation

6.51.4.1 `bool operator!= (const Range & a, const Range & b)` `[friend]`

6.51.4.2 `ostream& operator<< (ostream & out, const Range & range)` `[friend]`

6.51.4.3 `bool operator== (const Range & a, const Range & b)` `[friend]`

6.51.5 Member Data Documentation

6.51.5.1 `int jpeg2000::Range::first`

First value of the range.

6.51.5.2 `int jpeg2000::Range::last`

Last value of the range.

The documentation for this class was generated from the following file:

- [jpeg2000/range.h](#)

6.52 ipc::RdWrLock Class Reference

IPC object that offers the functionality of a read/write lock, implemented by means of the pthread rwlock API.

```
#include <rdwr_lock.h>
```

Inheritance diagram for ipc::RdWrLock:

Collaboration diagram for ipc::RdWrLock:

Public Types

- typedef [SHARED_PTR< RdWrLock > Ptr](#)
Pointer to a [RdWrLock](#) object.

Public Member Functions

- virtual bool [Init](#) ()
Initializes the object.
- virtual [WaitResult Wait](#) (int time_out=-1)
Performs a wait operation with the object to get it for reading.
- [WaitResult WaitForWriting](#) (int time_out=-1)
Performs a wait operation with the object to get it for writing.
- virtual bool [Dispose](#) ()
*Release the resources associated to the IPC object and sets the internal status to *false*.*
- bool [Release](#) ()
Releases the lock.

Private Attributes

- pthread_rwlock_t [rwlock](#)
Read/write lock information.

6.52.1 Detailed Description

IPC object that offers the functionality of a read/write lock, implemented by means of the pthread rwlock API.

See Also

[IPCObject](#)

6.52.2 Member Typedef Documentation

6.52.2.1 typedef [SHARED_PTR<RdWrLock>](#) ipc::RdWrLock::Ptr

Pointer to a [RdWrLock](#) object.

6.52.3 Member Function Documentation

6.52.3.1 bool ipc::RdWrLock::Dispose () [virtual]

Release the resources associated to the IPC object and sets the internal status to *false*.

Returns

true if successful.

Reimplemented from [ipc::IPCObject](#).

6.52.3.2 `bool ipc::RdWrLock::Init () [virtual]`

Initializes the object.

Returns

`true` if successful.

Reimplemented from [ipc::IPCObject](#).

6.52.3.3 `bool ipc::RdWrLock::Release ()`

Releases the lock.

Returns

`true` if successful.

6.52.3.4 `WaitResult ipc::RdWrLock::Wait (int time_out = -1) [virtual]`

Performs a wait operation with the object to get it for reading.

Parameters

<i>time_out</i>	Time out (infinite by default).
-----------------	---------------------------------

Returns

`WAIT_OBJECT` if successful, `WAIT_TIMEOUT` if time out or `WAIT_ERROR` is error.

Reimplemented from [ipc::IPCObject](#).

6.52.3.5 `WaitResult ipc::RdWrLock::WaitForWriting (int time_out = -1)`

Performs a wait operation with the object to get it for writing.

Parameters

<i>time_out</i>	Time out (infinite by default).
-----------------	---------------------------------

Returns

`WAIT_OBJECT` if successful, `WAIT_TIMEOUT` if time out or `WAIT_ERROR` is error.

6.52.4 Member Data Documentation

6.52.4.1 `pthread_rwlock_t ipc::RdWrLock::rwlock [private]`

Read/write lock information.

The documentation for this class was generated from the following files:

- [ipc/rdwr_lock.h](#)
- [ipc/rdwr_lock.cc](#)

6.53 jpip::Request Class Reference

Class derived from the HTTP [Request](#) class that contains the required code for properly analyzing a JPIP request, when this protocol is used over the HTTP.

```
#include <request.h>
```

Inheritance diagram for jpip::Request:

Collaboration diagram for jpip::Request:

Classes

- union [ParametersMask](#)

Union used to control the presence of the different JPIP parameters in a request.

Public Types

- enum [RoundDirection](#) { [ROUNDUP](#), [ROUNDDOWN](#), [CLOSEST](#) }

Enumeration of the possible round directions of a [WOI](#) for specifying the resolution levels.

Public Member Functions

- [istream](#) & [ParseModel](#) ([istream](#) &stream)
Parses a cache model from an input stream.
- [istream](#) & [GetCodedChar](#) ([istream](#) &in, char &c)
Gets a coded char from an input stream.
- virtual void [ParseParameters](#) ([istream](#) &stream)
Parses the parameters of a CGI HTTP request.
- virtual void [ParseParameter](#) ([istream](#) &stream, const string ¶m, string &value)
Parses one parameter of a CGI HTTP request.
- [Request](#) ()
Empty constructor.
- void [GetResolution](#) (const [CodingParameters::Ptr](#) &coding_parameters, [WOI](#) *woi) const
Obtains the resolution level and modifies the given [WOI](#) to adjust it according to that level.
- virtual [~Request](#) ()

Public Attributes

- [Size](#) woi_size
[WOI](#) size.
- [Point](#) woi_position
[WOI](#) position.
- int [min_codestream](#)
Minimum codestream.
- int [max_codestream](#)
Maximum codestream.
- int [length_response](#)
Maximum response length.
- [ParametersMask](#) mask
Parameters mask.
- [Size](#) resolution_size

Size of the resolution level.

- [CacheModel](#) `cache_model`

Cache model.

- [RoundDirection](#) `round_direction`

Round direction.

6.53.1 Detailed Description

Class derived from the HTTP [Request](#) class that contains the required code for properly analyzing a JPIP request, when this protocol is used over the HTTP.

See Also

[http::Request](#)
[CacheModel](#)

6.53.2 Member Enumeration Documentation

6.53.2.1 enum jpip::Request::RoundDirection

Enumeration of the possible round directions of a [WOI](#) for specifying the resolution levels.

Enumerator

ROUNDUP Round-up.

ROUNDDOWN Round-down.

CLOSEST Closest.

6.53.3 Constructor & Destructor Documentation

6.53.3.1 jpip::Request::Request () [inline]

Empty constructor.

6.53.3.2 virtual jpip::Request::~~Request () [inline], [virtual]

6.53.4 Member Function Documentation

6.53.4.1 istream & jpip::Request::GetCodedChar (istream & *in*, char & *c*)

Gets a coded char from an input stream.

Parameters

<i>in</i>	Input stream.
<i>c</i>	Reference to store the char.

Returns

The same input stream.

Here is the caller graph for this function:

6.53.4.2 `void jpip::Request::GetResolution (const CodingParameters::Ptr & coding_parameters, WOI * woi) const`
`[inline]`

Obtains the resolution level and modifies the given [WOI](#) to adjust it according to that level.

Parameters

<i>coding_ - parameters</i>	Associated coding parameters.
<i>woi</i>	WOI to modify.

Here is the caller graph for this function:

6.53.4.3 `istream & jpip::Request::ParseModel (istream & stream)`

Parses a cache model from an input stream.

Parameters

<i>stream</i>	Input stream.
---------------	---------------

Returns

The same input stream after the parsing.

Here is the call graph for this function:

Here is the caller graph for this function:

6.53.4.4 `void jpip::Request::ParseParameter (istream & stream, const string & param, string & value) [virtual]`

Parses one parameter of a CGI HTTP request.

Parameters

<i>stream</i>	Input stream.
<i>param</i>	String to store the parameter name.
<i>value</i>	String to store the parameter value.

Reimplemented from [http::Request](#).

Here is the call graph for this function:

6.53.4.5 `void jpip::Request::ParseParameters (istream & stream) [virtual]`

Parses the parameters of a CGI HTTP request.

Parameters

<i>stream</i>	Input stream.
---------------	---------------

Reimplemented from [http::Request](#).

Here is the call graph for this function:

Here is the caller graph for this function:

6.53.5 Member Data Documentation

6.53.5.1 `CacheModel jpip::Request::cache_model`

Cache model.

6.53.5.2 `int jpip::Request::length_response`

Maximum response length.

6.53.5.3 ParametersMask jpip::Request::mask

Parameters mask.

6.53.5.4 int jpip::Request::max_codestream

Maximum codestream.

6.53.5.5 int jpip::Request::min_codestream

Minimum codestream.

6.53.5.6 Size jpip::Request::resolution_size

Size of the resolution level.

6.53.5.7 RoundDirection jpip::Request::round_direction

Round direction.

6.53.5.8 Point jpip::Request::woi_position

[WOI](#) position.

6.53.5.9 Size jpip::Request::woi_size

[WOI](#) size.

The documentation for this class was generated from the following files:

- [jpip/request.h](#)
- [jpip/request.cc](#)

6.54 http::Request Class Reference

Class used to identify a HTTP request (GET or POST).

```
#include <request.h>
```

Inheritance diagram for http::Request:

Collaboration diagram for http::Request:

Public Types

- enum [Type](#) { [GET](#), [POST](#), [UNKNOWN](#) }
- [Request](#) type enumeration.

Public Member Functions

- [Request](#) ([Type](#) type=[Request::GET](#), const string &uri="", const [Protocol](#) &protocol=[Protocol](#)(1, 1))
Initializes the request.
- bool [Parse](#) (const string &line)
Parses a request from a string.
- void [ParseURI](#) (const string &uri)
Parses a URI from a string.
- virtual void [ParseParameters](#) (istream &stream)
Parses the parameters from an input stream.
- virtual void [ParseParameter](#) (istream &stream, const string ¶m, string &value)
Parses one parameter from an input stream.

Public Attributes

- [Type](#) type
Request type (GET or POST)
- string [object](#)
Object associated to the request.
- [Protocol](#) protocol
Protocol version used.
- map< string, string > [parameters](#)
Map with all the parameters when using the CGI form.

Friends

- istream & [operator>>](#) (istream &in, [Request](#) &request)
- ostream & [operator<<](#) (ostream &out, const [Request](#) &request)

6.54.1 Detailed Description

Class used to identify a HTTP request (GET or POST).

It is possible to use this class with standard streams.

See Also

[Response](#)

6.54.2 Member Enumeration Documentation

6.54.2.1 enum http::Request::Type

[Request](#) type enumeration.

Enumerator

GET

POST

UNKNOWN

6.54.3 Constructor & Destructor Documentation

6.54.3.1 `http::Request::Request (Type type = Request::GET, const string & uri = " / ", const Protocol & protocol = Protocol(1, 1)) [inline]`

Initializes the request.

Parameters

<i>type</i>	Request type (GET by default).
<i>uri</i>	Request URI ("/" by default).
<i>protocol</i>	Protocol version (1.1 by default).

6.54.4 Member Function Documentation

6.54.4.1 bool http::Request::Parse (const string & *line*)

Parses a request from a string.

Parameters

<i>line</i>	String that contains the request to parse.
-------------	--

Returns

`true` if successful.

Here is the call graph for this function:

Here is the caller graph for this function:

6.54.4.2 void http::Request::ParseParameter (istream & *stream*, const string & *param*, string & *value*) [virtual]

Parses one parameter from an input stream.

Parameters

<i>stream</i>	Input stream.
<i>param</i>	Parameter name.
<i>value</i>	Parameter value.

Reimplemented in [jpip::Request](#).

Here is the caller graph for this function:

6.54.4.3 void http::Request::ParseParameters (istream & *stream*) [virtual]

Parses the parameters from an input stream.

Parameters

<i>stream</i>	Input stream.
---------------	---------------

Reimplemented in [jpip::Request](#).

Here is the call graph for this function:

Here is the caller graph for this function:

6.54.4.4 void http::Request::ParseURI (const string & *uri*) [inline]

Parses a URI from a string.

Parameters

<i>uri</i>	String that contains the URI to parse.
------------	--

Here is the caller graph for this function:

6.54.5 Friends And Related Function Documentation

6.54.5.1 `ostream& operator<< (ostream & out, const Request & request)` [[friend](#)]

6.54.5.2 `istream& operator>> (istream & in, Request & request)` [[friend](#)]

6.54.6 Member Data Documentation

6.54.6.1 `string http::Request::object`

Object associated to the request.

6.54.6.2 `map<string, string> http::Request::parameters`

Map with all the parameters when using the CGI form.

6.54.6.3 **Protocol** `http::Request::protocol`

[Protocol](#) version used.

6.54.6.4 **Type** `http::Request::type`

[Request](#) type (GET or POST)

The documentation for this class was generated from the following files:

- [http/request.h](#)
- [http/request.cc](#)

6.55 http::Response Class Reference

Class used to identify a HTTP response.

```
#include <response.h>
```

Collaboration diagram for `http::Response`:

Classes

- class [StatusCodesInitializer](#)
Class used for the initializer.

Public Member Functions

- [Response](#) (int [code](#)=200, const [Protocol](#) &[protocol](#)=[Protocol](#)(1, 1))
Initializes the response.

Public Attributes

- int [code](#)
Status code.
- [Protocol](#) [protocol](#)
Protocol version.

Static Public Attributes

- static map< int, string > [StatusCodes](#)
Map with the strings associated to the most commonly used status codes.

Static Private Attributes

- static [StatusCodesInitializer](#) [statusCodesInitializer](#)
The initializer of the `StatusCodes` member.

Friends

- ostream & [operator<<](#) (ostream &out, const [Response](#) &response)
- istream & [operator>>](#) (istream &in, [Response](#) &response)

6.55.1 Detailed Description

Class used to identify a HTTP response.

It is possible to use this class with standard streams.

See Also

[Request](#)

6.55.2 Constructor & Destructor Documentation

6.55.2.1 `http::Response::Response (int code = 200, const Protocol & protocol = Protocol (1, 1))` `[inline]`

Initializes the response.

Parameters

<i>code</i>	Status code (200 by default).
<i>protocol</i>	Protocol version (1.1 by default).

6.55.3 Friends And Related Function Documentation

6.55.3.1 `ostream& operator<< (ostream & out, const Response & response)` `[friend]`

6.55.3.2 `istream& operator>> (istream & in, Response & response)` `[friend]`

6.55.4 Member Data Documentation

6.55.4.1 `int http::Response::code`

Status code.

6.55.4.2 Protocol `http::Response::protocol`

[Protocol](#) version.

6.55.4.3 `map< int, string > http::Response::StatusCodes` `[static]`

Map with the strings associated to the most commonly used status codes.

In order to use a new user defined status code, it is necessary to include in this map the associated string.

6.55.4.4 `Response::StatusCodesInitializer http::Response::statusCodesInitializer` `[static], [private]`

The initializer of the `StatusCodes` member.

The documentation for this class was generated from the following files:

- [http/response.h](#)
- [http/response.cc](#)

6.56 `data::Serializer< T >` Struct Template Reference

This template class allows to define a "serializer".

```
#include <serialize.h>
```

Collaboration diagram for `data::Serializer< T >`:

Static Public Member Functions

- static [InputStream](#) & [Load](#) ([InputStream](#) &stream, T &var)
- static [OutputStream](#) & [Save](#) ([OutputStream](#) &stream, T &var)

6.56.1 Detailed Description

```
template<typename T>struct data::Serializer< T >
```

This template class allows to define a "serializer".

By default, the basic serializer calls the method `SerializeWith` of the objet to be serialized.

In order to define a serializer of any other specific type, it is required to define a specialization of this template class, and redefine the methods `Load` and `Save`.

See Also

[BaseStream](#)

6.56.2 Member Function Documentation

6.56.2.1 `template<typename T > static InputStream& data::Serializer< T >::Load (InputStream & stream, T & var)` `[inline], [static]`

Here is the caller graph for this function:

6.56.2.2 `template<typename T> static OutputStream& data::Serializer< T >::Save (OutputStream & stream, T & var) [inline],[static]`

Here is the caller graph for this function:

The documentation for this struct was generated from the following file:

- data/[serialize.h](#)

6.57 data::Serializer< bool > Struct Template Reference

[Serializer](#) for the `bool` type.

```
#include <serialize.h>
```

Collaboration diagram for data::Serializer< bool >:

Static Public Member Functions

- static [InputStream](#) & [Load](#) ([InputStream](#) &*stream*, bool &*var*)
- static [OutputStream](#) & [Save](#) ([OutputStream](#) &*stream*, bool &*var*)

6.57.1 Detailed Description

```
template<>struct data::Serializer< bool >
```

[Serializer](#) for the `bool` type.

See Also

[Serializer](#)

6.57.2 Member Function Documentation

6.57.2.1 `static InputStream& data::Serializer< bool >::Load (InputStream & stream, bool & var) [inline],[static]`

Here is the call graph for this function:

6.57.2.2 `static OutputStream& data::Serializer< bool >::Save (OutputStream & stream, bool & var) [inline],[static]`

Here is the call graph for this function:

The documentation for this struct was generated from the following file:

- data/[serialize.h](#)

6.58 data::Serializer< int > Struct Template Reference

[Serializer](#) for the `int` type.

```
#include <serialize.h>
```

Collaboration diagram for data::Serializer< int >:

Static Public Member Functions

- static [InputStream](#) & [Load](#) ([InputStream](#) &stream, int &var)
- static [OutputStream](#) & [Save](#) ([OutputStream](#) &stream, int &var)

6.58.1 Detailed Description

template<> struct data::Serializer< int >

[Serializer](#) for the `int` type.

See Also

[Serializer](#)

6.58.2 Member Function Documentation

6.58.2.1 static `InputStream& data::Serializer< int >::Load (InputStream & stream, int & var)` [inline],
[static]

Here is the call graph for this function:

6.58.2.2 static `OutputStream& data::Serializer< int >::Save (OutputStream & stream, int & var)` [inline],
[static]

Here is the call graph for this function:

The documentation for this struct was generated from the following file:

- data/[serialize.h](#)

6.59 data::Serializer< multimap< string, int > > Struct Template Reference

[Serializer](#) for the `multimap<string,int>` class.

```
#include <serialize.h>
```

Collaboration diagram for `data::Serializer< multimap< string, int > >`:

Static Public Member Functions

- static [InputStream](#) & [Load](#) ([InputStream](#) &stream, `multimap< string, int >` &var)
- static [OutputStream](#) & [Save](#) ([OutputStream](#) &stream, `multimap< string, int >` &var)

6.59.1 Detailed Description

template<> struct data::Serializer< multimap< string, int > >

[Serializer](#) for the `multimap<string,int>` class.

See Also

[Serializer](#)

6.59.2 Member Function Documentation

6.59.2.1 static `InputStream& data::Serializer< multimap< string, int > >::Load (InputStream & stream, multimap< string, int > & var)` `[inline]`, `[static]`

Here is the call graph for this function:

6.59.2.2 static `OutputStream& data::Serializer< multimap< string, int > >::Save (OutputStream & stream, multimap< string, int > & var)` `[inline]`, `[static]`

Here is the call graph for this function:

The documentation for this struct was generated from the following file:

- data/[serialize.h](#)

6.60 data::Serializer< string > Struct Template Reference

[Serializer](#) for the `string` class.

```
#include <serialize.h>
```

Collaboration diagram for data::Serializer< string >:

Static Public Member Functions

- static [InputStream](#) & [Load](#) ([InputStream](#) &*stream*, `string` &*var*)
- static [OutputStream](#) & [Save](#) ([OutputStream](#) &*stream*, `string` &*var*)

6.60.1 Detailed Description

```
template<>struct data::Serializer< string >
```

[Serializer](#) for the `string` class.

See Also

[Serializer](#)

6.60.2 Member Function Documentation

6.60.2.1 static `InputStream& data::Serializer< string >::Load (InputStream & stream, string & var)` `[inline]`, `[static]`

Here is the call graph for this function:

6.60.2.2 static `OutputStream& data::Serializer< string >::Save (OutputStream & stream, string & var)` `[inline]`, `[static]`

Here is the call graph for this function:

The documentation for this struct was generated from the following file:

- data/[serialize.h](#)

6.61 data::Serializer< uint64_t > Struct Template Reference

[Serializer](#) for the `uint64_t` type.

```
#include <serialize.h>
```

Collaboration diagram for `data::Serializer< uint64_t >`:

Static Public Member Functions

- static [InputStream](#) & [Load](#) ([InputStream](#) &*stream*, `uint64_t` &*var*)
- static [OutputStream](#) & [Save](#) ([OutputStream](#) &*stream*, `uint64_t` &*var*)

6.61.1 Detailed Description

```
template<> struct data::Serializer< uint64_t >
```

[Serializer](#) for the `uint64_t` type.

See Also

[Serializer](#)

6.61.2 Member Function Documentation

6.61.2.1 static `InputStream& data::Serializer< uint64_t >::Load (InputStream & stream, uint64_t & var)`
`[inline], [static]`

Here is the call graph for this function:

6.61.2.2 static `OutputStream& data::Serializer< uint64_t >::Save (OutputStream & stream, uint64_t & var)`
`[inline], [static]`

Here is the call graph for this function:

The documentation for this struct was generated from the following file:

- `data/serialize.h`

6.62 data::Serializer< vector< T > > Struct Template Reference

[Serializer](#) for the `vector` class.

```
#include <serialize.h>
```

Collaboration diagram for `data::Serializer< vector< T > >`:

Static Public Member Functions

- static [InputStream](#) & [Load](#) ([InputStream](#) &*stream*, `vector< T >` &*var*)
- static [OutputStream](#) & [Save](#) ([OutputStream](#) &*stream*, `vector< T >` &*var*)

6.62.1 Detailed Description

template<typename T> struct data::Serializer< vector< T > >

[Serializer](#) for the `vector` class.

See Also

[Serializer](#)

6.62.2 Member Function Documentation

6.62.2.1 template<typename T> static **InputStream& data::Serializer< vector< T > >::Load (InputStream & stream, vector< T > & var)** `[inline], [static]`

Here is the call graph for this function:

6.62.2.2 template<typename T> static **OutputStream& data::Serializer< vector< T > >::Save (OutputStream & stream, vector< T > & var)** `[inline], [static]`

Here is the call graph for this function:

The documentation for this struct was generated from the following file:

- data/[serialize.h](#)

6.63 net::Socket Class Reference

This class has been designed to work with UNIX sockets in an easy and object oriented way.

```
#include <socket.h>
```

Collaboration diagram for net::Socket:

Public Member Functions

- [Socket](#) ()
Initializes the socket id with an invalid value.
- [Socket](#) (int s)
Initializes the socket id with an integer value.
- [Socket](#) (const [Socket](#) &xs)
Copy constructor.
- [operator int](#) () const
This operator allows to work directly with UNIX socket API.
- bool [IsValid](#) () const
- [Socket](#) & [operator=](#) (int nsid)
Copy assignment.
- bool [OpenInet](#) (int type=SOCK_STREAM)
This method creates a new Internet socket, storing its identifier in the object.
- bool [OpenUnix](#) (int type=SOCK_STREAM)
This method creates a new UNIX socket, storing its identifier in the object.
- bool [ListenAt](#) (const [Address](#) &address, int nstack=10)
Configures the socket for listening incoming connections.

- `bool ConnectTo (const Address &to_address)`
Connects the socket to a server.
- `bool BindTo (const Address &address)`
Binds the socket to the specified address.
- `int Accept (Address *from_address)`
If it is a server socket, it accepts a new connection.
- `Socket & SetBlockingMode (bool state=true)`
Set the blocking mode of the send/receive operations.
- `bool IsBlockingMode ()`
- `int Receive (void *buf, int len, bool prevent_block=false)`
Receives a number of bytes.
- `int ReceiveFrom (Address *address, void *buf, int len, bool prevent_block=false)`
Receives a number of bytes.
- `int Send (void *buf, int len, bool prevent_block=false)`
Sends a number of bytes.
- `int SendTo (const Address &address, void *buf, int len, bool prevent_block=false)`
Sends a number of bytes to a specific address.
- `bool SendDescriptor (const Address &address, int fd, int aux=0)`
Sends a descriptor through the socket.
- `bool IsValid ()`
Returns true if the sockets is valid, that is, if after a polling regarding error status is not successful.
- `int WaitForInput (int time_out=-1)`
Waits until input data is available (POLLIN).
- `int WaitForOutput (int time_out=-1)`
Waits until output data can be sent (POLLOUT).
- `bool SetNoDelay (int val=1)`
Configures the parameter TCP_NODELAY of the socket.
- `bool ReceiveDescriptor (int *fd, int *aux=NULL)`
Receives a descriptor from a socket.
- `void Close ()`
Closes the socket.
- `~Socket ()`
The destructor does not closes the socket!.

Protected Attributes

- `int sid`
Socket id.

6.63.1 Detailed Description

This class has been designed to work with UNIX sockets in an easy and object oriented way.

6.63.2 Constructor & Destructor Documentation

6.63.2.1 `net::Socket::Socket () [inline]`

Initializes the socket id with an invalid value.

6.63.2.2 `net::Socket::Socket (int s) [inline]`

Initializes the socket id with an integer value.

6.63.2.3 `net::Socket::Socket (const Socket & xs) [inline]`

Copy constructor.

6.63.2.4 `net::Socket::~~Socket () [inline]`

The destructor does not closes the socket!.

6.63.3 Member Function Documentation**6.63.3.1** `int net::Socket::Accept (Address * from_address) [inline]`

If it is a server socket, it accepts a new connection.

Parameters

<i>from_address</i>	Pointer to store the client address.
---------------------	--------------------------------------

Returns

The integer identifier (file descriptor) of the new socket.

Here is the call graph for this function:

Here is the caller graph for this function:

6.63.3.2 `bool net::Socket::BindTo (const Address & address) [inline]`

Binds the socket to the specified address.

Parameters

<i>address</i>	Address to bind.
----------------	----------------------------------

Returns

`true` if successful.

Here is the call graph for this function:

Here is the caller graph for this function:

6.63.3.3 `void net::Socket::Close () [inline]`

Closes the socket.

Here is the caller graph for this function:

6.63.3.4 `bool net::Socket::ConnectTo (const Address & to_address) [inline]`

Connects the socket to a server.

Parameters

<i>to_address</i>	Address to connect.
-------------------	-------------------------------------

Returns

`true` if successful.

Here is the call graph for this function:

6.63.3.5 `bool net::Socket::IsBlockingMode ()`

Returns

The blocking mode of the send/receive operations.

6.63.3.6 `bool net::Socket::IsValid () const [inline]`

Returns

`true` if the identifier has a valid value.

Here is the caller graph for this function:

6.63.3.7 `bool net::Socket::IsValid ()`

Returns `true` if the sockets is valid, that is, if after a polling regarding error status is not successful.

6.63.3.8 `bool net::Socket::ListenAt (const Address & address, int nstack = 10) [inline]`

Configures the socket for listening incoming connections.

Parameters

<i>address</i>	Address used to listen.
<i>nstack</i>	Maximum number of clients in listening stack.

Returns

`true` if successful.

Here is the call graph for this function:

Here is the caller graph for this function:

6.63.3.9 `bool net::Socket::OpenInet (int type = SOCK_STREAM) [inline]`

This method creates a new Internet socket, storing its identifier in the object.

Parameters

<i>type</i>	Socket type, <code>SOCK_STREAM</code> by default.
-------------	---

Returns

`true` if successful.

Here is the caller graph for this function:

6.63.3.10 `bool net::Socket::OpenUnix (int type = SOCK_STREAM) [inline]`

This method creates a new UNIX socket, storing its identifier in the object.

Parameters

<i>type</i>	Socket type, SOCK_STREAM by default.
-------------	--

Returns

true if successful.

Here is the caller graph for this function:

6.63.3.11 `net::Socket::operator int () const` `[inline]`

This operator allows to work directly with UNIX socket API.

6.63.3.12 `Socket& net::Socket::operator= (int nsid)` `[inline]`

Copy assignment.

6.63.3.13 `int net::Socket::Receive (void * buf, int len, bool prevent_block = false)`

Receives a number of bytes.

This methods allows to prevent blocking, without having into account the default blocking mode established.

Parameters

<i>buf</i>	Buffer where to store the received bytes.
<i>len</i>	Length of the buffer.
<i>prevent_block</i>	true if blocking will be prevented.

Returns

The number of received bytes.

Here is the caller graph for this function:

6.63.3.14 `bool net::Socket::ReceiveDescriptor (int * fd, int * aux = NULL)`

Receives a descriptor from a socket.

Parameters

<i>fd</i>	Variable to store the received descriptor.
<i>aux</i>	Auxiliary information received attached.

Returns

true if successful.

Here is the caller graph for this function:

6.63.3.15 `int net::Socket::ReceiveFrom (Address * address, void * buf, int len, bool prevent_block = false)`

Receives a number of bytes.

This methods allows to prevent blocking, without having into account the default blocking mode established.

Parameters

<i>address</i>	Pointer to store the from address.
<i>buf</i>	Buffer where to store the received bytes.
<i>len</i>	Length of the buffer.
<i>prevent_block</i>	true if blocking will be prevented.

Returns

The number of received bytes.

Here is the call graph for this function:

6.63.3.16 `int net::Socket::Send (void * buf, int len, bool prevent_block = false)`

Sends a number of bytes.

This methods allows to prevent blocking, without having into account the default blocking mode established.

Parameters

<i>buf</i>	Buffer with the bytes to sent.
<i>len</i>	Number of bytes to sent.
<i>prevent_block</i>	true if blocking will be prevented.

Returns

The number of sent bytes.

Here is the caller graph for this function:

6.63.3.17 `bool net::Socket::SendDescriptor (const Address & address, int fd, int aux = 0)`

Sends a descriptor through the socket.

Parameters

<i>address</i>	Address of the socket to send the descriptor.
<i>fd</i>	File descriptor.
<i>aux</i>	Auxiliary information to send attached.

Returns

true if successful.

Here is the call graph for this function:

Here is the caller graph for this function:

6.63.3.18 `int net::Socket::SendTo (const Address & address, void * buf, int len, bool prevent_block = false)`

Sends a number of bytes to a specific address.

This methods allows to prevent blocking, without having into account the default blocking mode established.

Parameters

<i>address</i>	Address to send the bytes.
<i>buf</i>	Buffer with the bytes to sent.
<i>len</i>	Number of bytes to sent.
<i>prevent_block</i>	true if blocking will be prevented.

Returns

The number of sent bytes.

Here is the call graph for this function:

Here is the caller graph for this function:

6.63.3.19 Socket & net::Socket::SetBlockingMode (bool *state* = true)

Set the blocking mode of the send/receive operations.

By default, this mode is true.

Parameters

<i>state</i>	Blocking mode state to set.
--------------	-----------------------------

Returns

A reference of the same object.

6.63.3.20 bool net::Socket::SetNoDelay (int *val* = 1) [inline]

Configures the parameter `TCP_NODELAY` of the socket.

Parameters

<i>val</i>	New value for the parameter (1 by default).
------------	---

Returns

true if successful.

6.63.3.21 int net::Socket::WaitForInput (int *time_out* = -1)

Waits until input data is available (`POLLIN`).

Parameters

<i>time_out</i>	Time out (infinite by default).
-----------------	---------------------------------

Returns

The value returned by the `poll` function.

6.63.3.22 int net::Socket::WaitForOutput (int *time_out* = -1)

Waits until output data can be sent (`POLLOUT`).

Parameters

<i>time_out</i>	Time out (infinite by default).
-----------------	---------------------------------

Returns

The value returned by the `poll` function.

6.63.4 Member Data Documentation

6.63.4.1 `int net::Socket::sid` `[protected]`

[Socket](#) id.

The documentation for this class was generated from the following files:

- [net/socket.h](#)
- [net/socket.cc](#)

6.64 net::SocketBuffer Class Reference

Class derived from the STL `std::streambuf` to allow streaming with sockets.

```
#include <socket_stream.h>
```

Inheritance diagram for `net::SocketBuffer`:

Collaboration diagram for `net::SocketBuffer`:

Public Types

- enum { `INPUT_BUFFER_LENGTH` = 500, `OUTPUT_BUFFER_LENGTH` = 500 }

Public Member Functions

- [SocketBuffer](#) (int sid, int `in_len`=`INPUT_BUFFER_LENGTH`, int `out_len`=`OUTPUT_BUFFER_LENGTH`)
- virtual int [sync](#) ()
- virtual int_type [underflow](#) ()
- virtual int_type [overflow](#) (int_type c=EOF)
- int [GetReadBytes](#) () const
- [Socket](#) * [GetSocket](#) ()
- virtual [~SocketBuffer](#) ()

Protected Attributes

- int [sum](#)
- int [in_len](#)
- int [out_len](#)
- char * [in_buf](#)
- char * [out_buf](#)
- [Socket](#) [socket](#)

6.64.1 Detailed Description

Class derived from the STL `std::streambuf` to allow streaming with sockets.

See the documentation related to this STL base class to understand the behaviour of the class [SocketBuffer](#).

See Also

`std::streambuf`
[Socket](#)

6.64.2 Member Enumeration Documentation

6.64.2.1 anonymous enum

Enumerator

INPUT_BUFFER_LENGTH
OUTPUT_BUFFER_LENGTH

6.64.3 Constructor & Destructor Documentation

6.64.3.1 `net::SocketBuffer::SocketBuffer (int sid, int in_len = INPUT_BUFFER_LENGTH, int out_len = OUTPUT_BUFFER_LENGTH) [inline]`

6.64.3.2 `virtual net::SocketBuffer::~~SocketBuffer () [inline],[virtual]`

6.64.4 Member Function Documentation

6.64.4.1 `int net::SocketBuffer::GetReadBytes () const [inline]`

6.64.4.2 `Socket* net::SocketBuffer::GetSocket () [inline]`

6.64.4.3 `virtual int_type net::SocketBuffer::overflow (int_type c = EOF) [inline],[virtual]`

Here is the call graph for this function:

6.64.4.4 `virtual int net::SocketBuffer::sync () [inline],[virtual]`

Here is the call graph for this function:

Here is the caller graph for this function:

6.64.4.5 `virtual int_type net::SocketBuffer::underflow () [inline],[virtual]`

Here is the call graph for this function:

6.64.5 Member Data Documentation

6.64.5.1 `char* net::SocketBuffer::in_buf [protected]`

6.64.5.2 `int net::SocketBuffer::in_len [protected]`

6.64.5.3 `char* net::SocketBuffer::out_buf [protected]`

6.64.5.4 `int net::SocketBuffer::out_len` [protected]

6.64.5.5 `Socket net::SocketBuffer::socket` [protected]

6.64.5.6 `int net::SocketBuffer::sum` [protected]

The documentation for this class was generated from the following file:

- [net/socket_stream.h](#)

6.65 net::SocketStream Class Reference

Class derived from `std::iostream` and [SocketBuffer](#) that represents a socket stream.

```
#include <socket_stream.h>
```

Inheritance diagram for `net::SocketStream`:

Collaboration diagram for `net::SocketStream`:

Public Member Functions

- [SocketStream](#) (int sid, int in_len=INPUT_BUFFER_LENGTH, int out_len=OUTPUT_BUFFER_LENGTH)
- [Socket * operator->](#) ()
- virtual [~SocketStream](#) ()

Additional Inherited Members

6.65.1 Detailed Description

Class derived from `std::iostream` and [SocketBuffer](#) that represents a socket stream.

See Also

`std::iostream`
[SocketBuffer](#)

6.65.2 Constructor & Destructor Documentation

6.65.2.1 `net::SocketStream::SocketStream (int sid, int in_len = INPUT_BUFFER_LENGTH, int out_len = OUTPUT_BUFFER_LENGTH)` [inline]

6.65.2.2 `virtual net::SocketStream::~~SocketStream ()` [inline], [virtual]

6.65.3 Member Function Documentation

6.65.3.1 `Socket* net::SocketStream::operator-> ()` [inline]

The documentation for this class was generated from the following file:

- [net/socket_stream.h](#)

6.66 `http::Response::StatusCodesInitializer` Class Reference

Class used for the initializer.

Collaboration diagram for `http::Response::StatusCodesInitializer`:

Public Member Functions

- [StatusCodesInitializer](#) ()

6.66.1 Detailed Description

Class used for the initializer.

6.66.2 Constructor & Destructor Documentation

6.66.2.1 `http::Response::StatusCodesInitializer::StatusCodesInitializer` ()

The documentation for this class was generated from the following files:

- [http/response.h](#)
- [http/response.cc](#)

6.67 `TraceSystem` Class Reference

Wrapper used by the application to handle the log/trace messages by means of the log4cpp library.

```
#include <trace.h>
```

Collaboration diagram for `TraceSystem`:

Static Public Member Functions

- static bool [AppendToFile](#) (const char *name)
- static bool [AppendToFile](#) (const std::string &name)
- static log4cpp::CategoryStream [logStream](#) ()
- static log4cpp::CategoryStream [errorStream](#) ()
- static log4cpp::CategoryStream [traceStream](#) ()

Private Member Functions

- [TraceSystem](#) ()
- virtual [~TraceSystem](#) ()
- bool [AppendToFile_](#) (const char *name)

Private Attributes

- log4cpp::Category * [category](#)
- log4cpp::Appender * [appender](#)
- log4cpp::PatternLayout * [layout](#)
- log4cpp::Appender * [file_appender](#)
- log4cpp::PatternLayout * [file_layout](#)

Static Private Attributes

- static [TraceSystem](#) `traceSystem`

6.67.1 Detailed Description

Wrapper used by the application to handle the log/trace messages by means of the log4cpp library.

6.67.2 Constructor & Destructor Documentation

6.67.2.1 `TraceSystem::TraceSystem ()` `[private]`

6.67.2.2 `TraceSystem::~~TraceSystem ()` `[private], [virtual]`

6.67.3 Member Function Documentation

6.67.3.1 `static bool TraceSystem::AppendToFile (const char * name)` `[inline], [static]`

Here is the call graph for this function:

Here is the caller graph for this function:

6.67.3.2 `static bool TraceSystem::AppendToFile (const std::string & name)` `[inline], [static]`

Here is the call graph for this function:

6.67.3.3 `bool TraceSystem::AppendToFile_ (const char * name)` `[private]`

Here is the caller graph for this function:

6.67.3.4 `static log4cpp::CategoryStream TraceSystem::errorStream ()` `[inline], [static]`

6.67.3.5 `static log4cpp::CategoryStream TraceSystem::logStream ()` `[inline], [static]`

6.67.3.6 `static log4cpp::CategoryStream TraceSystem::traceStream ()` `[inline], [static]`

6.67.4 Member Data Documentation

6.67.4.1 `log4cpp::Appender* TraceSystem::appender` `[private]`

6.67.4.2 `log4cpp::Category* TraceSystem::category` `[private]`

6.67.4.3 `log4cpp::Appender* TraceSystem::file_appender` `[private]`

6.67.4.4 `log4cpp::PatternLayout* TraceSystem::file_layout` `[private]`

6.67.4.5 `log4cpp::PatternLayout* TraceSystem::layout` `[private]`

6.67.4.6 `TraceSystem TraceSystem::traceSystem` `[static], [private]`

The documentation for this class was generated from the following files:

- [trace.h](#)
- [trace.cc](#)

6.68 ui Struct Reference

Collaboration diagram for ui:

Static Public Member Functions

- `template<typename T >`
static void [read](#) (T &v, T mn, T mx)

6.68.1 Member Function Documentation

6.68.1.1 `template<typename T > static void ui::read (T & v, T mn, T mx)` `[inline], [static]`

Here is the caller graph for this function:

The documentation for this struct was generated from the following file:

- [packet_information.cc](#)

6.69 net::UnixAddress Class Reference

Class to identify and handle an UNIX address.

```
#include <address.h>
```

Inheritance diagram for net::UnixAddress:

Collaboration diagram for net::UnixAddress:

Public Member Functions

- [UnixAddress](#) ()
Initializes the address to zero.
- [UnixAddress](#) (const [UnixAddress](#) &address)
Copy constructor.
- [UnixAddress](#) (const char *path)
Initializes the address with given path.
- [UnixAddress](#) & [operator=](#) (const [UnixAddress](#) &address)
Copy assignment.
- [UnixAddress](#) & [Reset](#) ()
Removes the file associated to the UNIX address.
- virtual sockaddr * [GetSockAddr](#) () const
Overloaded from the base class to use the internal address structure.
- virtual int [GetSize](#) () const
Overloaded from the base class to use the internal address structure.
- string [GetPath](#) () const
Returns the address path.

Private Attributes

- sockaddr_un [sock_addr](#)
Internal address structure.

6.69.1 Detailed Description

Class to identify and handle an UNIX address.

The used internal address structure is `sockaddr_un`.

See Also

[Address](#)

6.69.2 Constructor & Destructor Documentation

6.69.2.1 `net::UnixAddress::UnixAddress () [inline]`

Initializes the address to zero.

6.69.2.2 `net::UnixAddress::UnixAddress (const UnixAddress & address) [inline]`

Copy constructor.

6.69.2.3 `net::UnixAddress::UnixAddress (const char * path) [inline]`

Initializes the address with given path.

Parameters

<i>path</i>	Address path.
-------------	-------------------------------

6.69.3 Member Function Documentation

6.69.3.1 `string net::UnixAddress::GetPath () const [inline]`

Returns the address path.

6.69.3.2 `virtual int net::UnixAddress::GetSize () const [inline],[virtual]`

Overloaded from the base class to use the internal address structure.

Implements [net::Address](#).

6.69.3.3 `virtual sockaddr* net::UnixAddress::GetSockAddr () const [inline],[virtual]`

Overloaded from the base class to use the internal address structure.

Implements [net::Address](#).

6.69.3.4 `UnixAddress& net::UnixAddress::operator= (const UnixAddress & address) [inline]`

Copy assignment.

6.69.3.5 `UnixAddress& net::UnixAddress::Reset () [inline]`

Removes the file associated to the UNIX address.

Here is the caller graph for this function:

6.69.4 Member Data Documentation

6.69.4.1 sockaddr_un net::UnixAddress::sock_addr [private]

Internal address structure.

The documentation for this class was generated from the following file:

- [net/address.h](#)

6.70 data::UnlockedAccess Struct Reference

Struct for wrapping the basic `FILE` unlocked functions for reading and writing defined in `stdio_exts.h`.

```
#include <file.h>
```

Collaboration diagram for `data::UnlockedAccess`:

Static Public Member Functions

- static void [configure](#) (`FILE *file_ptr`)
- static `size_t` [fwrite](#) (`const void *ptr`, `size_t size`, `size_t count`, `FILE *file_ptr`)
- static `size_t` [fread](#) (`void *ptr`, `size_t size`, `size_t count`, `FILE *file_ptr`)
- static `int` [fgetc](#) (`FILE *file_ptr`)
- static `int` [fputc](#) (`int c`, `FILE *file_ptr`)

6.70.1 Detailed Description

Struct for wrapping the basic `FILE` unlocked functions for reading and writing defined in `stdio_exts.h`.

See Also

[File](#)

6.70.2 Member Function Documentation

6.70.2.1 static void `data::UnlockedAccess::configure (FILE * file_ptr)` [inline],[static]

6.70.2.2 static `int` `data::UnlockedAccess::fgetc (FILE * file_ptr)` [inline],[static]

6.70.2.3 static `int` `data::UnlockedAccess::fputc (int c, FILE * file_ptr)` [inline],[static]

6.70.2.4 static `size_t` `data::UnlockedAccess::fread (void * ptr, size_t size, size_t count, FILE * file_ptr)` [inline],[static]

6.70.2.5 static `size_t` `data::UnlockedAccess::fwrite (const void * ptr, size_t size, size_t count, FILE * file_ptr)` [inline],[static]

The documentation for this struct was generated from the following file:

- [data/file.h](#)

6.71 data::vint_vector Class Reference

This class has been implemented with the same philosophy that the class STL vector, but specifically designed to store integers with a length in bytes that can be not multiple from 2 (e.g.

```
#include <vint_vector.h>
```

Collaboration diagram for data::vint_vector:

Public Member Functions

- [vint_vector](#) ()
Initializes the vector to store 64-bit integers.
- [vint_vector](#) (int [num_bytes](#))
Initializes the vector to store integers with the number of bytes given as parameter.
- [vint_vector](#) (const [vint_vector](#) &v)
Copy constructor.
- const [vint_vector](#) & [operator=](#) (const [vint_vector](#) &v)
Copy assignment.
- void [set_num_bytes](#) (int [num_bytes](#))
Changes the number of bytes of the integer values.
- int [num_bytes](#) () const
Returns the number of bytes used.
- int [data_bytes](#) () const
Returns the current number of bytes stored.
- uint64_t [operator\[\]](#) (int index) const
Operator overloading for indexing the integer values.
- void [push_back](#) (uint64_t value)
Adds a new item to the end of the vector.
- void [clear](#) ()
Clears the content.
- int [size](#) () const
Returns the size of the vector, in number of items.
- uint64_t & [back](#) ()
Return the reference of the last item of the vector.
- virtual [~vint_vector](#) ()

Private Attributes

- uint64_t [mask](#)
Mask used for accessing the data.
- int8_t [num_bytes_](#)
Number of bytes used for the integers.
- vector< uint8_t > [data](#)

6.71.1 Detailed Description

This class has been implemented with the same philosophy that the class STL vector, but specifically designed to store integers with a length in bytes that can be not multiple from 2 (e.g.

integers of 3 bytes). This class internally handles a vector of 1-byte integers.

See Also

[vector](#)

6.71.2 Constructor & Destructor Documentation

6.71.2.1 `data::vint_vector::vint_vector ()` `[inline]`

Initializes the vector to store 64-bit integers.

6.71.2.2 `data::vint_vector::vint_vector (int num_bytes)` `[inline]`

Initializes the vector to store integers with the number of bytes given as parameter.

Parameters

<i>num_bytes</i>	Number of bytes of each integer.
------------------	----------------------------------

6.71.2.3 `data::vint_vector::vint_vector (const vint_vector & v)` `[inline]`

Copy constructor.

6.71.2.4 `virtual data::vint_vector::~~vint_vector ()` `[inline]`, `[virtual]`

6.71.3 Member Function Documentation

6.71.3.1 `uint64_t& data::vint_vector::back ()` `[inline]`

Return the reference of the last item of the vector.

6.71.3.2 `void data::vint_vector::clear ()` `[inline]`

Clears the content.

Here is the caller graph for this function:

6.71.3.3 `int data::vint_vector::data_bytes () const` `[inline]`

Returns the current number of bytes stored.

6.71.3.4 `int data::vint_vector::num_bytes () const` `[inline]`

Returns the number of bytes used.

6.71.3.5 `const vint_vector& data::vint_vector::operator= (const vint_vector & v)` `[inline]`

Copy assignment.

6.71.3.6 `uint64_t data::vint_vector::operator[] (int index) const` `[inline]`

Operator overloading for indexing the integer values.

Parameters

<i>index</i>	Index of the item to return.
--------------	------------------------------

Returns

Value of the item, always as a `uint64_t`.

6.71.3.7 `void data::vint_vector::push_back (uint64_t value) [inline]`

Adds a new item to the end of the vector.

Parameters

<i>value</i>	Value to add to the vector.
--------------	-----------------------------

6.71.3.8 `void data::vint_vector::set_num_bytes (int num_bytes) [inline]`

Changes the number of bytes of the integer values.

All the current content is removed.

Parameters

<i>num_bytes</i>	New number of bytes to use.
------------------	-----------------------------

6.71.3.9 `int data::vint_vector::size () const [inline]`

Returns the size of the vector, in number of items.

6.71.4 Member Data Documentation

6.71.4.1 `vector<uint8_t> data::vint_vector::data [private]`

6.71.4.2 `uint64_t data::vint_vector::mask [private]`

Mask used for accessing the data.

6.71.4.3 `int8_t data::vint_vector::num_bytes_ [private]`

Number of bytes used for the integers.

The documentation for this class was generated from the following file:

- [data/vint_vector.h](#)

6.72 jpip::WOI Class Reference

Class that identifies a [WOI](#) (Window Of Interest).

```
#include <woi.h>
```

Collaboration diagram for jpip::WOI:

Public Member Functions

- `WOI ()`
Initializes the resolution level to zero.
- `WOI (const Point &position, const Size &size, int resolution)`
Initializes the object.
- `WOI (const WOI &woi)`
Copy constructor.
- `WOI & operator= (const WOI &woi)`
Copy assignment.
- `virtual ~WOI ()`

Public Attributes

- `Size size`
Size of the WOI (width and height)
- `Point position`
Position of the upper-left corner of the WOI.
- `int resolution`
Resolution level where the WOI is located (0 == the highest)

Friends

- `bool operator== (const WOI &a, const WOI &b)`
Returns `true` if the two given WOIs are equal.
- `bool operator!= (const WOI &a, const WOI &b)`
Returns `true` if the two given WOIs are not equal.
- `ostream & operator<< (ostream &out, const WOI &woi)`

6.72.1 Detailed Description

Class that identifies a `WOI` (Window Of Interest).

This term refers, from the point of view of the JPIP protocol, to a rectangular region of an image, for a resolution level. This class can be printed.

See Also

`Point`

6.72.2 Constructor & Destructor Documentation

6.72.2.1 `jpip::WOI::WOI ()` `[inline]`

Initializes the resolution level to zero.

6.72.2.2 `jpip::WOI::WOI (const Point & position, const Size & size, int resolution)` `[inline]`

Initializes the object.

Parameters

<i>position</i>	Position of the WOI .
<i>size</i>	Size of the WOI .
<i>resolution</i>	Resolution level of the WOI .

6.72.2.3 `jpip::WOI::WOI (const WOI & woi) [inline]`

Copy constructor.

6.72.2.4 `virtual jpip::WOI::~~WOI () [inline],[virtual]`

6.72.3 Member Function Documentation

6.72.3.1 `WOI& jpip::WOI::operator= (const WOI & woi) [inline]`

Copy assignment.

6.72.4 Friends And Related Function Documentation

6.72.4.1 `bool operator!= (const WOI & a, const WOI & b) [friend]`

Returns `true` if the two given WOIs are not equal.

6.72.4.2 `ostream& operator<< (ostream & out, const WOI & woi) [friend]`

6.72.4.3 `bool operator== (const WOI & a, const WOI & b) [friend]`

Returns `true` if the two given WOIs are equal.

6.72.5 Member Data Documentation

6.72.5.1 `Point jpip::WOI::position`

Position of the upper-left corner of the [WOI](#).

6.72.5.2 `int jpip::WOI::resolution`

Resolution level where the [WOI](#) is located (0 == the highest)

6.72.5.3 `Size jpip::WOI::size`

Size of the [WOI](#) (width and height)

The documentation for this class was generated from the following file:

- [jpip/woi.h](#)

6.73 jpip::WOIComposer Class Reference

By means of this class it is possible to find out the which packets of an image are associated to a [WOI](#).

```
#include <woi_composer.h>
```

Collaboration diagram for jpip::WOIComposer:

Public Member Functions

- [WOIComposer](#) ()
Initializes the object.
- [WOIComposer](#) (const [WOIComposer](#) &composer)
Copy constructor.
- [WOIComposer](#) ([CodingParameters::Ptr](#) coding_parameters)
Initializes the object.
- void [Reset](#) (const [WOI](#) &woi, [CodingParameters::Ptr](#) coding_parameters)
Resets the packets navigation and starts a new one.
- [WOIComposer](#) & [operator=](#) (const [WOIComposer](#) &composer)
Copy assignment.
- [Packet](#) [GetCurrentPacket](#) () const
Returns the current packet.
- bool [GetNextPacket](#) ([Packet](#) *packet=NULL)
Moves to the next packet of the [WOI](#).
- virtual [~WOIComposer](#) ()

Private Attributes

- [Point](#) pxy1
Upper-left corner of the [WOI](#).
- [Point](#) pxy2
Bottom-right corner of the [WOI](#).
- bool [more_packets](#)
Flag to control the last packet.
- int [max_resolution](#)
Maximum resolution.
- [Size](#) [min_precinct_xy](#)
Minimum precinct.
- [Size](#) [max_precinct_xy](#)
Maximum precinct.
- [Packet](#) [current_packet](#)
Current packet.
- [CodingParameters::Ptr](#) coding_parameters
Pointer to the associated coding parameters.

6.73.1 Detailed Description

By means of this class it is possible to find out the which packets of an image are associated to a [WOI](#).

Given a [WOI](#) and the coding parameters of an image, the code of this class allows to navigate, following the LRCP order, through all the associated packets.

See Also

[WOI](#)

CodingParameters

6.73.2 Constructor & Destructor Documentation

6.73.2.1 jpip::WOIComposer::WOIComposer () `[inline]`

Initializes the object.

No packets are available.

6.73.2.2 jpip::WOIComposer::WOIComposer (const WOIComposer & *composer*) `[inline]`

Copy constructor.

6.73.2.3 jpip::WOIComposer::WOIComposer (CodingParameters::Ptr *coding_parameters*) `[inline]`

Initializes the object.

No packets are available.

Parameters

<i>coding_ - parameters</i>	Pointer to the coding parameters.
-----------------------------	-----------------------------------

6.73.2.4 virtual jpip::WOIComposer::~~WOIComposer () `[inline], [virtual]`

6.73.3 Member Function Documentation

6.73.3.1 Packet jpip::WOIComposer::GetCurrentPacket () const `[inline]`

Returns the current packet.

Here is the caller graph for this function:

6.73.3.2 bool jpip::WOIComposer::GetNextPacket (Packet * *packet* = NULL) `[inline]`

Moves to the next packet of the [WOI](#).

Parameters

<i>packet</i>	Pointer to store the current packet (not the next one).
---------------	---

Returns

`true` if successful.

Here is the caller graph for this function:

6.73.3.3 WOIComposer& jpip::WOIComposer::operator= (const WOIComposer & *composer*) `[inline]`

Copy assignment.

6.73.3.4 void jpip::WOIComposer::Reset (const WOI & *woi*, CodingParameters::Ptr *coding_parameters*) [inline]

Resets the packets navigation and starts a new one.

Sets the current packet to the first packet of the [WOI](#), assuming a LRCP order.

Parameters

<i>woi</i>	New WOI to use.
<i>coding_ - parameters</i>	Coding parameters to use.

Here is the caller graph for this function:

6.73.4 Member Data Documentation

6.73.4.1 CodingParameters::Ptr jpip::WOIComposer::coding_parameters [private]

Pointer to the associated coding parameters.

6.73.4.2 Packet jpip::WOIComposer::current_packet [private]

Current packet.

6.73.4.3 Size jpip::WOIComposer::max_precinct_xy [private]

Maximum precinct.

6.73.4.4 int jpip::WOIComposer::max_resolution [private]

Maximum resolution.

6.73.4.5 Size jpip::WOIComposer::min_precinct_xy [private]

Minimum precinct.

6.73.4.6 bool jpip::WOIComposer::more_packets [private]

Flag to control the last packet.

6.73.4.7 Point jpip::WOIComposer::pxy1 [private]

Upper-left corner of the [WOI](#).

6.73.4.8 Point jpip::WOIComposer::pxy2 [private]

Bottom-right corner of the [WOI](#).

The documentation for this class was generated from the following file:

- [jpip/woi_composer.h](#)

Chapter 7

File Documentation

7.1 app_config.cc File Reference

```
#include <libconfig.h++>
#include "app_config.h"
Include dependency graph for app_config.cc:
```

7.2 app_config.h File Reference

```
#include <string>
#include <iostream>
Include dependency graph for app_config.h: This graph shows which files directly or indirectly include this file:
```

Classes

- class [AppConfig](#)
Contains the configuration parameters of the application.

7.3 app_info.cc File Reference

```
#include <sys/types.h>
#include <sys/ipc.h>
#include <sys/shm.h>
#include <stdio.h>
#include <sys/file.h>
#include <sys/stat.h>
#include <fcntl.h>
#include <unistd.h>
#include <iostream>
#include <string>
#include <sstream>
#include <fstream>
#include <sys/sysctl.h>
#include "app_info.h"
Include dependency graph for app_info.cc:
```

Macros

- `#define LOCK_FILE "/tmp/esa_jpip_server.lock"`

7.3.1 Macro Definition Documentation

7.3.1.1 `#define LOCK_FILE "/tmp/esa_jpip_server.lock"`

7.4 `app_info.h` File Reference

```
#include <assert.h>
#include <iostream>
#include <iomanip>
#include <proc/readproc.h>
```

Include dependency graph for `app_info.h`: This graph shows which files directly or indirectly include this file:

Classes

- class `AppInfo`
Contains the run-time information of the application.
- struct `AppInfo::Data`
Contains the data block that is maintained in shared memory.

7.5 `args_parser.cc` File Reference

```
#include <string>
#include <iomanip>
#include <iostream>
#include <signal.h>
#include <stdlib.h>
#include <unistd.h>
#include <sys/stat.h>
#include <sys/wait.h>
#include <dirent.h>
#include "trace.h"
#include "args_parser.h"
```

Include dependency graph for `args_parser.cc`:

7.6 `args_parser.h` File Reference

```
#include "app_info.h"
#include "app_config.h"
```

Include dependency graph for `args_parser.h`: This graph shows which files directly or indirectly include this file:

Classes

- class `ArgsParser`
Class that allows to parse and handle the application command line parameters.

7.7 base.cc File Reference

```
#include "base.h"
```

Include dependency graph for base.cc:

7.8 base.h File Reference

```
#include <map>
#include <vector>
#include <sstream>
```

Include dependency graph for base.h: This graph shows which files directly or indirectly include this file:

Classes

- struct [base](#)

Contains a set of useful static methods used by the application.

7.9 client_info.cc File Reference

```
#include "client_info.h"
```

Include dependency graph for client_info.cc:

7.10 client_info.h File Reference

```
#include <time.h>
```

Include dependency graph for client_info.h: This graph shows which files directly or indirectly include this file:

Classes

- class [ClientInfo](#)

Contains information of a connected client.

7.11 client_manager.cc File Reference

```
#include "trace.h"
#include "client_manager.h"
#include "jpip/jpip.h"
#include "jpip/request.h"
#include "jpip/databin_server.h"
#include "http/header.h"
#include "http/response.h"
#include "net/socket_stream.h"
#include "jpeg2000/index_manager.h"
```

Include dependency graph for client_manager.cc:

7.12 client_manager.h File Reference

```
#include "app_info.h"
#include "app_config.h"
#include "client_info.h"
#include "jpeg2000/index_manager.h"
```

Include dependency graph for client_manager.h: This graph shows which files directly or indirectly include this file:

Classes

- class [ClientManager](#)

Handles a client connection with a dedicated thread.

7.13 data/data.h File Reference

Namespaces

- [data](#)

Contains a set of classes to easy the handling of data and files, as well as the serialization.

7.14 data/file.cc File Reference

```
#include "file.h"
```

Include dependency graph for file.cc:

7.15 data/file.h File Reference

```
#include <stdio.h>
#include <assert.h>
#include <stdint.h>
#include <sys/types.h>
#include <sys/stat.h>
#include <unistd.h>
#include <string>
#include <stdio_ext.h>
#include "trl_compat.h"
```

Include dependency graph for file.h: This graph shows which files directly or indirectly include this file:

Classes

- struct [data::LockedAccess](#)

Struct for wrapping the basic `FILE` locked functions for reading and writing defined in `stdio.h`.

- struct [data::UnlockedAccess](#)

Struct for wrapping the basic `FILE` unlocked functions for reading and writing defined in `stdio_exts.h`.

- class [data::BaseFile](#)< [IO](#) >

This is a wrapper class for the `FILE` functions that provides all the functionality to handle files safely.

Namespaces

- [data](#)

Contains a set of classes to easy the handling of data and files, as well as the serialization.

Typedefs

- typedef BaseFile< LockedAccess > [data::File](#)

Specialization of the class [BaseFile](#) with locked access.

- typedef BaseFile< UnlockedAccess > [data::FastFile](#)

Specialization of the class [BaseFile](#) with unlocked access.

7.16 data/file_segment.cc File Reference

```
#include "file_segment.h"
```

Include dependency graph for file_segment.cc:

Namespaces

- [data](#)

Contains a set of classes to easy the handling of data and files, as well as the serialization.

7.17 data/file_segment.h File Reference

```
#include <iostream>
```

```
#include <stdint.h>
```

```
#include <assert.h>
```

Include dependency graph for file_segment.h: This graph shows which files directly or indirectly include this file:

Classes

- class [data::FileSegment](#)

Identifies a data segment of a file.

Namespaces

- [data](#)

Contains a set of classes to easy the handling of data and files, as well as the serialization.

7.18 data/serialize.cc File Reference

```
#include "serialize.h"
```

Include dependency graph for serialize.cc:

7.19 data/serialize.h File Reference

```
#include <stdint.h>
#include <string>
#include <vector>
#include <map>
#include "file.h"
```

Include dependency graph for `serialize.h`: This graph shows which files directly or indirectly include this file:

Classes

- struct [data::InputOperator](#)
This struct identifies a basic input operator to be applied to a `File` object.
- struct [data::OutputOperator](#)
This struct identifies a basic output operator to be applied to a `File` object.
- class [data::BaseStream< StreamClass, StreamOperator >](#)
This template is used as the base for the input/output stream classes.
- struct [data::Serializer< T >](#)
This template class allows to define a "serializer".
- class [data::InputStream](#)
Specialization of the `BaseStream` for input serializations.
- class [data::OutputStream](#)
Specialization of the `BaseStream` for output serializations.
- struct [data::Serializer< bool >](#)
Serializer for the `bool` type.
- struct [data::Serializer< int >](#)
Serializer for the `int` type.
- struct [data::Serializer< uint64_t >](#)
Serializer for the `uint64_t` type.
- struct [data::Serializer< string >](#)
Serializer for the `string` class.
- struct [data::Serializer< vector< T > >](#)
Serializer for the `vector` class.
- struct [data::Serializer< multimap< string, int > >](#)
Serializer for the `multimap<string, int>` class.

Namespaces

- [data](#)
Contains a set of classes to easy the handling of data and files, as well as the serialization.

7.20 data/vint_vector.cc File Reference

```
#include "vint_vector.h"
```

Include dependency graph for `vint_vector.cc`:

7.21 data/vint_vector.h File Reference

```
#include <vector>
#include <stdint.h>
#include <assert.h>
#include <algorithm>
```

Include dependency graph for vint_vector.h: This graph shows which files directly or indirectly include this file:

Classes

- class [data::vint_vector](#)

This class has been implemented with the same philosophy that the class STL vector, but specifically designed to store integers with a length in bytes that can be not multiple from 2 (e.g.

Namespaces

- [data](#)

Contains a set of classes to easy the handling of data and files, as well as the serialization.

7.22 esa_jpip_server.cc File Reference

```
#include <sys/wait.h>
#include <signal.h>
#include "trace.h"
#include "version.h"
#include "app_info.h"
#include "app_config.h"
#include "args_parser.h"
#include "client_info.h"
#include "client_manager.h"
#include "net/poll_table.h"
#include "net/socket_stream.h"
#include "jpeg2000/file_manager.h"
#include "jpeg2000/index_manager.h"
```

Include dependency graph for esa_jpip_server.cc:

Macros

- #define [SERVER_NAME](#) "ESA JPIP Server"
- #define [SERVER_APP_NAME](#) "esa_jpip_server"
- #define [CONFIG_FILE](#) "server.cfg"
- #define [POLLRDHUP](#) (0)

Functions

- int [ChildProcess](#) ()
- void * [ClientThread](#) (void *arg)
- bool [ParseArguments](#) (int argc, char **argv)
- void [SIGCHLD_handler](#) (int signal)
- int [main](#) (int argc, char **argv)

Variables

- [AppConfig cfg](#)
- `int base_id = 0`
- [AppInfo app_info](#)
- [Socket child_socket](#)
- [PollTable poll_table](#)
- `bool child_lost = false`
- [IndexManager index_manager](#)
- [UnixAddress child_address](#) ("/tmp/child_unix_address")
- [UnixAddress father_address](#) ("/tmp/father_unix_address")

7.22.1 Macro Definition Documentation

7.22.1.1 `#define CONFIG_FILE "server.cfg"`

7.22.1.2 `#define POLLRDHUP (0)`

7.22.1.3 `#define SERVER_APP_NAME "esa_jpip_server"`

7.22.1.4 `#define SERVER_NAME "ESA JPIP Server"`

7.22.2 Function Documentation

7.22.2.1 `int ChildProcess ()`

Here is the call graph for this function:

Here is the caller graph for this function:

7.22.2.2 `void * ClientThread (void * arg)`

Here is the call graph for this function:

Here is the caller graph for this function:

7.22.2.3 `int main (int argc, char ** argv)`

Here is the call graph for this function:

7.22.2.4 `bool ParseArguments (int argc, char ** argv)`

7.22.2.5 `void SIGCHLD_handler (int signal)`

Here is the caller graph for this function:

7.22.3 Variable Documentation

7.22.3.1 `AppInfo app_info`

7.22.3.2 `int base_id = 0`

7.22.3.3 `AppConfig cfg`

7.22.3.4 **UnixAddress** child_address("/tmp/child_unix_address")

7.22.3.5 **bool** child_lost = false

7.22.3.6 **Socket** child_socket

7.22.3.7 **UnixAddress** father_address("/tmp/father_unix_address")

7.22.3.8 **IndexManager** index_manager

7.22.3.9 **PollTable** poll_table

7.23 http/header.cc File Reference

```
#include "header.h"
Include dependency graph for header.cc:
```

Namespaces

- [http](#)

Contains the definition of a set of classes for working easily with the protocol HTTP.

7.24 http/header.h File Reference

```
#include <string.h>
#include <iostream>
#include <assert.h>
#include "protocol.h"
```

Include dependency graph for header.h: This graph shows which files directly or indirectly include this file:

Classes

- class [http::HeaderName](#)

Container for the strings associated to the most common HTTP headers, used for the specialization of the class [HeaderBase](#).

- class [http::HeaderBase< NAME >](#)

Template class used to identify a HTTP header.

- class [http::HeaderBase< HeaderName::UNDEFINED >](#)

Specialization of the [HeaderBase](#) template class with the [HeaderName::UNDEFINED](#) value.

- class [http::Header](#)

Class used to handle a HTTP header.

Namespaces

- [http](#)

Contains the definition of a set of classes for working easily with the protocol HTTP.

7.25 http/http.h File Reference

Namespaces

- [http](#)

Contains the definition of a set of classes for working easily with the protocol HTTP.

7.26 http/protocol.cc File Reference

```
#include "protocol.h"
```

Include dependency graph for protocol.cc:

Namespaces

- [http](#)

Contains the definition of a set of classes for working easily with the protocol HTTP.

7.27 http/protocol.h File Reference

```
#include <string>
```

```
#include <iostream>
```

```
#include <assert.h>
```

Include dependency graph for protocol.h: This graph shows which files directly or indirectly include this file:

Classes

- class [http::Protocol](#)

Class used to identify the HTTP protocol.

Namespaces

- [http](#)

Contains the definition of a set of classes for working easily with the protocol HTTP.

7.28 http/request.cc File Reference

```
#include "trace.h"
```

```
#include "request.h"
```

Include dependency graph for request.cc:

Namespaces

- [http](#)

Contains the definition of a set of classes for working easily with the protocol HTTP.

Functions

- istream & [http::operator>>](#) (istream &in, Request &request)
- ostream & [http::operator<<](#) (ostream &out, const Request &request)

7.29 jpip/request.cc File Reference

```
#include "trace.h"
#include "request.h"
Include dependency graph for request.cc:
```

Namespaces

- [jpip](#)
Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard.

7.30 http/request.h File Reference

```
#include <map>
#include <string>
#include <vector>
#include <sstream>
#include <iostream>
#include <stdlib.h>
#include "header.h"
#include "protocol.h"
Include dependency graph for request.h: This graph shows which files directly or indirectly include this file:
```

Classes

- class [http::Request](#)
Class used to identify a HTTP request (GET or POST).

Namespaces

- [http](#)
Contains the definition of a set of classes for working easily with the protocol HTTP.

7.31 jpip/request.h File Reference

```
#include <vector>
#include <string>
#include <iostream>
#include "jpip/woi.h"
#include "jpip/cache_model.h"
#include "http/request.h"
#include "jpeg2000/point.h"
#include "jpeg2000/coding_parameters.h"
#include <string.h>
Include dependency graph for request.h: This graph shows which files directly or indirectly include this file:
```

Classes

- class [jpip::Request](#)

Class derived from the HTTP [Request](#) class that contains the required code for properly analyzing a JPIP request, when this protocol is used over the HTTP.

- union [jpip::Request::ParametersMask](#)

Union used to control the presence of the different JPIP parameters in a request.

Namespaces

- [jpip](#)

Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard.

7.32 http/response.cc File Reference

```
#include "response.h"
```

Include dependency graph for response.cc:

Namespaces

- [http](#)

Contains the definition of a set of classes for working easily with the protocol HTTP.

7.33 http/response.h File Reference

```
#include <map>
#include <string>
#include <sstream>
#include <iostream>
#include "protocol.h"
```

Include dependency graph for response.h: This graph shows which files directly or indirectly include this file:

Classes

- class [http::Response](#)

Class used to identify a HTTP response.

- class [http::Response::StatusCodesInitializer](#)

Class used for the initializer.

Namespaces

- [http](#)

Contains the definition of a set of classes for working easily with the protocol HTTP.

7.34 ipc/event.cc File Reference

```
#include <errno.h>
#include <assert.h>
#include <sys/time.h>
#include "event.h"
Include dependency graph for event.cc:
```

Namespaces

- [ipc](#)

Contains classes for working with the IPC mechanisms available in Linux using the `pthread` library.

7.35 ipc/event.h File Reference

```
#include <pthread.h>
#include "ipc_object.h"
Include dependency graph for event.h: This graph shows which files directly or indirectly include this file:
```

Classes

- class [ipc::Event](#)

IPC object that offers the functionality of an event (Windows IPC object), implemented by means of a combination of the `pthread` mutex and conditional variables API.

Namespaces

- [ipc](#)

Contains classes for working with the IPC mechanisms available in Linux using the `pthread` library.

7.36 ipc/ipc.h File Reference

Namespaces

- [ipc](#)

Contains classes for working with the IPC mechanisms available in Linux using the `pthread` library.

7.37 ipc/ipc_object.cc File Reference

```
#include "ipc_object.h"
Include dependency graph for ipc_object.cc:
```

7.38 ipc/ipc_object.h File Reference

```
#include "tr1_compat.h"
Include dependency graph for ipc_object.h: This graph shows which files directly or indirectly include this file:
```

Classes

- class [ipc::IPCObject](#)

*Class base of all the IPC classes that has the basic operations (*Init*, *Wait* and *Dispose*) to be overloaded.*

Namespaces

- [ipc](#)

*Contains classes for working with the IPC mechanisms available in Linux using the *pthread* library.*

Enumerations

- enum [ipc::WaitResult](#) { [ipc::WAIT_OBJECT](#) = 0, [ipc::WAIT_TIMEOUT](#), [ipc::WAIT_ERROR](#) }

Enumeration of the possible values returned when a wait operation is performed for an IPC object.

7.39 ipc/mutex.cc File Reference

```
#include <assert.h>
#include <errno.h>
#include <sched.h>
#include "mutex.h"
Include dependency graph for mutex.cc:
```

Namespaces

- [ipc](#)

*Contains classes for working with the IPC mechanisms available in Linux using the *pthread* library.*

7.40 ipc/mutex.h File Reference

```
#include <pthread.h>
#include "ipc_object.h"
Include dependency graph for mutex.h: This graph shows which files directly or indirectly include this file:
```

Classes

- class [ipc::Mutex](#)

*IPC object that offers the functionality of a mutex, implemented by means of the *pthread* mutex API.*

Namespaces

- [ipc](#)

*Contains classes for working with the IPC mechanisms available in Linux using the *pthread* library.*

7.41 ipc/rdwr_lock.cc File Reference

```
#include "rdwr_lock.h"
#include <assert.h>
#include <errno.h>
#include <sched.h>
#include <iostream>
Include dependency graph for rdwr_lock.cc:
```

Namespaces

- [ipc](#)

Contains classes for working with the IPC mechanisms available in Linux using the `pthread` library.

7.42 ipc/rdwr_lock.h File Reference

```
#include <pthread.h>
#include "ipc_object.h"
Include dependency graph for rdwr_lock.h: This graph shows which files directly or indirectly include this file:
```

Classes

- class [ipc::RdWrLock](#)

IPC object that offers the functionality of a read/write lock, implemented by means of the `pthread_rwlock` API.

Namespaces

- [ipc](#)

Contains classes for working with the IPC mechanisms available in Linux using the `pthread` library.

7.43 jpeg2000/codestream_index.cc File Reference

```
#include "codestream_index.h"
Include dependency graph for codestream_index.cc:
```

7.44 jpeg2000/codestream_index.h File Reference

```
#include <vector>
#include "base.h"
#include "data/file_segment.h"
Include dependency graph for codestream_index.h: This graph shows which files directly or indirectly include this file:
```

Classes

- class [jpeg2000::CodestreamIndex](#)

Class used for indexing the information of a JPEG2000 codestream.

Namespaces

- [jpeg2000](#)

Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.45 jpeg2000/coding_parameters.cc File Reference

```
#include "coding_parameters.h"
```

Include dependency graph for coding_parameters.cc:

Namespaces

- [jpeg2000](#)

Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.46 jpeg2000/coding_parameters.h File Reference

```
#include <vector>
#include <math.h>
#include "trl_compat.h"
#include "base.h"
#include "point.h"
#include "trace.h"
#include "packet.h"
```

Include dependency graph for coding_parameters.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpeg2000::CodingParameters](#)

Contains the coding parameters of a JPEG2000 image codestream.

Namespaces

- [jpeg2000](#)

Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.47 jpeg2000/file_manager.cc File Reference

```
#include "file_manager.h"
#include "trace.h"
```

Include dependency graph for file_manager.cc:

Namespaces

- [jpeg2000](#)

Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

Macros

- `#define EOC_MARKER 0xFFD9`
- `#define SOC_MARKER 0xFF4F`
- `#define SIZ_MARKER 0xFF51`
- `#define COD_MARKER 0xFF52`
- `#define SOT_MARKER 0xFF90`
- `#define PLT_MARKER 0xFF58`
- `#define SOD_MARKER 0xFF93`
- `#define JP2C_BOX_ID 0x6A703263`
- `#define XML_BOX_ID 0x786D6C20`
- `#define ASOC_BOX_ID 0x61736F63`
- `#define NLST_BOX_ID 0x6E6C7374`
- `#define JPCH_BOX_ID 0x6A706368`
- `#define FTBL_BOX_ID 0x6674626C`
- `#define DBTL_BOX_ID 0x6474626C`
- `#define URL_BOX_ID 0x75726C20`
- `#define FLST_BOX_ID 0x666C7374`

7.47.1 Macro Definition Documentation

7.47.1.1 `#define ASOC_BOX_ID 0x61736F63`

7.47.1.2 `#define COD_MARKER 0xFF52`

7.47.1.3 `#define DBTL_BOX_ID 0x6474626C`

7.47.1.4 `#define EOC_MARKER 0xFFD9`

7.47.1.5 `#define FLST_BOX_ID 0x666C7374`

7.47.1.6 `#define FTBL_BOX_ID 0x6674626C`

7.47.1.7 `#define JP2C_BOX_ID 0x6A703263`

7.47.1.8 `#define JPCH_BOX_ID 0x6A706368`

7.47.1.9 `#define NLST_BOX_ID 0x6E6C7374`

7.47.1.10 `#define PLT_MARKER 0xFF58`

7.47.1.11 `#define SIZ_MARKER 0xFF51`

7.47.1.12 `#define SOC_MARKER 0xFF4F`

7.47.1.13 `#define SOD_MARKER 0xFF93`

7.47.1.14 `#define SOT_MARKER 0xFF90`

7.47.1.15 `#define URL__BOX_ID 0x75726C20`

7.47.1.16 `#define XML__BOX_ID 0x786D6C20`

7.48 jpeg2000/file_manager.h File Reference

```
#include <sys/stat.h>
#include "data/serialize.h"
#include "image_info.h"
```

Include dependency graph for file_manager.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpeg2000::FileManager](#)
Manages the image files of a repository, allowing read their indexing information, with a caching mechanism for efficiency.

Namespaces

- [jpeg2000](#)
Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.49 jpeg2000/image_index.cc File Reference

```
#include "trace.h"
#include "image_index.h"
```

Include dependency graph for image_index.cc:

Namespaces

- [jpeg2000](#)
Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.50 jpeg2000/image_index.h File Reference

```
#include "trace.h"
#include <list>
#include <vector>
#include "base.h"
#include "range.h"
#include "image_info.h"
#include "packet_index.h"
#include "ipc/rdwr_lock.h"
```

Include dependency graph for image_index.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpeg2000::ImageIndex](#)
Contains the indexing information of a JPEG2000 image file that is managed by the index manager.

Namespaces

- [jpeg2000](#)

Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.51 jpeg2000/image_info.cc File Reference

```
#include "image_info.h"
```

Include dependency graph for image_info.cc:

7.52 jpeg2000/image_info.h File Reference

```
#include <map>
#include "base.h"
#include "data/file.h"
#include "codestream_index.h"
#include "coding_parameters.h"
#include "meta_data.h"
```

Include dependency graph for image_info.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpeg2000::ImageInfo](#)

Contains the indexing information of a JPEG2000 image.

Namespaces

- [jpeg2000](#)

Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.53 jpeg2000/index_manager.cc File Reference

```
#include <assert.h>
#include "trace.h"
#include "index_manager.h"
```

Include dependency graph for index_manager.cc:

Namespaces

- [jpeg2000](#)

Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.54 jpeg2000/index_manager.h File Reference

```
#include <list>
#include "ipc/mutex.h"
#include "image_index.h"
#include "file_manager.h"
```

Include dependency graph for index_manager.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpeg2000::IndexManager](#)
Manages the indexing information of a repository fo images.

Namespaces

- [jpeg2000](#)
Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.55 jpeg2000/jpeg2000.h File Reference

Namespaces

- [jpeg2000](#)
Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.56 jpeg2000/meta_data.cc File Reference

```
#include "meta_data.h"
```

Include dependency graph for meta_data.cc:

7.57 jpeg2000/meta_data.h File Reference

```
#include <vector>
#include "base.h"
#include "jpeg2000/place_holder.h"
```

Include dependency graph for meta_data.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpeg2000::Metadata](#)
Contains the indexing information associated to the meta-data of a JPEG2000 image file.

Namespaces

- [jpeg2000](#)
Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.58 jpeg2000/packet.cc File Reference

```
#include "packet.h"
```

Include dependency graph for packet.cc:

7.59 jpeg2000/packet.h File Reference

```
#include "point.h"
```

Include dependency graph for packet.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpeg2000::Packet](#)
Contains the information of a packet.

Namespaces

- [jpeg2000](#)
Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.60 jpeg2000/packet_index.cc File Reference

```
#include "packet_index.h"
```

Include dependency graph for packet_index.cc:

7.61 jpeg2000/packet_index.h File Reference

```
#include "data/vint_vector.h"
```

```
#include "data/file_segment.h"
```

Include dependency graph for packet_index.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpeg2000::PacketIndex](#)
Class used for indexing the packets of a codestream image.

Namespaces

- [jpeg2000](#)
Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.62 jpeg2000/place_holder.cc File Reference

```
#include "place_holder.h"
```

Include dependency graph for place_holder.cc:

7.63 jpeg2000/place_holder.h File Reference

```
#include "data/file_segment.h"
```

Include dependency graph for place_holder.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpeg2000::Placeholder](#)
Contains the information of a place-holder.

Namespaces

- [jpeg2000](#)
Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.64 jpeg2000/point.cc File Reference

```
#include "point.h"
```

Include dependency graph for point.cc:

7.65 jpeg2000/point.h File Reference

```
#include <iostream>
```

Include dependency graph for point.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpeg2000::Point](#)
Represents a couple of integer values that can be used to identify a coordinate as well as a size.

Namespaces

- [jpeg2000](#)
Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

Typedefs

- typedef Point [jpeg2000::Size](#)
It is a synonymous of the class [Point](#).

7.66 jpeg2000/range.cc File Reference

```
#include "range.h"
```

Include dependency graph for range.cc:

7.67 jpeg2000/range.h File Reference

```
#include <iostream>
```

```
#include <assert.h>
```

Include dependency graph for range.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpeg2000::Range](#)

Represents a range of integer values, defined by two values, first and last, which are assumed to be included in the range.

Namespaces

- [jpeg2000](#)

Set of classes for handling (reading and indexing) image files with the format defined in the Part 1 and 2 of the JPEG2000 standard.

7.68 jpip/cache_model.cc File Reference

```
#include "cache_model.h"
```

Include dependency graph for cache_model.cc:

7.69 jpip/cache_model.h File Reference

```
#include <vector>
```

```
#include <iostream>
```

```
#include <limits.h>
```

```
#include "base.h"
```

```
#include "jpip/jpip.h"
```

```
#include "data/serialize.h"
```

Include dependency graph for cache_model.h: This graph shows which files directly or indirectly include this file:

Classes

- struct [jpip::DataBinSelector< BIN_CLASS >](#)

Template class that is specialized for allowing basic operations (add and get) with cache models depending on the data-bin classes.

- class [jpip::CacheModel](#)

The cache model of a JPIP client is handled using this class.

- class [jpip::CacheModel::Codestream](#)

Sub-class of the cache model class used to identify a codestream.

- struct [jpip::DataBinSelector< DataBinClass::META_DATA >](#)
- struct [jpip::DataBinSelector< DataBinClass::MAIN_HEADER >](#)
- struct [jpip::DataBinSelector< DataBinClass::TILE_HEADER >](#)
- struct [jpip::DataBinSelector< DataBinClass::PRECINCT >](#)

Namespaces

- [jpip](#)

Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard.

7.70 jpip/databin_server.cc File Reference

```
#include "databin_server.h"
#include "data/file_segment.h"
Include dependency graph for databin_server.cc:
```

Namespaces

- [jpip](#)

Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard.

7.71 jpip/databin_server.h File Reference

```
#include <utility>
#include "trace.h"
#include "data/file.h"
#include "jpip/woi.h"
#include "jpip/request.h"
#include "jpip/cache_model.h"
#include "jpip/woi_composer.h"
#include "jpip/databin_writer.h"
#include "jpeg2000/range.h"
#include "jpeg2000/image_index.h"
```

Include dependency graph for databin_server.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpip::DataBinServer](#)

Contains the core functionality of a (JPIP) data-bin server, which maintains a cache model and is capable of generating data chunks of variable length;.

Namespaces

- [jpip](#)

Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard.

7.72 jpip/databin_writer.cc File Reference

```
#include "databin_writer.h"
Include dependency graph for databin_writer.cc:
```

Namespaces

- [jpip](#)

Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard.

7.73 jpip/databin_writer.h File Reference

```
#include <stdint.h>
#include "jpip.h"
#include "data/file.h"
#include "data/file_segment.h"
#include "jpeg2000/place_holder.h"
```

Include dependency graph for databin_writer.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpip::DataBinWriter](#)

Class used to generate data-bin segments and write them into a memory buffer.

Namespaces

- [jpip](#)

Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard.

7.74 jpip/jpip.cc File Reference

```
#include "jpip.h"
```

Include dependency graph for jpip.cc:

Namespaces

- [jpip](#)

Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard.

7.75 jpip/jpip.h File Reference

This graph shows which files directly or indirectly include this file:

Classes

- class [jpip::DataBinClass](#)

Class that contains the definitions of all the data-bin classes defined for the JPIP protocol.

- class [jpip::EOR](#)

Class that contains all the definitions of the EOF messages defined for the JPIP protocol.

Namespaces

- [jpip](#)

Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard.

7.76 jpip/woi.cc File Reference

```
#include "woi.h"
```

Include dependency graph for woi.cc:

7.77 jpip/woi.h File Reference

```
#include <iostream>
```

```
#include "jpeg2000/point.h"
```

Include dependency graph for woi.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpip::WOI](#)

Class that identifies a [WOI](#) (Window Of Interest).

Namespaces

- [jpip](#)

Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard.

7.78 jpip/woi_composer.cc File Reference

7.79 jpip/woi_composer.h File Reference

```
#include "woi.h"
```

```
#include "jpeg2000/packet.h"
```

```
#include "jpeg2000/coding_parameters.h"
```

Include dependency graph for woi_composer.h: This graph shows which files directly or indirectly include this file:

Classes

- class [jpip::WOIComposer](#)

By means of this class it is possible to find out the which packets of an image are associated to a [WOI](#).

Namespaces

- [jpip](#)

Set of classes related to the JPIP protocol, defined in the Part 9 of the JPEG2000 standard.

7.80 net/address.cc File Reference

```
#include "address.h"
```

Include dependency graph for address.cc:

7.81 net/address.h File Reference

```
#include <string>
#include <sys/socket.h>
#include <netinet/in.h>
#include <arpa/inet.h>
#include <netdb.h>
#include <stdlib.h>
#include <string.h>
#include <sys/un.h>
#include <unistd.h>
```

Include dependency graph for address.h: This graph shows which files directly or indirectly include this file:

Classes

- class [net::Address](#)
Abstract base class to wrap the `sockaddr` derived structures.
- class [net::InetAddress](#)
Class to identify and handle an Internet address.
- class [net::UnixAddress](#)
Class to identify and handle an UNIX address.

Namespaces

- [net](#)
Contains classes to easy the utilization of sockets, specially implemented for UNIX systems.

7.82 net/net.h File Reference

Namespaces

- [net](#)
Contains classes to easy the utilization of sockets, specially implemented for UNIX systems.

7.83 net/poll_table.cc File Reference

```
#include "poll_table.h"
```

Include dependency graph for poll_table.cc:

7.84 net/poll_table.h File Reference

```
#include <vector>
#include <poll.h>
#include <algorithm>
```

Include dependency graph for poll_table.h: This graph shows which files directly or indirectly include this file:

Classes

- struct [net::PollFD](#)
Wrapper structure for the structure `pollfd` used by the kernel `poll` functions.
- class [net::PollTable](#)
This class allows to perform polls easily over a vector of descriptors.

Namespaces

- [net](#)
Contains classes to easy the utilization of sockets, specially implemented for UNIX systems.

7.85 net/socket.cc File Reference

```
#include <fcntl.h>
#include <sys/time.h>
#include <sys/types.h>
#include <unistd.h>
#include <string.h>
#include <sys/socket.h>
#include <sys/un.h>
#include <assert.h>
#include "socket.h"
#include "poll_table.h"
Include dependency graph for socket.cc:
```

Namespaces

- [net](#)
Contains classes to easy the utilization of sockets, specially implemented for UNIX systems.

Macros

- `#define` [POLLRDHUP](#) (0)

7.85.1 Macro Definition Documentation

7.85.1.1 `#define` POLLRDHUP (0)

7.86 net/socket.h File Reference

```
#include <sys/socket.h>
#include <sys/types.h>
#include <sys/time.h>
#include <sys/times.h>
#include <unistd.h>
#include <netinet/in.h>
#include <netinet/tcp.h>
#include <arpa/inet.h>
#include <netdb.h>
#include <string>
#include "address.h"
```

Include dependency graph for socket.h: This graph shows which files directly or indirectly include this file:

Classes

- class [net::Socket](#)

This class has been designed to work with UNIX sockets in an easy and object oriented way.

Namespaces

- [net](#)

Contains classes to easy the utilization of sockets, specially implemented for UNIX systems.

7.87 net/socket_stream.cc File Reference

```
#include "socket_stream.h"
```

Include dependency graph for socket_stream.cc:

7.88 net/socket_stream.h File Reference

```
#include <iostream>
```

```
#include <stdio.h>
```

```
#include <string.h>
```

```
#include "socket.h"
```

Include dependency graph for socket_stream.h: This graph shows which files directly or indirectly include this file:

Classes

- class [net::SocketBuffer](#)

Class derived from the STL `std::streambuf` to allow streaming with sockets.

- class [net::SocketStream](#)

Class derived from `std::iostream` and [SocketBuffer](#) that represents a socket stream.

Namespaces

- [net](#)

Contains classes to easy the utilization of sockets, specially implemented for UNIX systems.

7.89 packet_information.cc File Reference

```
#include "trace.h"
```

```
#include "app_config.h"
```

```
#include "jpip/woi_composer.h"
```

```
#include "jpeg2000/index_manager.h"
```

Include dependency graph for packet_information.cc:

Classes

- struct [ui](#)

Functions

- int [main](#) (void)

7.89.1 Function Documentation

7.89.1.1 int main (void)

Here is the call graph for this function:

7.90 tr1_compat.h File Reference

```
#include <tr1/memory>
```

Include dependency graph for tr1_compat.h: This graph shows which files directly or indirectly include this file:

Macros

- #define [SHARED_PTR](#) std::tr1::shared_ptr

7.90.1 Macro Definition Documentation

7.90.1.1 #define SHARED_PTR std::tr1::shared_ptr

7.91 trace.cc File Reference

```
#include "trace.h"
```

Include dependency graph for trace.cc:

7.92 trace.h File Reference

```
#include <string>
#include <iostream>
#include <log4cpp/Category.hh>
#include <log4cpp/FileAppender.hh>
#include <log4cpp/PatternLayout.hh>
#include <log4cpp/OstreamAppender.hh>
```

Include dependency graph for trace.h: This graph shows which files directly or indirectly include this file:

Classes

- class [TraceSystem](#)

Wrapper used by the application to handle the log/trace messages by means of the log4cpp library.

Macros

- #define [LOG4CPP_FIX_ERROR_COLLISION](#) 1
- #define [_RED](#) "31m"
- #define [_GREEN](#) "32m"
- #define [_YELLOW](#) "33m"

- `#define _BLUE "34m"`
- `#define _SET_COLOR(a) "\033[" a`
- `#define _RESET_COLOR() "\033[0m"`
- `#define LOG(a) (TraceSystem::logStream() << a << log4cpp::eol)`
- `#define LOGC(c, a) (TraceSystem::logStream() << _SET_COLOR(c) << a << _RESET_COLOR() << log4cpp::eol)`
- `#define ERROR(a) (TraceSystem::errorStream() << _SET_COLOR(_RED) << __FILE__ << ":" << __LINE__ << ": ERROR: " << a << _RESET_COLOR() << log4cpp::eol)`
- `#define TRACE(a) {}`
- `#define CERR(a) (cerr << _SET_COLOR(_RED) << a << "!" << _RESET_COLOR() << endl, -1)`

7.92.1 Macro Definition Documentation

7.92.1.1 `#define _BLUE "34m"`

7.92.1.2 `#define _GREEN "32m"`

7.92.1.3 `#define _RED "31m"`

7.92.1.4 `#define _RESET_COLOR() "\033[0m"`

7.92.1.5 `#define _SET_COLOR(a) "\033[" a`

7.92.1.6 `#define _YELLOW "33m"`

7.92.1.7 `#define CERR(a) (cerr << _SET_COLOR(_RED) << a << "!" << _RESET_COLOR() << endl, -1)`

7.92.1.8 `#define ERROR(a) (TraceSystem::errorStream() << _SET_COLOR(_RED) << __FILE__ << ":" << __LINE__ << ": ERROR: " << a << _RESET_COLOR() << log4cpp::eol)`

7.92.1.9 `#define LOG(a) (TraceSystem::logStream() << a << log4cpp::eol)`

7.92.1.10 `#define LOG4CPP_FIX_ERROR_COLLISION 1`

7.92.1.11 `#define LOGC(c, a) (TraceSystem::logStream() << _SET_COLOR(c) << a << _RESET_COLOR() << log4cpp::eol)`

7.92.1.12 `#define TRACE(a) {}`

7.93 version.h File Reference

This graph shows which files directly or indirectly include this file:

Macros

- `#define VERSION "0.2"`

7.93.1 Macro Definition Documentation

7.93.1.1 `#define VERSION "0.2"`

Index

- ~Address
 - net::Address, [17](#)
- ~AppConfig
 - AppConfig, [19](#)
- ~AppInfo
 - AppInfo, [24](#)
- ~BaseFile
 - data::BaseFile, [31](#)
- ~BaseStream
 - data::BaseStream, [36](#)
- ~CacheModel
 - jipip::CacheModel, [40](#)
- ~ClientInfo
 - ClientInfo, [43](#)
- ~ClientManager
 - ClientManager, [45](#)
- ~CodestreamIndex
 - jpeg2000::CodestreamIndex, [51](#)
- ~CodingParameters
 - jpeg2000::CodingParameters, [54](#)
- ~DataBinServer
 - jipip::DataBinServer, [64](#)
- ~DataBinWriter
 - jipip::DataBinWriter, [70](#)
- ~FileManager
 - jpeg2000::FileManager, [81](#)
- ~FileSegment
 - data::FileSegment, [89](#)
- ~IPCObject
 - ipc::IPCObject, [115](#)
- ~ImageIndex
 - jpeg2000::ImageIndex, [99](#)
- ~ImageInfo
 - jpeg2000::ImageInfo, [105](#)
- ~IndexManager
 - jpeg2000::IndexManager, [107](#)
- ~Metadata
 - jpeg2000::Metadata, [118](#)
- ~Packet
 - jpeg2000::Packet, [124](#)
- ~PacketIndex
 - jpeg2000::PacketIndex, [126](#)
- ~Placeholder
 - jpeg2000::Placeholder, [130](#)
- ~Point
 - jpeg2000::Point, [134](#)
- ~PollTable
 - net::PollTable, [138](#)
- ~Range
 - jpeg2000::Range, [142](#)
- ~Request
 - jipip::Request, [147](#)
- ~Socket
 - net::Socket, [163](#)
- ~SocketBuffer
 - net::SocketBuffer, [170](#)
- ~SocketStream
 - net::SocketStream, [171](#)
- ~TraceSystem
 - TraceSystem, [173](#)
- ~WOI
 - jipip::WOI, [181](#)
- ~WOIComposer
 - jipip::WOIComposer, [183](#)
- ~vint_vector
 - data::vint_vector, [178](#)
- _BLUE
 - trace.h, [215](#)
- _GREEN
 - trace.h, [215](#)
- _RED
 - trace.h, [215](#)
- _RESET_COLOR
 - trace.h, [215](#)
- _SET_COLOR
 - trace.h, [215](#)
- _YELLOW
 - trace.h, [215](#)
- ASOC_BOX_ID
 - file_manager.cc, [201](#)
- Accept
 - net::Socket, [163](#)
- Add
 - jpeg2000::PacketIndex, [126](#)
 - net::PollTable, [138](#)
- AddTo
 - jipip::DataBinSelector< DataBinClass::MAIN_HEADER >, [61](#)
 - jipip::DataBinSelector< DataBinClass::META_DATA >, [61](#)
 - jipip::DataBinSelector< DataBinClass::PRECINCT >, [62](#)
 - jipip::DataBinSelector< DataBinClass::TILE_HEADER >, [62](#)
- AddToDataBin
 - jipip::CacheModel, [40](#)
- AddToMainHeader
 - jipip::CacheModel::Codestream, [47](#)

- AddToMetadata
 - jpip::CacheModel, 40
- AddToPrecinct
 - jpip::CacheModel::Codestream, 47
- AddToTileHeader
 - jpip::CacheModel::Codestream, 47
- Address
 - net::Address, 17
- address
 - AppConfig, 20
- address_
 - AppConfig, 21
- app_config.cc, 185
- app_config.h, 185
- app_info
 - ArgsParser, 27
 - ClientManager, 45
 - esa_jpip_server.cc, 192
- app_info.cc, 185
 - LOCK_FILE, 186
- app_info.h, 186
- AppConfig, 18
 - ~AppConfig, 19
 - address, 20
 - address_, 21
 - AppConfig, 19
 - AppConfig, 19
 - cache_max_time, 20
 - cache_max_time_, 21
 - caching_folder, 20
 - caching_folder_, 21
 - com_time_out, 20
 - com_time_out_, 21
 - images_folder, 20
 - images_folder_, 21
 - Load, 20
 - log_requests, 20
 - log_requests_, 22
 - logging, 20
 - logging_, 22
 - logging_folder, 21
 - logging_folder_, 22
 - max_chunk_size, 21
 - max_chunk_size_, 22
 - max_connections, 21
 - max_connections_, 22
 - operator<<, 21
 - port, 21
 - port_, 22
- AppInfo, 22
 - ~AppInfo, 24
 - AppInfo, 24
 - AppInfo, 24
 - available_memory, 24
 - available_memory_, 25
 - child_memory, 24
 - child_memory_, 25
 - child_time, 24
 - child_time_, 25
 - data_ptr, 25
 - father_memory, 24
 - father_memory_, 26
 - GetProcStat, 24
 - GetProcStat_, 24
 - Init, 24
 - is_running, 25
 - is_running_, 26
 - lock_file, 26
 - num_threads, 25
 - num_threads_, 26
 - operator<<, 25
 - operator->, 25
 - shmid, 26
 - time, 25
 - time_, 26
 - Update, 25
- AppInfo::Data, 58
 - child_iterations, 59
 - child_pid, 59
 - father_pid, 59
 - num_connections, 59
 - Reset, 59
- AppendToFile
 - TraceSystem, 173
- AppendToFile_
 - TraceSystem, 173
- appender
 - TraceSystem, 173
- args_parser.cc, 186
- args_parser.h, 186
- ArgsParser, 26
 - app_info, 27
 - ArgsParser, 27
 - ArgsParser, 27
 - cfg, 27
 - Parse, 27
- aux
 - jpeg2000::PacketIndex, 127
- available_memory
 - AppInfo, 24
- available_memory_
 - AppInfo, 25
- BYTE_LIMIT_REACHED
 - jpip::EOR, 76
- back
 - data::vint_vector, 178
- base, 28
 - copy, 28
 - to_string, 28
- base.cc, 187
- base.h, 187
- base_id
 - ClientInfo, 43
 - esa_jpip_server.cc, 192
- base_id_
 - ClientInfo, 44

- BaseFile
 - data::BaseFile, [31](#)
- BaseStream
 - data::BaseStream, [36](#)
- BindTo
 - net::Socket, [163](#)
- BuildIndex
 - jpeg2000::ImageIndex, [99](#)
- bytes_sent
 - ClientInfo, [43](#)
- bytes_sent_
 - ClientInfo, [44](#)
- CLOSEST
 - jpeg::Request, [147](#)
- CPRL_PROGRESSION
 - jpeg2000::CodingParameters, [54](#)
- CACHE_CONTROL
 - http::HeaderName, [96](#)
- CERR
 - trace.h, [215](#)
- COD_MARKER
 - file_manager.cc, [201](#)
- CONFIG_FILE
 - esa_jpip_server.cc, [192](#)
- CONTENT_LENGTH
 - http::HeaderName, [96](#)
- CONTENT_TYPE
 - http::HeaderName, [96](#)
- CRLF
 - http::Protocol, [141](#)
- cache_dir
 - jpeg2000::FileManager, [81](#)
- cache_dir_
 - jpeg2000::FileManager, [87](#)
- cache_max_time
 - AppConfig, [20](#)
- cache_max_time_
 - AppConfig, [21](#)
- cache_model
 - jpeg::DataBinServer, [67](#)
 - jpeg::Request, [149](#)
- CacheControl
 - http::Header, [91](#)
- CacheModel
 - jpeg::CacheModel, [40](#)
- caching_folder
 - AppConfig, [20](#)
- caching_folder_
 - AppConfig, [21](#)
- category
 - TraceSystem, [173](#)
- cclose
 - jpeg::Request::ParametersMask, [128](#)
- cfg
 - ArgsParser, [27](#)
 - ClientManager, [45](#)
 - esa_jpip_server.cc, [192](#)
- child_address
 - esa_jpip_server.cc, [192](#)
- child_iterations
 - AppInfo::Data, [59](#)
- child_lost
 - esa_jpip_server.cc, [193](#)
- child_memory
 - AppInfo, [24](#)
- child_memory_
 - AppInfo, [25](#)
- child_pid
 - AppInfo::Data, [59](#)
- child_socket
 - esa_jpip_server.cc, [193](#)
- child_time
 - AppInfo, [24](#)
- child_time_
 - AppInfo, [25](#)
- ChildProcess
 - esa_jpip_server.cc, [192](#)
- cid
 - jpeg::Request::ParametersMask, [128](#)
- Clear
 - jpeg2000::CodestreamIndex, [51](#)
 - jpeg2000::PacketIndex, [126](#)
 - jpeg::CacheModel, [40](#)
 - jpeg::Request::ParametersMask, [128](#)
- clear
 - data::vint_vector, [178](#)
- ClearPreviousIds
 - jpeg::DataBinWriter, [70](#)
- client_info.cc, [187](#)
- client_info.h, [187](#)
- client_manager.cc, [187](#)
- client_manager.h, [188](#)
- ClientInfo, [42](#)
 - ~ClientInfo, [43](#)
 - base_id, [43](#)
 - base_id_, [44](#)
 - bytes_sent, [43](#)
 - bytes_sent_, [44](#)
 - ClientInfo, [43](#)
 - ClientInfo, [43](#)
 - father_sock, [43](#)
 - father_sock_, [44](#)
 - sock, [43](#)
 - sock_, [44](#)
 - time, [43](#)
 - tm_start, [44](#)
- ClientManager, [44](#)
 - ~ClientManager, [45](#)
 - app_info, [45](#)
 - cfg, [45](#)
 - ClientManager, [45](#)
 - ClientManager, [45](#)
 - index_manager, [45](#)
 - Run, [45](#)
 - RunBasic, [45](#)
- ClientThread

- esa_jpip_server.cc, 192
- Close
 - data::BaseFile, 31
 - data::BaseStream, 37
 - net::Socket, 163
- ClosedImage
 - jpeg2000::IndexManager, 108
- cnew
 - jpeg::Request::ParametersMask, 128
- code
 - http::Response, 155
- Codestream
 - jpeg::CacheModel::Codestream, 47
- codestream_idx
 - jpeg::DataBinWriter, 74
- CodestreamIndex
 - jpeg2000::CodestreamIndex, 51
- codestreams
 - jpeg2000::ImageIndex, 103
 - jpeg2000::ImageInfo, 106
 - jpeg::CacheModel, 42
- coding_parameters
 - jpeg2000::ImageIndex, 103
 - jpeg2000::ImageInfo, 106
 - jpeg::WOIComposer, 184
- CodingParameters
 - jpeg2000::CodingParameters, 54
- com_time_out
 - AppConfig, 20
- com_time_out_
 - AppConfig, 21
- component
 - jpeg2000::Packet, 124
- condv
 - ipc::Event, 79
- configure
 - data::LockedAccess, 117
 - data::UnlockedAccess, 176
- ConnectTo
 - net::Socket, 163
- ContentLength
 - http::Header, 91
- ContentType
 - http::Header, 91
- context
 - jpeg::Request::ParametersMask, 128
- copy
 - base, 28
- current_idx
 - jpeg::DataBinServer, 67
- current_packet
 - jpeg::WOIComposer, 184
- DBTL_BOX_ID
 - file_manager.cc, 201
- data, 11
 - data::vint_vector, 179
 - FastFile, 12
 - File, 12
 - data/data.h, 188
 - data/file.cc, 188
 - data/file.h, 188
 - data/file_segment.cc, 189
 - data/file_segment.h, 189
 - data/serialize.cc, 189
 - data/serialize.h, 190
 - data/vint_vector.cc, 190
 - data/vint_vector.h, 191
 - data::BaseFile
 - ~BaseFile, 31
 - BaseFile, 31
 - Close, 31
 - Exists, 31
 - file_ptr, 35
 - GetDescriptor, 31
 - GetOffset, 31
 - GetSize, 31
 - IsEOF, 31
 - IsValid, 31
 - Open, 31, 33
 - OpenForReading, 33
 - OpenForWriting, 33
 - operator bool, 33
 - Ptr, 30
 - Read, 33
 - ReadByte, 34
 - ReadReverse, 34
 - Seek, 34
 - Write, 34
 - WriteByte, 35
 - WriteReverse, 35
 - data::BaseFile< IO >, 29
 - data::BaseStream
 - ~BaseStream, 36
 - BaseStream, 36
 - Close, 37
 - file_, 38
 - Open, 37
 - operator bool, 37
 - operator&, 37
 - result, 37
 - result_, 38
 - SerializeBytes, 38
 - data::BaseStream< StreamClass, StreamOperator >, 35
 - data::FileSegment, 88
 - ~FileSegment, 89
 - FileSegment, 89
 - IsContiguousTo, 89
 - length, 90
 - Null, 90
 - offset, 90
 - operator<<, 90
 - operator=, 89
 - operator==, 89
 - RemoveFirst, 89
 - RemoveLast, 90

- SerializeWith, 90
- data::InputOperator, 113
 - FileAccess, 113
 - SerializeBytes, 113
- data::InputStream, 114
 - Serialize, 114
- data::LockedAccess, 117
 - configure, 117
 - fgetc, 117
 - fputc, 117
 - fread, 117
 - fwrite, 117
- data::OutputOperator, 121
 - FileAccess, 122
 - SerializeBytes, 122
- data::OutputStream, 122
 - Serialize, 123
- data::Serializer
 - Load, 156
 - Save, 156
- data::Serializer< bool >, 157
 - Load, 157
 - Save, 157
- data::Serializer< int >, 157
 - Load, 158
 - Save, 158
- data::Serializer< multimap< string, int > >, 158
 - Load, 159
 - Save, 159
- data::Serializer< string >, 159
 - Load, 159
 - Save, 159
- data::Serializer< T >, 156
- data::Serializer< uint64_t >, 160
 - Load, 160
 - Save, 160
- data::Serializer< vector< T > >, 160
 - Load, 161
 - Save, 161
- data::UnlockedAccess, 176
 - configure, 176
 - fgetc, 176
 - fputc, 176
 - fread, 176
 - fwrite, 176
- data::vint_vector, 177
 - ~vint_vector, 178
 - back, 178
 - clear, 178
 - data, 179
 - data_bytes, 178
 - mask, 179
 - num_bytes, 178
 - num_bytes_, 179
 - operator=, 178
 - push_back, 179
 - set_num_bytes, 179
 - size, 179
 - vint_vector, 178
- data_bytes
 - data::vint_vector, 178
- data_length
 - jpeg2000::Placeholder, 131
- data_ptr
 - ApplInfo, 25
- data_writer
 - jpeg::DataBinServer, 67
- DataBinClass
 - jpeg::DataBinClass, 60
- DataBinServer
 - jpeg::DataBinServer, 64
- DataBinWriter
 - jpeg::DataBinWriter, 70
- databin_class
 - jpeg::DataBinWriter, 74
- Dispose
 - ipc::Event, 77
 - ipc::IPCObject, 116
 - ipc::Mutex, 120
 - ipc::RdWrLock, 144
- EXTENDED_PRECINCT
 - jpeg::DataBinClass, 60
- EXTENDED_TILE
 - jpeg::DataBinClass, 60
- EOC_MARKER
 - file_manager.cc, 201
- EOR
 - jpeg::EOR, 76
- ERROR
 - trace.h, 215
- end
 - jpeg::DataBinWriter, 74
- end_woi
 - jpeg::DataBinServer, 64
- end_woi_
 - jpeg::DataBinServer, 67
- eof
 - jpeg::DataBinServer, 67
 - jpeg::DataBinWriter, 74
- errorStream
 - TraceSystem, 173
- esa_jpip_server.cc, 191
 - app_info, 192
 - base_id, 192
 - CONFIG_FILE, 192
 - cfg, 192
 - child_address, 192
 - child_lost, 193
 - child_socket, 193
 - ChildProcess, 192
 - ClientThread, 192
 - father_address, 193
 - index_manager, 193
 - main, 192
 - POLLRDHUP, 192
 - ParseArguments, 192

- poll_table, [193](#)
- SERVER_APP_NAME, [192](#)
- SERVER_NAME, [192](#)
- SIGCHLD_handler, [192](#)
- ExistCacheImage
 - jpeg2000::FileManager, [81](#)
- Exists
 - data::BaseFile, [31](#)
- FLST_BOX_ID
 - file_manager.cc, [201](#)
- FTBL_BOX_ID
 - file_manager.cc, [201](#)
- FastFile
 - data, [12](#)
- father_address
 - esa_jpip_server.cc, [193](#)
- father_memory
 - AppInfo, [24](#)
- father_memory_
 - AppInfo, [26](#)
- father_pid
 - AppInfo::Data, [59](#)
- father_sock
 - ClientInfo, [43](#)
- father_sock_
 - ClientInfo, [44](#)
- fds
 - net::PollTable, [139](#)
- fgetc
 - data::LockedAccess, [117](#)
 - data::UnlockedAccess, [176](#)
- File
 - data, [12](#)
- file
 - jpeg2000::DataBinServer, [68](#)
- file_
 - data::BaseStream, [38](#)
- file_appender
 - TraceSystem, [173](#)
- file_layout
 - TraceSystem, [173](#)
- file_manager
 - jpeg2000::IndexManager, [108](#)
- file_manager.cc
 - ASOC_BOX_ID, [201](#)
 - COD_MARKER, [201](#)
 - DBTL_BOX_ID, [201](#)
 - EOC_MARKER, [201](#)
 - FLST_BOX_ID, [201](#)
 - FTBL_BOX_ID, [201](#)
 - JP2C_BOX_ID, [201](#)
 - JPCH_BOX_ID, [201](#)
 - NLST_BOX_ID, [201](#)
 - PLT_MARKER, [201](#)
 - SIZ_MARKER, [201](#)
 - SOC_MARKER, [201](#)
 - SOD_MARKER, [201](#)
 - SOT_MARKER, [201](#)
 - URL_BOX_ID, [201](#)
 - XML_BOX_ID, [202](#)
- file_manager_
 - jpeg2000::IndexManager, [110](#)
- file_ptr
 - data::BaseFile, [35](#)
- FileAccess
 - data::InputOperator, [113](#)
 - data::OutputOperator, [122](#)
- FileManager
 - jpeg2000::FileManager, [81](#)
- FileSegment
 - data::FileSegment, [89](#)
- files
 - jpeg2000::DataBinServer, [68](#)
- FillTotalPrecinctsVector
 - jpeg2000::CodingParameters, [54](#)
- first
 - jpeg2000::Range, [143](#)
- fputc
 - data::LockedAccess, [117](#)
 - data::UnlockedAccess, [176](#)
- fread
 - data::LockedAccess, [117](#)
 - data::UnlockedAccess, [176](#)
- fsiz
 - jpeg2000::Request::ParametersMask, [128](#)
- full_meta
 - jpeg2000::CacheModel, [42](#)
- fwrite
 - data::LockedAccess, [117](#)
 - data::UnlockedAccess, [176](#)
- GET
 - http::Request, [151](#)
- GenerateChunk
 - jpeg2000::DataBinServer, [64](#)
- Get
 - ipc::Event, [77](#)
 - jpeg2000::DataBinSelector< DataBinClass::MAIN_HEADER >, [61](#)
 - jpeg2000::DataBinSelector< DataBinClass::META_DATA >, [61](#)
 - jpeg2000::DataBinSelector< DataBinClass::PRECINCT >, [62](#)
 - jpeg2000::DataBinSelector< DataBinClass::TILE_HEADER >, [62](#)
- GetBegin
 - jpeg2000::IndexManager, [108](#)
- GetCacheFileName
 - jpeg2000::FileManager, [81](#)
- GetClosestResolution
 - jpeg2000::CodingParameters, [54](#)
- GetCodedChar
 - jpeg2000::Request, [147](#)
- GetCodestream
 - jpeg2000::CacheModel, [40](#)
- GetCodingParameters
 - jpeg2000::ImageIndex, [99](#)

- GetCount
 - jipip::DataBinWriter, 70
- GetCurrentPacket
 - jipip::WOIComposer, 183
- GetDataBin
 - jipip::CacheModel, 41
- GetDescriptor
 - data::BaseFile, 31
- GetEnd
 - jpeg2000::IndexManager, 108
- GetFree
 - jipip::DataBinWriter, 70
- GetHyperLink
 - jpeg2000::ImageIndex, 99
- GetIndex
 - jpeg2000::Range, 142
- GetItem
 - jpeg2000::Range, 142
- GetMainHeader
 - jpeg2000::ImageIndex, 99
 - jipip::CacheModel::Codestream, 49
- GetMetadata
 - jpeg2000::ImageIndex, 99
 - jipip::CacheModel, 41
- GetName
 - jipip::DataBinClass, 60
- GetNextPacket
 - jipip::WOIComposer, 183
- GetNumCodestreams
 - jpeg2000::ImageIndex, 101
- GetNumHyperLinks
 - jpeg2000::ImageIndex, 101
- GetNumMetadatas
 - jpeg2000::ImageIndex, 101
- GetOffset
 - data::BaseFile, 31
- GetOffsetPacket
 - jpeg2000::ImageIndex, 101
- GetPLTLength
 - jpeg2000::ImageIndex, 102
- GetPacket
 - jpeg2000::ImageIndex, 101
- GetPath
 - net::InetAddress, 112
 - net::UnixAddress, 175
- GetPathName
 - jpeg2000::ImageIndex, 101
- GetPlaceholder
 - jpeg2000::ImageIndex, 102
- GetPort
 - net::InetAddress, 112
- GetPrecinct
 - jipip::CacheModel::Codestream, 49
- GetPrecinctDataBinId
 - jpeg2000::CodingParameters, 54
- GetPrecincts
 - jpeg2000::CodingParameters, 55
- GetProcStat
 - ApplInfo, 24
- GetProcStat_
 - ApplInfo, 24
- GetProgressionIndex
 - jpeg2000::CodingParameters, 55
- GetProgressionIndexLRCP
 - jpeg2000::CodingParameters, 55
- GetProgressionIndexRLCP
 - jpeg2000::CodingParameters, 55
- GetProgressionIndexRPCL
 - jpeg2000::CodingParameters, 55
- GetReadBytes
 - net::SocketBuffer, 170
- GetResolution
 - jipip::Request, 147
- GetRoundDownResolution
 - jpeg2000::CodingParameters, 57
- GetRoundUpResolution
 - jpeg2000::CodingParameters, 57
- GetSize
 - data::BaseFile, 31
 - jpeg2000::IndexManager, 108
 - net::Address, 18
 - net::InetAddress, 112
 - net::PollTable, 138
 - net::UnixAddress, 175
- GetSockAddr
 - net::Address, 18
 - net::InetAddress, 112
 - net::UnixAddress, 175
- GetSocket
 - net::SocketBuffer, 170
- GetTileHeader
 - jipip::CacheModel::Codestream, 49
- has_woi
 - jipip::DataBinServer, 68
- HasWOI
 - jipip::Request::ParametersMask, 128
- Header
 - http::Header, 92
- header
 - jpeg2000::CodestreamIndex, 51
 - jpeg2000::Placeholder, 131
 - jipip::CacheModel::Codestream, 50
- HeaderBase
 - http::HeaderBase, 93
 - http::HeaderBase< HeaderName::UNDEFINED
>, 94
- http, 12
 - operator<<, 13
 - operator>>, 13
- http/header.cc, 193
- http/header.h, 193
- http/http.h, 194
- http/protocol.cc, 194
- http/protocol.h, 194
- http/request.cc, 194
- http/request.h, 195

- http/response.cc, [196](#)
- http/response.h, [196](#)
- http::Request
 - GET, [151](#)
 - POST, [151](#)
 - UNKNOWN, [151](#)
- http::Header, [90](#)
 - CacheControl, [91](#)
 - ContentLength, [91](#)
 - ContentType, [91](#)
 - Header, [92](#)
 - operator==, [92](#)
 - TransferEncoding, [91](#)
- http::HeaderBase
 - HeaderBase, [93](#)
 - name, [93](#)
 - operator<<, [93](#)
 - operator>>, [93](#)
 - value, [93](#)
- http::HeaderBase< HeaderName::UNDEFINED >, [94](#)
 - HeaderBase, [94](#)
 - name, [95](#)
 - operator<<, [95](#)
 - operator>>, [95](#)
 - value, [95](#)
- http::HeaderBase< NAME >, [92](#)
- http::HeaderName, [95](#)
 - CACHE_CONTROL, [96](#)
 - CONTENT_LENGTH, [96](#)
 - CONTENT_TYPE, [96](#)
 - TRANSFER_ENCODING, [96](#)
 - UNDEFINED, [96](#)
- http::Protocol, [139](#)
 - CRLF, [141](#)
 - majorVersion, [140](#)
 - majorVersion_, [141](#)
 - minorVersion, [140](#)
 - minorVersion_, [141](#)
 - operator<<, [141](#)
 - operator>>, [141](#)
 - Protocol, [140](#)
- http::Request, [150](#)
 - object, [154](#)
 - operator<<, [154](#)
 - operator>>, [154](#)
 - parameters, [154](#)
 - Parse, [153](#)
 - ParseParameter, [153](#)
 - ParseParameters, [153](#)
 - ParseURI, [153](#)
 - protocol, [154](#)
 - Request, [152](#)
 - Type, [151](#)
 - type, [154](#)
- http::Response, [154](#)
 - code, [155](#)
 - operator<<, [155](#)
 - operator>>, [155](#)
 - protocol, [155](#)
 - Response, [155](#)
 - StatusCodes, [156](#)
 - statusCodesInitializer, [156](#)
- http::Response::StatusCodesInitializer, [172](#)
 - StatusCodesInitializer, [172](#)
- hyper_links
 - jpeg2000::ImageIndex, [103](#)
- IMAGE_DONE
 - jip::EOR, [75](#)
- INPUT_BUFFER_LENGTH
 - net::SocketBuffer, [170](#)
- IPCObject
 - ipc::IPCObject, [115](#)
- id
 - jpeg2000::Placeholder, [131](#)
- im_index
 - jip::DataBinServer, [68](#)
- ImageIndex
 - jpeg2000::ImageIndex, [99](#)
- ImageInfo
 - jpeg2000::ImageInfo, [105](#)
- images_folder
 - AppConfig, [20](#)
- images_folder_
 - AppConfig, [21](#)
- in_buf
 - net::SocketBuffer, [170](#)
- in_len
 - net::SocketBuffer, [170](#)
- index_list
 - jpeg2000::IndexManager, [110](#)
- index_manager
 - ClientManager, [45](#)
 - esa_jpip_server.cc, [193](#)
- IndexManager
 - jpeg2000::ImageIndex, [103](#)
 - jpeg2000::IndexManager, [107](#)
- InetAddress
 - net::InetAddress, [111](#), [112](#)
- ini
 - jip::DataBinWriter, [74](#)
- Init
 - AppInfo, [24](#)
 - ipc::Event, [77](#), [78](#)
 - ipc::IPCObject, [116](#)
 - ipc::Mutex, [120](#)
 - ipc::RdWrLock, [144](#)
 - jpeg2000::FileManager, [81](#)
 - jpeg2000::ImageIndex, [102](#)
 - jpeg2000::IndexManager, [108](#)
- ipc, [13](#)
 - WAIT_ERROR, [14](#)
 - WAIT_OBJECT, [14](#)
 - WAIT_TIMEOUT, [14](#)
 - WaitResult, [14](#)
- ipc/event.cc, [197](#)
- ipc/event.h, [197](#)

- ipc/ipc.h, 197
- ipc/ipc_object.cc, 197
- ipc/ipc_object.h, 197
- ipc/mutex.cc, 198
- ipc/mutex.h, 198
- ipc/rdwr_lock.cc, 199
- ipc/rdwr_lock.h, 199
- ipc::Event, 76
 - condv, 79
 - Dispose, 77
 - Get, 77
 - Init, 77, 78
 - manual_reset, 79
 - mutex, 79
 - Ptr, 77
 - Pulse, 78
 - Reset, 78
 - Set, 78
 - state, 79
 - Wait, 79
- ipc::IPCObject, 114
 - ~IPCObject, 115
 - Dispose, 116
 - IPCObject, 115
 - Init, 116
 - IsValid, 116
 - Ptr, 115
 - valid, 116
 - Wait, 116
- ipc::Mutex, 119
 - Dispose, 120
 - Init, 120
 - locker, 121
 - mutex, 121
 - Ptr, 120
 - Release, 120
 - Wait, 121
- ipc::RdWrLock, 143
 - Dispose, 144
 - Init, 144
 - Ptr, 144
 - Release, 145
 - rwlock, 145
 - Wait, 145
 - WaitForWriting, 145
- is_jp2c
 - jpeg2000::Placeholder, 131
- is_running
 - AppInfo, 25
- is_running_
 - AppInfo, 26
- IsBlockingMode
 - net::Socket, 164
- IsContiguousTo
 - data::FileSegment, 89
- IsEOF
 - data::BaseFile, 31
- IsFullMetadata
 - jpeg2000::CacheModel, 41
- IsHyperLinked
 - jpeg2000::ImageIndex, 103
- IsResolutionProgression
 - jpeg2000::CodingParameters, 57
- IsValid
 - data::BaseFile, 31
 - ipc::IPCObject, 116
 - jpeg2000::Range, 143
 - net::Socket, 164
- items
 - jpeg2000::Request::ParametersMask, 128
- JP2C_BOX_ID
 - file_manager.cc, 201
- JPCH_BOX_ID
 - file_manager.cc, 201
- jpeg2000, 14
 - Size, 15
- jpeg2000/codestream_index.cc, 199
- jpeg2000/codestream_index.h, 199
- jpeg2000/coding_parameters.cc, 200
- jpeg2000/coding_parameters.h, 200
- jpeg2000/file_manager.cc, 200
- jpeg2000/file_manager.h, 202
- jpeg2000/image_index.cc, 202
- jpeg2000/image_index.h, 202
- jpeg2000/image_info.cc, 203
- jpeg2000/image_info.h, 203
- jpeg2000/index_manager.cc, 203
- jpeg2000/index_manager.h, 204
- jpeg2000/jpeg2000.h, 204
- jpeg2000/meta_data.cc, 204
- jpeg2000/meta_data.h, 204
- jpeg2000/packet.cc, 205
- jpeg2000/packet.h, 205
- jpeg2000/packet_index.cc, 205
- jpeg2000/packet_index.h, 205
- jpeg2000/place_holder.cc, 205
- jpeg2000/place_holder.h, 206
- jpeg2000/point.cc, 206
- jpeg2000/point.h, 206
- jpeg2000/range.cc, 206
- jpeg2000/range.h, 207
- jpeg2000::CodingParameters
 - CPRL_PROGRESSION, 54
 - LRCP_PROGRESSION, 54
 - PCRL_PROGRESSION, 54
 - RLCP_PROGRESSION, 54
 - RPCL_PROGRESSION, 54
- jpeg2000::PacketIndex
 - MINIMUM_OFFSET, 126
- jpeg2000::CodestreamIndex, 50
 - ~CodestreamIndex, 51
 - Clear, 51
 - CodestreamIndex, 51
 - header, 51
 - operator<<, 51
 - operator=, 51

- PLT_markers, 52
- packets, 51
- SerializeWith, 51
- jpeg2000::CodingParameters, 52
 - ~CodingParameters, 54
 - CodingParameters, 54
 - FillTotalPrecinctsVector, 54
 - GetClosestResolution, 54
 - GetPrecinctDataBinId, 54
 - GetPrecincts, 55
 - GetProgressionIndex, 55
 - GetProgressionIndexLRCP, 55
 - GetProgressionIndexRLCP, 55
 - GetProgressionIndexRPCL, 55
 - GetRoundDownResolution, 57
 - GetRoundUpResolution, 57
 - IsResolutionProgression, 57
 - num_components, 57
 - num_layers, 57
 - num_levels, 58
 - operator<<, 57
 - operator=, 57
 - precinct_size, 58
 - progression, 58
 - Ptr, 53
 - SerializeWith, 57
 - size, 58
 - total_precincts, 58
- jpeg2000::FileManager, 79
 - ~FileManager, 81
 - cache_dir, 81
 - cache_dir_, 87
 - ExistCacheImage, 81
 - FileManager, 81
 - GetCacheFileName, 81
 - Init, 81
 - ReadBoxHeader, 83
 - ReadCODMarker, 83
 - ReadCodestream, 83
 - ReadFlstBox, 84
 - ReadImage, 84
 - ReadJP2, 84
 - ReadJPX, 84
 - ReadNlstBox, 85
 - ReadPLTMarker, 85
 - ReadSIZMarker, 85
 - ReadSODMarker, 85
 - ReadSOTMarker, 87
 - ReadUrlBox, 87
 - root_dir, 87
 - root_dir_, 87
- jpeg2000::ImageIndex, 96
 - ~ImageIndex, 99
 - BuildIndex, 99
 - codestreams, 103
 - coding_parameters, 103
 - GetCodingParameters, 99
 - GetHyperLink, 99
 - GetMainHeader, 99
 - GetMetadata, 99
 - GetNumCodestreams, 101
 - GetNumHyperLinks, 101
 - GetNumMetadatas, 101
 - GetOffsetPacket, 101
 - GetPLTLength, 102
 - GetPacket, 101
 - GetPathName, 101
 - GetPlaceholder, 102
 - hyper_links, 103
 - ImageIndex, 99
 - IndexManager, 103
 - Init, 102
 - IsHyperLinked, 103
 - last_offset_PLT, 104
 - last_offset_packet, 104
 - last_packet, 104
 - last_plt, 104
 - max_resolution, 104
 - meta_data, 104
 - num_references, 104
 - operator CodingParameters::Ptr, 103
 - operator<<, 103
 - operator=, 103
 - packet_indexes, 104
 - path_name, 104
 - Ptr, 98
 - rdwr_lock, 104
 - ReadLock, 103
 - ReadUnlock, 103
- jpeg2000::ImageInfo, 104
 - ~ImageInfo, 105
 - codestreams, 106
 - coding_parameters, 106
 - ImageInfo, 105
 - meta_data, 106
 - meta_data_hyperlinks, 106
 - operator<<, 106
 - operator=, 106
 - paths, 106
 - SerializeWith, 106
- jpeg2000::IndexManager, 106
 - ~IndexManager, 107
 - CloselImage, 108
 - file_manager, 108
 - file_manager_, 110
 - GetBegin, 108
 - GetEnd, 108
 - GetSize, 108
 - index_list, 110
 - IndexManager, 107
 - Init, 108
 - mutex, 110
 - OpenImage, 108
 - UnsafeCloselImage, 110
 - UnsafeOpenImage, 110
- jpeg2000::Metadata, 117

- ~Metadata, 118
- meta_data, 119
- Metadata, 118
- operator<<, 118
- operator=, 118
- place_holders, 119
- SerializeWith, 118
- jpeg2000::Packet, 123
 - ~Packet, 124
 - component, 124
 - layer, 124
 - operator<<, 124
 - operator=, 124
 - Packet, 124
 - precinct_xy, 124
 - resolution, 124
- jpeg2000::PacketIndex, 125
 - ~PacketIndex, 126
 - Add, 126
 - aux, 127
 - Clear, 126
 - offsets, 127
 - operator=, 126
 - PacketIndex, 126
 - Size, 127
- jpeg2000::Placeholder, 129
 - ~Placeholder, 130
 - data_length, 131
 - header, 131
 - id, 131
 - is_jp2c, 131
 - length, 130
 - operator<<, 131
 - operator=, 130
 - Placeholder, 130
 - SerializeWith, 130
- jpeg2000::Point, 131
 - ~Point, 134
 - operator<<, 136
 - operator*, 135
 - operator*=, 134
 - operator+, 135
 - operator++, 134
 - operator+=, 134
 - operator-, 135, 136
 - operator--, 134
 - operator-=, 134
 - operator/, 136
 - operator/=, 135
 - operator=, 135
 - operator==, 136
 - Point, 132, 134
 - SerializeWith, 135
 - x, 136
 - y, 136
- jpeg2000::Range, 141
 - ~Range, 142
 - first, 143
 - GetIndex, 142
 - GetItem, 142
 - IsValid, 143
 - last, 143
 - Length, 143
 - operator<<, 143
 - operator=, 143
 - operator==, 143
 - Range, 142
- jpeg, 15
- jpeg/cache_model.cc, 207
- jpeg/cache_model.h, 207
- jpeg/databin_server.cc, 208
- jpeg/databin_server.h, 208
- jpeg/databin_writer.cc, 208
- jpeg/databin_writer.h, 209
- jpeg/jpip.cc, 209
- jpeg/jpip.h, 209
- jpeg/request.cc, 195
- jpeg/request.h, 195
- jpeg/woi.cc, 210
- jpeg/woi.h, 210
- jpeg/woi_composer.cc, 210
- jpeg/woi_composer.h, 210
- jpeg::DataBinClass
 - EXTENDED_PRECINCT, 60
 - EXTENDED_TILE, 60
 - MAIN_HEADER, 60
 - META_DATA, 60
 - PRECINCT, 60
 - TILE_DATA, 60
 - TILE_HEADER, 60
- jpeg::DataBinServer
 - MINIMUM_SPACE, 64
- jpeg::EOR
 - BYTE_LIMIT_REACHED, 76
 - IMAGE_DONE, 75
 - NON_SPECIFIED, 76
 - QUALITY_LIMIT_REACHED, 76
 - RESPONSE_LIMIT_REACHED, 76
 - SESSION_LIMIT_REACHED, 76
 - WINDOW_CHANGE, 76
 - WINDOW_DONE, 75
- jpeg::Request
 - CLOSEST, 147
 - ROUNDDOWN, 147
 - ROUNDUP, 147
- jpeg::CacheModel, 38
 - ~CacheModel, 40
 - AddToDataBin, 40
 - AddToMetadata, 40
 - CacheModel, 40
 - Clear, 40
 - codestreams, 42
 - full_meta, 42
 - GetCodestream, 40
 - GetDataBin, 41
 - GetMetadata, 41

- IsFullMetadata, 41
- meta_data, 42
- operator+=, 41
- operator=, 41
- Pack, 41
- SerializeWith, 41
- SetFullMetadata, 41
- jipip::CacheModel::Codestream, 46
 - AddToMainHeader, 47
 - AddToPrecinct, 47
 - AddToTileHeader, 47
 - Codestream, 47
 - GetMainHeader, 49
 - GetPrecinct, 49
 - GetTileHeader, 49
 - header, 50
 - min_precinct, 50
 - operator+=, 49
 - operator=, 49
 - Pack, 49
 - precincts, 50
 - SerializeWith, 49
 - tile_header, 50
- jipip::DataBinClass, 59
 - DataBinClass, 60
 - GetName, 60
- jipip::DataBinSelector< BIN_CLASS >, 60
- jipip::DataBinSelector< DataBinClass::MAIN_HEADER >, 61
 - AddTo, 61
 - Get, 61
- jipip::DataBinSelector< DataBinClass::META_DATA >, 61
 - AddTo, 61
 - Get, 61
- jipip::DataBinSelector< DataBinClass::PRECINCT >, 62
 - AddTo, 62
 - Get, 62
- jipip::DataBinSelector< DataBinClass::TILE_HEADER >, 62
 - AddTo, 62
 - Get, 62
- jipip::DataBinServer, 63
 - ~DataBinServer, 64
 - cache_model, 67
 - current_idx, 67
 - data_writer, 67
 - DataBinServer, 64
 - end_woi, 64
 - end_woi_, 67
 - eof, 67
 - file, 68
 - files, 68
 - GenerateChunk, 64
 - has_woi, 68
 - im_index, 68
 - metareq, 68
 - pending, 68
 - range, 68
 - Reset, 66
 - SetRequest, 66
 - woi, 68
 - woi_composer, 68
 - WritePlaceholder, 66
 - WriteSegment, 67
- jipip::DataBinWriter, 68
 - ~DataBinWriter, 70
 - ClearPreviousIds, 70
 - codestream_idx, 74
 - DataBinWriter, 70
 - databin_class, 74
 - end, 74
 - eof, 74
 - GetCount, 70
 - GetFree, 70
 - ini, 74
 - operator bool, 70
 - prev_codestream_idx, 75
 - prev_databin_class, 75
 - ptr, 75
 - SetBuffer, 70
 - SetCodestream, 72
 - SetDataBinClass, 72
 - Write, 72
 - WriteEOR, 73
 - WriteEmpty, 72
 - WriteHeader, 73
 - WritePlaceholder, 73
 - WriteVBAS, 74
 - WriteValue, 74
- jipip::EOR, 75
 - EOR, 76
- jipip::Request, 146
 - ~Request, 147
 - cache_model, 149
 - GetCodedChar, 147
 - GetResolution, 147
 - length_response, 149
 - mask, 149
 - max_codestream, 150
 - min_codestream, 150
 - ParseModel, 149
 - ParseParameter, 149
 - ParseParameters, 149
 - Request, 147
 - resolution_size, 150
 - round_direction, 150
 - RoundDirection, 147
 - woi_position, 150
 - woi_size, 150
- jipip::Request::ParametersMask, 127
 - cclose, 128
 - cid, 128
 - Clear, 128
 - cnew, 128

- context, 128
- fsiz, 128
- HasWOI, 128
- items, 128
- len, 128
- metareq, 129
- model, 129
- ParametersMask, 128
- roff, 129
- rsiz, 129
- stream, 129
- target, 129
- value, 129
- jpip::WOI, 179
 - ~WOI, 181
 - operator<<, 181
 - operator=, 181
 - operator==, 181
 - position, 181
 - resolution, 181
 - size, 181
 - WOI, 180, 181
- jpip::WOIComposer, 182
 - ~WOIComposer, 183
 - coding_parameters, 184
 - current_packet, 184
 - GetCurrentPacket, 183
 - GetNextPacket, 183
 - max_precinct_xy, 184
 - max_resolution, 184
 - min_precinct_xy, 184
 - more_packets, 184
 - operator=, 183
 - pxy1, 184
 - pxy2, 184
 - Reset, 183
 - WOIComposer, 183
- LRCP_PROGRESSION
 - jpeg2000::CodingParameters, 54
- LOCK_FILE
 - app_info.cc, 186
- LOG
 - trace.h, 215
- LOGC
 - trace.h, 215
- last
 - jpeg2000::Range, 143
- last_offset_PLT
 - jpeg2000::ImageIndex, 104
- last_offset_packet
 - jpeg2000::ImageIndex, 104
- last_packet
 - jpeg2000::ImageIndex, 104
- last_plt
 - jpeg2000::ImageIndex, 104
- layer
 - jpeg2000::Packet, 124
- layout
 - TraceSystem, 173
- len
 - jpip::Request::ParametersMask, 128
- Length
 - jpeg2000::Range, 143
- length
 - data::FileSegment, 90
 - jpeg2000::Placeholder, 130
- length_response
 - jpip::Request, 149
- ListenAt
 - net::Socket, 164
- Load
 - AppConfig, 20
 - data::Serializer, 156
 - data::Serializer< bool >, 157
 - data::Serializer< int >, 158
 - data::Serializer< multimap< string, int > >, 159
 - data::Serializer< string >, 159
 - data::Serializer< uint64_t >, 160
 - data::Serializer< vector< T > >, 161
- lock_file
 - AppInfo, 26
- locker
 - ipc::Mutex, 121
- log_requests
 - AppConfig, 20
- log_requests_
 - AppConfig, 22
- logStream
 - TraceSystem, 173
- logging
 - AppConfig, 20
- logging_
 - AppConfig, 22
- logging_folder
 - AppConfig, 21
- logging_folder_
 - AppConfig, 22
- MAIN_HEADER
 - jpip::DataBinClass, 60
- META_DATA
 - jpip::DataBinClass, 60
- MINIMUM_OFFSET
 - jpeg2000::PacketIndex, 126
- MINIMUM_SPACE
 - jpip::DataBinServer, 64
- main
 - esa_jpip_server.cc, 192
 - packet_information.cc, 214
- manual_reset
 - ipc::Event, 79
- mask
 - data::vint_vector, 179
 - jpip::Request, 149
- max_chunk_size
 - AppConfig, 21
- max_chunk_size_
 - AppConfig, 21

- AppConfig, 22
- max_codestream
 - jpeg2000::Request, 150
- max_connections
 - AppConfig, 21
- max_connections_
 - AppConfig, 22
- max_precinct_xy
 - jpeg2000::WOIComposer, 184
- max_resolution
 - jpeg2000::ImageIndex, 104
 - jpeg2000::WOIComposer, 184
- mayorVersion
 - http::Protocol, 140
- mayorVersion_
 - http::Protocol, 141
- meta_data
 - jpeg2000::ImageIndex, 104
 - jpeg2000::ImageInfo, 106
 - jpeg2000::Metadata, 119
 - jpeg2000::CacheModel, 42
- meta_data_hyperlinks
 - jpeg2000::ImageInfo, 106
- Metadata
 - jpeg2000::Metadata, 118
- metareq
 - jpeg2000::DataBinServer, 68
 - jpeg2000::Request::ParametersMask, 129
- min_codestream
 - jpeg2000::Request, 150
- min_precinct
 - jpeg2000::CacheModel::Codestream, 50
- min_precinct_xy
 - jpeg2000::WOIComposer, 184
- minorVersion
 - http::Protocol, 140
- minorVersion_
 - http::Protocol, 141
- model
 - jpeg2000::Request::ParametersMask, 129
- more_packets
 - jpeg2000::WOIComposer, 184
- mutex
 - ipc::Event, 79
 - ipc::Mutex, 121
 - jpeg2000::IndexManager, 110
- NON_SPECIFIED
 - jpeg2000::EOR, 76
- NLST_BOX_ID
 - file_manager.cc, 201
- name
 - http::HeaderBase, 93
 - http::HeaderBase< HeaderName::UNDEFINED >, 95
- net, 16
- net/address.cc, 210
- net/address.h, 211
- net/net.h, 211
- net/poll_table.cc, 211
- net/poll_table.h, 211
- net/socket.cc, 212
- net/socket.h, 212
- net/socket_stream.cc, 213
- net/socket_stream.h, 213
- net::SocketBuffer
 - INPUT_BUFFER_LENGTH, 170
 - OUTPUT_BUFFER_LENGTH, 170
- net::Address, 17
 - ~Address, 17
 - Address, 17
 - GetSize, 18
 - GetSockAddr, 18
- net::InetAddress, 111
 - GetPath, 112
 - GetPort, 112
 - GetSize, 112
 - GetSockAddr, 112
 - InetAddress, 111, 112
 - operator=, 112
 - sock_addr, 113
- net::PollFD, 136
 - operator==, 137
 - PollFD, 137
- net::PollTable, 137
 - ~PollTable, 138
 - Add, 138
 - fds, 139
 - GetSize, 138
 - Poll, 138
 - PollTable, 138
 - Remove, 139
 - RemoveAt, 139
- net::Socket, 161
 - ~Socket, 163
 - Accept, 163
 - BindTo, 163
 - Close, 163
 - ConnectTo, 163
 - IsBlockingMode, 164
 - IsValid, 164
 - ListenAt, 164
 - OpenInet, 164
 - OpenUnix, 164
 - operator int, 166
 - operator=, 166
 - Receive, 166
 - ReceiveDescriptor, 166
 - ReceiveFrom, 166
 - Send, 167
 - SendDescriptor, 167
 - SendTo, 167
 - SetBlockingMode, 168
 - SetNoDelay, 168
 - sid, 169
 - Socket, 162, 163
 - WaitForInput, 168

- WaitForOutput, 168
- net::SocketBuffer, 169
 - ~SocketBuffer, 170
 - GetReadBytes, 170
 - GetSocket, 170
 - in_buf, 170
 - in_len, 170
 - out_buf, 170
 - out_len, 170
 - overflow, 170
 - socket, 171
 - SocketBuffer, 170
 - sum, 171
 - sync, 170
 - underflow, 170
- net::SocketStream, 171
 - ~SocketStream, 171
 - operator->, 171
 - SocketStream, 171
- net::UnixAddress, 174
 - GetPath, 175
 - GetSize, 175
 - GetSockAddr, 175
 - operator=, 175
 - Reset, 175
 - sock_addr, 176
 - UnixAddress, 175
- Null
 - data::FileSegment, 90
- num_bytes
 - data::vint_vector, 178
- num_bytes_
 - data::vint_vector, 179
- num_components
 - jpeg2000::CodingParameters, 57
- num_connections
 - AppInfo::Data, 59
- num_layers
 - jpeg2000::CodingParameters, 57
- num_levels
 - jpeg2000::CodingParameters, 58
- num_references
 - jpeg2000::ImageIndex, 104
- num_threads
 - AppInfo, 25
- num_threads_
 - AppInfo, 26
- OUTPUT_BUFFER_LENGTH
 - net::SocketBuffer, 170
- object
 - http::Request, 154
- offset
 - data::FileSegment, 90
- offsets
 - jpeg2000::PacketIndex, 127
- Open
 - data::BaseFile, 31, 33
 - data::BaseStream, 37
- OpenForReading
 - data::BaseFile, 33
- OpenForWriting
 - data::BaseFile, 33
- OpenImage
 - jpeg2000::IndexManager, 108
- OpenInet
 - net::Socket, 164
- OpenUnix
 - net::Socket, 164
- operator bool
 - data::BaseFile, 33
 - data::BaseStream, 37
 - jip::DataBinWriter, 70
- operator CodingParameters::Ptr
 - jpeg2000::ImageIndex, 103
- operator int
 - net::Socket, 166
- operator<<
 - AppConfig, 21
 - AppInfo, 25
 - data::FileSegment, 90
 - http, 13
 - http::HeaderBase, 93
 - http::HeaderBase< HeaderName::UNDEFINED
>, 95
 - http::Protocol, 141
 - http::Request, 154
 - http::Response, 155
 - jpeg2000::CodestreamIndex, 51
 - jpeg2000::CodingParameters, 57
 - jpeg2000::ImageIndex, 103
 - jpeg2000::ImageInfo, 106
 - jpeg2000::Metadata, 118
 - jpeg2000::Packet, 124
 - jpeg2000::Placeholder, 131
 - jpeg2000::Point, 136
 - jpeg2000::Range, 143
 - jip::WOI, 181
- operator>>
 - http, 13
 - http::HeaderBase, 93
 - http::HeaderBase< HeaderName::UNDEFINED
>, 95
 - http::Protocol, 141
 - http::Request, 154
 - http::Response, 155
- operator*
 - jpeg2000::Point, 135
- operator*=
 - jpeg2000::Point, 134
- operator+
 - jpeg2000::Point, 135
- operator++
 - jpeg2000::Point, 134
- operator+=
 - jpeg2000::Point, 134
 - jip::CacheModel, 41

- jipip::CacheModel::Codestream, 49
- operator-
 - jpeg2000::Point, 135, 136
- operator->
 - AppInfo, 25
 - net::SocketStream, 171
- operator--
 - jpeg2000::Point, 134
- operator-=
 - jpeg2000::Point, 134
- operator/
 - jpeg2000::Point, 136
- operator/=
 - jpeg2000::Point, 135
- operator=
 - data::FileSegment, 89
 - data::vint_vector, 178
 - jpeg2000::CodestreamIndex, 51
 - jpeg2000::CodingParameters, 57
 - jpeg2000::ImageIndex, 103
 - jpeg2000::ImageInfo, 106
 - jpeg2000::Metadata, 118
 - jpeg2000::Packet, 124
 - jpeg2000::PacketIndex, 126
 - jpeg2000::Placeholder, 130
 - jpeg2000::Point, 135
 - jpeg2000::Range, 143
 - jipip::CacheModel, 41
 - jipip::CacheModel::Codestream, 49
 - jipip::WOI, 181
 - jipip::WOIComposer, 183
 - net::InetAddress, 112
 - net::Socket, 166
 - net::UnixAddress, 175
- operator==
 - data::FileSegment, 89
 - http::Header, 92
 - jpeg2000::Point, 136
 - jpeg2000::Range, 143
 - jipip::WOI, 181
 - net::PollFD, 137
- operator&
 - data::BaseStream, 37
- out_buf
 - net::SocketBuffer, 170
- out_len
 - net::SocketBuffer, 170
- overflow
 - net::SocketBuffer, 170
- PCRL_PROGRESSION
 - jpeg2000::CodingParameters, 54
- POST
 - http::Request, 151
- PRECINCT
 - jipip::DataBinClass, 60
- PLT_MARKER
 - file_manager.cc, 201
- PLT_markers
 - jpeg2000::CodestreamIndex, 52
- POLLRDHUP
 - esa_jpip_server.cc, 192
 - socket.cc, 212
- Pack
 - jipip::CacheModel, 41
 - jipip::CacheModel::Codestream, 49
- Packet
 - jpeg2000::Packet, 124
- packet_indexes
 - jpeg2000::ImageIndex, 104
- packet_information.cc, 213
 - main, 214
- PacketIndex
 - jpeg2000::PacketIndex, 126
- packets
 - jpeg2000::CodestreamIndex, 51
- parameters
 - http::Request, 154
- ParametersMask
 - jipip::Request::ParametersMask, 128
- Parse
 - ArgsParser, 27
 - http::Request, 153
- ParseArguments
 - esa_jpip_server.cc, 192
- ParseModel
 - jipip::Request, 149
- ParseParameter
 - http::Request, 153
 - jipip::Request, 149
- ParseParameters
 - http::Request, 153
 - jipip::Request, 149
- ParseURI
 - http::Request, 153
- path_name
 - jpeg2000::ImageIndex, 104
- paths
 - jpeg2000::ImageInfo, 106
- pending
 - jipip::DataBinServer, 68
- place_holders
 - jpeg2000::Metadata, 119
- Placeholder
 - jpeg2000::Placeholder, 130
- Point
 - jpeg2000::Point, 132, 134
- Poll
 - net::PollTable, 138
- poll_table
 - esa_jpip_server.cc, 193
- PollFD
 - net::PollFD, 137
- PollTable
 - net::PollTable, 138
- port
 - AppConfig, 21

- port_
 - AppConfig, 22
- position
 - jipip::WOI, 181
- precinct_size
 - jpeg2000::CodingParameters, 58
- precinct_xy
 - jpeg2000::Packet, 124
- precincts
 - jipip::CacheModel::Codestream, 50
- prev_codestream_idx
 - jipip::DataBinWriter, 75
- prev_databin_class
 - jipip::DataBinWriter, 75
- progression
 - jpeg2000::CodingParameters, 58
- Protocol
 - http::Protocol, 140
- protocol
 - http::Request, 154
 - http::Response, 155
- Ptr
 - data::BaseFile, 30
 - ipc::Event, 77
 - ipc::IPCObject, 115
 - ipc::Mutex, 120
 - ipc::RdWrLock, 144
 - jpeg2000::CodingParameters, 53
 - jpeg2000::ImageIndex, 98
- ptr
 - jipip::DataBinWriter, 75
- Pulse
 - ipc::Event, 78
- push_back
 - data::vint_vector, 179
- pxy1
 - jipip::WOIComposer, 184
- pxy2
 - jipip::WOIComposer, 184
- QUALITY_LIMIT_REACHED
 - jipip::EOR, 76
- RESPONSE_LIMIT_REACHED
 - jipip::EOR, 76
- RLCP_PROGRESSION
 - jpeg2000::CodingParameters, 54
- ROUNDDOWN
 - jipip::Request, 147
- ROUNDUP
 - jipip::Request, 147
- RPCL_PROGRESSION
 - jpeg2000::CodingParameters, 54
- Range
 - jpeg2000::Range, 142
- range
 - jipip::DataBinServer, 68
- rdwr_lock
 - jpeg2000::ImageIndex, 104
- Read
 - data::BaseFile, 33
- read
 - ui, 174
- ReadBoxHeader
 - jpeg2000::FileManager, 83
- ReadByte
 - data::BaseFile, 34
- ReadCODMarker
 - jpeg2000::FileManager, 83
- ReadCodestream
 - jpeg2000::FileManager, 83
- ReadFlstBox
 - jpeg2000::FileManager, 84
- ReadImage
 - jpeg2000::FileManager, 84
- ReadJP2
 - jpeg2000::FileManager, 84
- ReadJPX
 - jpeg2000::FileManager, 84
- ReadLock
 - jpeg2000::ImageIndex, 103
- ReadNlstBox
 - jpeg2000::FileManager, 85
- ReadPLTMarker
 - jpeg2000::FileManager, 85
- ReadReverse
 - data::BaseFile, 34
- ReadSIZMarker
 - jpeg2000::FileManager, 85
- ReadSODMarker
 - jpeg2000::FileManager, 85
- ReadSOTMarker
 - jpeg2000::FileManager, 87
- ReadUnlock
 - jpeg2000::ImageIndex, 103
- ReadUrlBox
 - jpeg2000::FileManager, 87
- Receive
 - net::Socket, 166
- ReceiveDescriptor
 - net::Socket, 166
- ReceiveFrom
 - net::Socket, 166
- Release
 - ipc::Mutex, 120
 - ipc::RdWrLock, 145
- Remove
 - net::PollTable, 139
- RemoveAt
 - net::PollTable, 139
- RemoveFirst
 - data::FileSegment, 89
- RemoveLast
 - data::FileSegment, 90
- Request
 - http::Request, 152
 - jipip::Request, 147

- Reset
 - AppInfo::Data, 59
 - ipc::Event, 78
 - jpip::DataBinServer, 66
 - jpip::WOIComposer, 183
 - net::UnixAddress, 175
- resolution
 - jpeg2000::Packet, 124
 - jpip::WOI, 181
- resolution_size
 - jpip::Request, 150
- Response
 - http::Response, 155
- result
 - data::BaseStream, 37
- result_
 - data::BaseStream, 38
- roff
 - jpip::Request::ParametersMask, 129
- root_dir
 - jpeg2000::FileManager, 87
- root_dir_
 - jpeg2000::FileManager, 87
- round_direction
 - jpip::Request, 150
- RoundDirection
 - jpip::Request, 147
- rsiz
 - jpip::Request::ParametersMask, 129
- Run
 - ClientManager, 45
- RunBasic
 - ClientManager, 45
- rwlock
 - ipc::RdWrLock, 145
- SESSION_LIMIT_REACHED
 - jpip::EOR, 76
- SERVER_APP_NAME
 - esa_jpip_server.cc, 192
- SERVER_NAME
 - esa_jpip_server.cc, 192
- SHARED_PTR
 - tr1_compat.h, 214
- SIGCHLD_handler
 - esa_jpip_server.cc, 192
- SIZ_MARKER
 - file_manager.cc, 201
- SOC_MARKER
 - file_manager.cc, 201
- SOD_MARKER
 - file_manager.cc, 201
- SOT_MARKER
 - file_manager.cc, 201
- Save
 - data::Serializer, 156
 - data::Serializer< bool >, 157
 - data::Serializer< int >, 158
 - data::Serializer< multimap< string, int > >, 159
- data::Serializer< string >, 159
- data::Serializer< uint64_t >, 160
- data::Serializer< vector< T > >, 161
- Seek
 - data::BaseFile, 34
- Send
 - net::Socket, 167
- SendDescriptor
 - net::Socket, 167
- SendTo
 - net::Socket, 167
- Serialize
 - data::InputStream, 114
 - data::OutputStream, 123
- SerializeBytes
 - data::BaseStream, 38
 - data::InputOperator, 113
 - data::OutputOperator, 122
- SerializeWith
 - data::FileSegment, 90
 - jpeg2000::CodestreamIndex, 51
 - jpeg2000::CodingParameters, 57
 - jpeg2000::ImageInfo, 106
 - jpeg2000::Metadata, 118
 - jpeg2000::Placeholder, 130
 - jpeg2000::Point, 135
 - jpip::CacheModel, 41
 - jpip::CacheModel::Codestream, 49
- Set
 - ipc::Event, 78
- set_num_bytes
 - data::vint_vector, 179
- SetBlockingMode
 - net::Socket, 168
- SetBuffer
 - jpip::DataBinWriter, 70
- SetCodestream
 - jpip::DataBinWriter, 72
- SetDataBinClass
 - jpip::DataBinWriter, 72
- SetFullMetadata
 - jpip::CacheModel, 41
- SetNoDelay
 - net::Socket, 168
- SetRequest
 - jpip::DataBinServer, 66
- shmid
 - AppInfo, 26
- sid
 - net::Socket, 169
- Size
 - jpeg2000, 15
 - jpeg2000::PacketIndex, 127
- size
 - data::vint_vector, 179
 - jpeg2000::CodingParameters, 58
 - jpip::WOI, 181
- sock

- ClientInfo, [43](#)
- sock_
 - ClientInfo, [44](#)
- sock_addr
 - net::InetAddress, [113](#)
 - net::UnixAddress, [176](#)
- Socket
 - net::Socket, [162](#), [163](#)
- socket
 - net::SocketBuffer, [171](#)
- socket.cc
 - POLLRDHUP, [212](#)
- SocketBuffer
 - net::SocketBuffer, [170](#)
- SocketStream
 - net::SocketStream, [171](#)
- state
 - ipc::Event, [79](#)
- StatusCodes
 - http::Response, [156](#)
- StatusCodesInitializer
 - http::Response::StatusCodesInitializer, [172](#)
- statusCodesInitializer
 - http::Response, [156](#)
- stream
 - jpeg::Request::ParametersMask, [129](#)
- sum
 - net::SocketBuffer, [171](#)
- sync
 - net::SocketBuffer, [170](#)
- TILE_DATA
 - jpeg::DataBinClass, [60](#)
- TILE_HEADER
 - jpeg::DataBinClass, [60](#)
- TRACE
 - trace.h, [215](#)
- TRANSFER_ENCODING
 - http::HeaderName, [96](#)
- target
 - jpeg::Request::ParametersMask, [129](#)
- tile_header
 - jpeg::CacheModel::Codestream, [50](#)
- time
 - AppInfo, [25](#)
 - ClientInfo, [43](#)
- time_
 - AppInfo, [26](#)
- tm_start
 - ClientInfo, [44](#)
- to_string
 - base, [28](#)
- total_precincts
 - jpeg2000::CodingParameters, [58](#)
- tr1_compat.h, [214](#)
 - SHARED_PTR, [214](#)
- trace.cc, [214](#)
- trace.h, [214](#)
 - _BLUE, [215](#)
 - _GREEN, [215](#)
 - _RED, [215](#)
 - _RESET_COLOR, [215](#)
 - _SET_COLOR, [215](#)
 - _YELLOW, [215](#)
 - CERR, [215](#)
 - ERROR, [215](#)
 - LOG, [215](#)
 - LOGC, [215](#)
 - TRACE, [215](#)
- traceStream
 - TraceSystem, [173](#)
- TraceSystem, [172](#)
 - ~TraceSystem, [173](#)
 - AppendToFile, [173](#)
 - AppendToFile_, [173](#)
 - appender, [173](#)
 - category, [173](#)
 - errorStream, [173](#)
 - file_appender, [173](#)
 - file_layout, [173](#)
 - layout, [173](#)
 - logStream, [173](#)
 - traceStream, [173](#)
 - TraceSystem, [173](#)
 - traceSystem, [173](#)
 - TraceSystem, [173](#)
- traceSystem
 - TraceSystem, [173](#)
- TransferEncoding
 - http::Header, [91](#)
- Type
 - http::Request, [151](#)
- type
 - http::Request, [154](#)
- UNKNOWN
 - http::Request, [151](#)
- UNDEFINED
 - http::HeaderName, [96](#)
- URL_BOX_ID
 - file_manager.cc, [201](#)
- ui, [174](#)
 - read, [174](#)
- underflow
 - net::SocketBuffer, [170](#)
- UnixAddress
 - net::UnixAddress, [175](#)
- UnsafeCloseImage
 - jpeg2000::IndexManager, [110](#)
- UnsafeOpenImage
 - jpeg2000::IndexManager, [110](#)
- Update
 - AppInfo, [25](#)
- VERSION
 - version.h, [215](#)
- valid
 - ipc::IPCObject, [116](#)

- value
 - http::HeaderBase, [93](#)
 - http::HeaderBase< HeaderName::UNDEFINED
>, [95](#)
 - jipip::Request::ParametersMask, [129](#)
- version.h, [215](#)
- VERSION, [215](#)
- vint_vector
 - data::vint_vector, [178](#)
- WAIT_ERROR
 - ipc, [14](#)
- WAIT_OBJECT
 - ipc, [14](#)
- WAIT_TIMEOUT
 - ipc, [14](#)
- WINDOW_CHANGE
 - jipip::EOR, [76](#)
- WINDOW_DONE
 - jipip::EOR, [75](#)
- WOI
 - jipip::WOI, [180](#), [181](#)
- WOIComposer
 - jipip::WOIComposer, [183](#)
- Wait
 - ipc::Event, [79](#)
 - ipc::IPCObject, [116](#)
 - ipc::Mutex, [121](#)
 - ipc::RdWrLock, [145](#)
- WaitForInput
 - net::Socket, [168](#)
- WaitForOutput
 - net::Socket, [168](#)
- WaitForWriting
 - ipc::RdWrLock, [145](#)
- WaitResult
 - ipc, [14](#)
- woi
 - jipip::DataBinServer, [68](#)
- woi_composer
 - jipip::DataBinServer, [68](#)
- woi_position
 - jipip::Request, [150](#)
- woi_size
 - jipip::Request, [150](#)
- Write
 - data::BaseFile, [34](#)
 - jipip::DataBinWriter, [72](#)
- WriteByte
 - data::BaseFile, [35](#)
- WriteEOR
 - jipip::DataBinWriter, [73](#)
- WriteEmpty
 - jipip::DataBinWriter, [72](#)
- WriteHeader
 - jipip::DataBinWriter, [73](#)
- WritePlaceholder
 - jipip::DataBinServer, [66](#)
 - jipip::DataBinWriter, [73](#)
- WriteReverse
 - data::BaseFile, [35](#)
- WriteSegment
 - jipip::DataBinServer, [67](#)
- WriteVBAS
 - jipip::DataBinWriter, [74](#)
- WriteValue
 - jipip::DataBinWriter, [74](#)
- x
 - jpeg2000::Point, [136](#)
- XML__BOX_ID
 - file_manager.cc, [202](#)
- y
 - jpeg2000::Point, [136](#)