



UNIVERSITEIT•STELLENBOSCH•UNIVERSITY
jou kennisvennoot • your knowledge partner

The usthesis Class and Style*

Danie Els[†]

e-mail: dnjels@sun.ac.za

Department of Mechanical and Mechatronic Engineering
University of Stellenbosch
Private Bag X1, Matieland 7602 , South Africa.

2014/11/28

Abstract

The `usthesis` class/style files are provided to typeset reports, theses and dissertations that conform to the requirements of the Engineering Faculty of the University of Stellenbosch, South Africa.

The class file `usthesis.cls` is based on the standard L^AT_EX `book` class, while `usthesis.sty` is a style file to be loaded on top of the very powerful `memoir` class. Both options give identical output, but the benefit of the using `memoir` is that it has many additional command and environments for formatting and processing of a document.

`Usthesis` is primarily concerned with the formatting of the front matter such as the title page, abstract, etc. It also works together with the `babel` package to provide language options to typeset documents in Afrikaans or in English.

*This class has version number v5.0, last revised 2014/11/28.

[†]Any help with proofreading this document will be appreciated.

Contents

1	User Interface	4
1.1	usthesis class and style files	4
1.1.1	Loading the <code>usthesis</code> packages	4
1.1.2	The <code>usthesis</code> options:	4
1.1.3	\LaTeX class options:	6
1.1.4	Global package options:	7
1.2	Required Packages	7
1.2.1	Language setup	7
1.2.2	Input font encoding	8
1.2.3	Output font encoding	8
1.2.4	Font selection	9
1.2.5	Mathematics	10
1.2.6	Graphics and Color	10
1.2.7	Line spacing	10
1.2.8	Paragraph indent and spacing	11
1.3	Useful packages	11
1.3.1	SI units and numbers	11
1.3.2	Tables and arrays	11
1.3.3	Hyper links	12
2	Front matter	13
2.1	Title page	13
2.2	Watermark	18
2.3	Copyright Information	18
2.4	Declaration page	18
2.5	Abstract	18
2.6	Acknowledgements, Dedications, etc.	19
3	Back Matter	19
3.1	Bibliography/List of References	19
4	Implementation: <code>usthesis</code>	21
4.1	Identification	21
4.2	External packages	21
4.3	Options	22
4.3.1	Language options	22
4.3.2	Thesis type options	24
4.3.3	Page layout options	26
4.3.4	Process package options	27
4.4	Temporaries	27
4.5	Page layout	27
4.5.1	A5 type block area	27
4.5.2	Golden section type block area	28
4.5.3	Wide type block area	29
4.6	Utility commands	29
4.7	Front pages	30
4.7.1	Title page	30
4.7.2	Copyright page	35

4.7.3	Declaration page	36
4.7.4	Abstract page	37
4.7.5	Table of contents	37
4.7.6	List of figures	38
4.7.7	List of tables	38
4.8	Back matter	38
4.8.1	Bibliography	38
4.8.2	Index	39
4.9	Page markup	40
4.9.1	Headers and footers	40
4.9.2	Chapter and section headings	42
4.9.3	Floats and float pages	44
4.9.4	Captions	44

1 User Interface

1.1 `usthesis` class and style files

Two style files are provided to typeset theses of the University of Stellenbosch. The class file `usthesis.cls` is based on the standard L^AT_EX book class, while `usthesis.sty` is a style file to be loaded on top of the very powerful `memoir` class. Both options give identical output, but the benefit of the using `memoir` is that it has many additional command and environments for formatting and processing of a document.

1.1.1 Loading the `usthesis` packages

- (a) The `usthesis.cls` class is loaded in the document preamble with

```
\documentclass[12pt,oneside,openany,a4paper, %... Layout
             afrikaans,english,           %... Global lang drivers
             masters-t, goldenblock       %... Thesis options
]{usthesis}
```

- (b) or `usthesis.sty` with the `memoir` class

```
\documentclass[12pt,oneside,openany,a4paper, %... Layout
             afrikaans,english,           %... Global lang drivers
             ]{memoir}
\usepackage[masters-t, goldenblock]{usthesis}%... Thesis options
```

1.1.2 The `usthesis` options:

Document type options: This options for the `usthesis` class/style are for specific formatting of the title and abstract pages of the different document types.

report: Final year project reports, etc.

masters-a: An assignment masters degree.

masters-t: A thesis masters degree.

PhD: A PhD dissertation.

Type block sizes: The ISO A4 paper size (297,3 mm × 210,2 mm) is not ideally suited for typesetting off books. The *A5 type block* (fig 1) and the *golden ratio type block* (fig 2) are layouts designed by the great typographer Jan Tschichold which adheres to the classic typographic principals.¹ A 12 pt font size is recommended for most fonts. The following options are provided as part of the `usthesis` class/style options:

a5block: ISO A4 paper with A5 type block

goldenblock: ISO A4 paper with golden ratio type block,

wideblock: Type block with 25 mm borders

stdblock: Standard L^AT_EX type block [default].

¹The Tschichold designs have a 3:5 ratio between the inner and outer margins. The `usthesis` package employs a symmetric layout since v3.0.

Table 1: Page layout parameters

	A5 type block (a5block)		Golden section type block (goldenblock)	
Page width	W	= 210,2 mm	W	= 210,2 mm
Page height	$H = \sqrt{2} W$	= 297,3 mm	$H = \sqrt{2} W$	= 297,3 mm
Block width	$w = H/2$	= 148,7 mm	$w = 2W/3$	= 140,1 mm
Block height	$h = W$	= 210,2 mm	$h = H - W/3$	= 227,2 mm
Side margin	$s = (W - w)/2$	= 30,8 mm	$s = W/6$	= 35,0 mm
Top margin	$t = 3(H - h)/8$	= 32,7 mm	$t = 3W/24$	= 26,3 mm
Foot margin	$f = 5(H - h)/8$	= 54,4 mm	$f = 5W/24$	= 43,8 mm




Figure 1: ISO A4 paper with A5 type block (A5block)




Figure 2: ISO A4 paper with golden ratio type block (goldenblock)

The user can set up custom page layouts if needed. The setup depends on the class file used. The following example is for a page with 30 mm margins all around.

(a) memoir.cls with usthesis.sty

```
\documentclass[a4paper,⟨options⟩]{memoir}
\usepackage[⟨options⟩]{usthesis}
\setlrmarginsandblock{30mm}{30mm}{*} % Left/Right margins
\setulmarginsandblock{30mm}{30mm}{*} % Upper/Lower margins
\checkandfixthelayout \setlength{\headwidth}{\textwidth}
```

(b) usthesis.cls

```
\documentclass[a4paper,⟨options⟩]{usthesis}
\usepackage[hmargin={30mm,30mm},vmargin={30mm,30mm}]{geometry}
```

1.1.3 L^AT_EX class options:

The gray boxes are the L^AT_EX default options, while boxed options are the preferred options of usthesis package.

10pt, 11pt, 12pt: Sets the size of the main font in the document. The preferred font size depends very much on the font type. For Computer Modern (the default L^AT_EX font) is 11 or 12 points the most legible option on an A4 paper size.

a4paper, a5paper, b5paper, letterpaper, executivepaper, legalpaper: Defines the paper size. In South Africa is the ISO A4 paper size the standard.

fleqn: Typesets displayed formulae left-aligned instead of centred. This option is a matter of personal taste.

leqno: Places the numbering of formulae on the left hand side instead of the right. This is the traditional layout of the American Mathematical Society, but is not used for Engineering theses.

onecolumn, twocolumn: Instructs L^AT_EX to typeset the document in one column or two columns. The University of Stellenbosch Engineering theses are traditionally single column documents.

twoside, oneside: Specifies whether double or single sided output should be generated. Note that this option concerns the style of the document only. The option twoside does not tell the printer you use that it should actually make a two-sided printout. If a printer with double sided printing capability is available, then this option can be used.

openright, openany: Makes chapters begin either only on right hand pages or on the next page available. Selection of openright depends on the selection of the twoside option.

1.1.4 Global package options:

Global options for packages and drivers can be loaded together with the class options. The most important options are the display drivers for `color`, `graphicx` and `hyperref` as well as the language options for `babel`, `varioref`, etc.

The **display drivers** are normally loaded by the L^AT_EX config system defaults.

The **global language options** for `babel` can be set with:

```
\documentclass[⟨options⟩, afrikaans, english]{usthesis}
\usepackage{babel}
\usepackage{varioref}
```

1.2 Required Packages

1.2.1 Language setup

L^AT_EX provides for a variety of languages. It set up hyphenation patterns and defines language specific output such as chapter names, etc. The default language is American style English, while the South African English is the United Kingdom style. Language options must be loaded with the `babel` package. The last language declared is the default document language.

```
\usepackage[afrikaans, english]{babel} % English default
```

```
\usepackage[english, afrikaans]{babel} % Afrikaans default
```

or preferably with global options

```
\documentclass[⟨options⟩, afrikaans, english]{usthesis}
\usepackage{babel}
```

Languages can be made active with the `\selectlanguage{⟨lang-name⟩}` command from `babel`. In the `usthesis` class, a command

`\AorE{⟨Afr-tekst⟩}{⟨Eng-text⟩}`

is provided that types one of the two arguments, depending on whether `afrikaans` is the active language or not. Environments for changing the language options locally are also provided in `usthesis` (if languages are installed with `babel`).

<code>\begin{Afr}</code>	<code>\begin{Eng}</code>
<code>Afr-tekst ...</code>	<code>Eng-text ...</code>
<code>\end{Afr}</code>	<code>\end{Eng}</code>

With the `afrikaans` option of `babel` the character " is made active (see table 2. One of the reasons for this is that in the Afrikaans language a word with a dieresis can be hyphenated just before the letter with the umlaut, but the dieresis has to disappear if the word is broken between the previous letter and the accented letter, for example 'geëerd' becomes 'ge-eerd'. It is extremely important that the commands "a, "e, ..., are used in Afrikaans documents, and not \ "e, etc., and neither the direct input of ë with Alt+137 (if `latin1` input encoding is selected).

The `afrikaans` option sometimes has problems with the hyphenation of the very long words. The simplest way to correct a wrongly hyphenated word is to

Table 2: Definitions from babel loaded with the `afrikaans` option.

"e	The character ë, which hyphenates as -e. Implemented for the letters ä, ë, ï, ö and ü.
"	Disable ligatures (ff, fi, ffi, ffi, etc.) at this position but allow a hyphen, e.g.: The word 'stoffilter' looks better as 'stoffilter'. It is then hyphenated as 'stoffilter'
"-	An explicit hyphen sign, allowing hyphenation in the rest of the word.
"~	To produce a hyphen character without the following discretionary break after it, e.g.: 'x-straal'.
" "	To produce an invisible breakpoint.
"“	Lowered double left quotes, e.g.: „lowered” versus “normal”.
"’	Normal double right quotes.
"/	Enable hyphenation in two words, written together but separated by a slash, for example 'uitdrukking/opmerking'.
\-	A redefinition of the standard discretionary hyphen, \-. The new version indicates an extra hyphenation position, while allowing other hyphenation positions to be generated automatically.

include the discretionary hyphen command \- in the word: e.g.: `kom\-buis\-kas`. Words that are incorrectly hyphenated and appear frequently within the document can be put into a list of exceptions in the preamble of the document:

```
\hyphenation{Kom-buis-kas ...}
```

It is also important to note that words that contain "e, etc. must be hyphenated by hand when they are near linebreaks, for example: `koëffisiëntematriks`

```
ko"ef\-fisi"en\-te\-mat\-riks
```

1.2.2 Input font encoding

In Afrikaans there are many words containing characters such as é, ô, à, ï, etc. These characters can be included directly in the input text file, except ä, ë, ï, ö and ü, which need to be inserted as "a, ..., for proper hyphenation (see previous section). As an example by typing `A1t+136`, you obtain ê. If the Western European input encoding (latin1) is loaded, L^AT_EX will recognize these characters.

```
\usepackage[latin1]{inputenc}
```

1.2.3 Output font encoding

The classic T_EX Computer Modern fonts contain only 126 characters (7-bit) per font set (OT1 encoding). It does not contain glyphs for characters such as ê. These characters are formed by two characters that are overprinted (^ + e). The result is that Afrikaans words such as “*koëffisiëntematriks*,” are not hyphenated automatically. The solution is to use the T1 encoding scheme with 256 character

(8-bit) font sets. Postscript Type 1 and TrueType fonts can be configured, with the aid of \TeX 's virtual font mechanism, to be available for \LaTeX . Font handling can be switched to T1 encoding (if you have the Postscript fonts).

```
\usepackage[T1]{fontenc}
```

1.2.4 Font selection

To obtain a PDF e-document of your thesis you need to use Postscript fonts (and T1 encoding for Afrikaans). There are many free Postscript text fonts available in the \TeX distributions, but Postscript fonts with a full set of mathematical symbols are vary scarce, see: <http://www.tug.dk/FontCatalogue>. Some of the freely available ones are:

Computer Modern: Newer \LaTeX installations contain this classic \TeX font in Type 1 format. This fontset is loaded by default if T1 encoding is specified without any other font loaded. Alternatively use the `lmodern` package. This document is set in Computer Modern.

Palatino: This beautiful font can be loaded with the `mathpazo` package. Palatino is one of the standard Postscript fonts on every Postscript printer. Make sure that the `fpl` fonts are loaded. They provide true small caps and old style figures for the Palatino fonts.

Times Roman: This font is loaded with the `mathptmx` package. It contains no bold math characters or true small caps. Please do not use this font for theses, because it was designed for narrow newspaper columns, resulting in very narrow characters. It is just not appropriate for single column theses.

Utopia: This font is loaded with the `fourier` package. It contains no true small caps. This font is very good on low resolution output devices.

CMbright: This is a sans serif font and is part of the CM-super font set. It can be loaded with the `cmbright` package. You need the `hfbright` fonts installed for the math symbols. A document with a sans serif font, such as `CMbright`, must be set ragged right. Use the `\RaggedRight` command of the `ragged2e` package.

Euler: This is a math font only and can be used with fonts such as Charter that do not have math characters. It is loaded with the `eulervm` package.

An example of a typical setup for an Afrikaans report with mathematics is:

```
\documentclass[report, %.. Document type
               12pt,oneside,openany,a4paper,a5block,%.. Layout
               english,afrikaans, %.. Global lang drivers
               ]{usthesis}
\usepackage{babel} %.. Language setup
\usepackage[latin1]{inputenc}%.. Recognizes ê, ë, etc
\usepackage{amsmath} %.. Advanced maths (before fonts)
\usepackage[T1]{fontenc} %.. Type 1 fonts for proper hyphenation
\usepackage{textcomp} %.. Additional text characters
\usepackage{fourier} %.. Utopia (if you want a different font)
\usepackage{bm} %.. Bold math characters (after fonts)
```

1.2.5 Mathematics

Normal L^AT_EX contains many math typesetting commands and environments, but for serious mathematical typesetting you need to load the American Mathematical Society (AMS) math packages. The AMS packages also include additional math symbols, but load them only if really necessary, because they are very big.

```
\usepackage[options]{amsmath}
\usepackage{amssymb}% only if necessary
```

Bold math symbols can be obtained with the AMS command `\boldsymbol` or with the more advanced `\bm` command from the `bm` package.

1.2.6 Graphics and Color

The `graphicx` package is needed by the `usthesis` package to format the title page and must be loaded in the document preamble. The `color` package is optional, but very useful.

```
\usepackage[options]{graphicx}
\usepackage[options]{color} % or xcolor
```

If you need display drivers (such as `dvips`, `pdftex`, etc.) different from the default options, is it important that they are passed on to all the packages as a global option. With the MiK_TE_X this is achieved with the standard configuration file.

1.2.7 Line spacing

The guidelines for University of Stellenbosch theses dictates that either single, one-half or double line spacing be used. Line spacing can be obtained with the `setspace` packages (build into the `memoir` package). With this package, footnotes and captions are still single spaced, while no additional vertical spacing is added around display math or in lists.

- (a) One and a half lines spacing for `memoir.cls` with `usthesis.sty`

```
\documentclass[options]{memoir}
\usepackage[options]{usthesis}
\OnehalfSpacing % or \DoubleSpacing ... Line spacing
:
\begin{document}
  \frontmatter
  \begin{SingleSpace}
    \TitlePage%..... Single spaced title page
  \end{SingleSpace}
:
```

- (b) One and a half lines spacing for `usthesis.cls`

```
\documentclass[options]{usthesis}
\usepackage[onehalfspacing]{setspace}%.. Line spacing
:
\begin{document}
  \frontmatter
  \begin{inglespace}
    \TitlePage%..... Single spaced title page
  \end{inglespace}
:
```

1.2.8 Paragraph indent and spacing

The conventional way of typesetting running text has no separation between paragraphs, and the first line of each paragraph in a block of text indented.

It is sometimes required that paragraphs are separated with a blank line and without any first line indent. This can be obtained with the `parskip` package (build into the `memoir` package).

(a) Paragraph spacing for `memoir.cls` with `usthesis.sty`

```
\documentclass[options]{memoir}
\usepackage[options]{usthesis}
\nonzeroparskip%..... Space between paragraphs
\setlength{\parindent}{0pt}%.. Zero paragraph indents
```

(b) Paragraph spacing for `usthesis.cls`

```
\documentclass[options]{usthesis}
\usepackage{parskip}%..... Paragraph spacing + zero indent
```

Please note that this is not recommended for theses containing large amounts of mathematics, because it is difficult, if not impossible, to see where a new paragraph starts between equations.

1.3 Useful packages

The following are a number of packages that are very useful when writing a thesis.

1.3.1 SI units and numbers

`siunitx`: This package is essential for the typesetting of SI units and numbers.

`Sstyle`: Older package for the typesetting of SI units and numbers. It has an option for South African requirements. Read the documentation for the proper typesetting of units and numbers.

`numprint`: This packages typeset numbers and decimal columns in tables.

1.3.2 Tables and arrays

`array`: An extended implementation of the `array` and `tabular` environments which implements options to format columns.

`longtable`: Gives non-floating multi-page tables. It includes continuation headers.

`dcolumn`: The package provides a system for defining columns of entries in an array or a table which are to be aligned on a “decimal point”.

`xcolumn`: It modifies the width of certain columns to obtain a table with required width.

`booktabs`: The package provides some additional commands to enhance the quality of tables in \LaTeX . Guidelines are given as to what constitutes a good table. The documentation gives a very good discussion on the design of publication quality tables.

1.3.3 Hyper links

`hyperref`: It extends the functionality of all the \LaTeX cross-referencing commands (including the table of contents, bibliographies etc.) to produce hyper-text links; it also provides new commands to allow the user to write ad hoc hypertext links, including those to external documents and URLs. A typical setup for hyper links (at the end of the preamble) is:

```
\iftrue
  \usepackage[options]{hyperref}%... Hyperlinks & backreferences
  %\usepackage{memhfixc} %..... Memoir fix (hyperref>6.75g autoloads it)
\else
  \usepackage{nohyperref}%..... Disable hyperlinks
  \usepackage{url}
\fi
\hypersetup{options}
```

`url` A form of `\verb` that allows line breaks at certain characters or combinations of characters, accepts reconfiguration, and can usually be used in the argument to another command. It is intended for email addresses, hypertext links, directories/paths, etc., which normally have no spaces. It is implemented by `hyperref`.

2 Front matter

2.1 Title page

The title page is inserted on the first page of a document with the command

`\TitlePage` `\TitlePage`

Depending on the selected options, the following commands are used to set the contents of the title page:

Title

The title of the document is inserted on the front page as well as on the abstract pages of Masters or PhD theses.

`\title{<title text>}`

For a normal report, a simple title is sufficient, e.g.:

```
\title{Forced granular flow}
```

For a Masters or PhD thesis, the title must make provisions for both languages. For an English document:

```
\title{\AorE{ Geforseerde Partikelvloei\}[lex]
        \normalfont\small\itshape(‘‘Forced Granular flow’’)}
        {Forced granular flow}}
```

and for an Afrikaans document

```
\title{\AorE{Geforseerde Partikelvloei}
        {Forced granular flow\}[lex]
        \normalfont\small\itshape(‘‘Geforseerde Partikelvloei’’}}
```

Author

`\author{<short name>}{<full names>}`

Provides the author name not only for the title page, but for various other places in the document.

```
\author{J.\ Smith}{John Smith}
```

Faculty

`\faculty` `\faculty{<faculty name>}`

The faculty must be included in Afrikaans and English for Masters and PhD documents.

```
\faculty{\AorE{Fakulteit Ingenieurswese}%
        {Faculty of Engineering}}
```

Degree/Subject

`\degree` `\subject` `\degree{<abbr>}{<full name>}` or `\subject{<abbr>}{<full name>}`

The degree or subject names. Please refer to the yearbook for the *correct* names. The degree names must be available in Afrikaans and English.

```
\degree{\AorE{MIng (Meg)}
          {MEng (Mech)}}
        {\AorE{Magister in Ingenieurswese (Meganies)}
          {Master of Engineering (Mechanical)}}
```

or

```
\subject{MP 487}{Meganiese Projek 487}
```

Description

`\ReportDescript` `\ThesisDescript` `\ReportDescript{<text>}`
`\ThesisDescript{<text>}`

Set the description for reports.

```
\ReportDescript{Finale Verslag}
```

There is a similar command for theses and dissertations, `\ThesisDescript`, but its contents is predefined. For a master thesis it can be customized as

```
\ThesisDescript{Thesis presented in partial fulfilment of the
                 requirements for the degree of\par
                 \vspace{1em}
                 {\bfseries Master of Engineering (Mechanical)\par
                 \vspace{1em}
                 in the Faculty of Engineering at Stellenbosch University}
```

If needed the thesis type can be changed with the (predefined) command `\ThesisType`.

Supervisor/Co-supervisor

`\supervisor` `\cosupervisor` `\supervisor[<align>]{<name>}` or `\supervisor{<name> \and <name>}`
`\cosupervisor{<name>}` or `\cosupervisor{<name> \and <name>}`

The `\studyleader` and `\supervisor` commands are synonyms and the output depends on the document type. The commands also have a starred (*) form that stack the names of multiple supervisors. The `\and` has an optional argument, e.g.: `\and[1ex]`, for spacing in a stacked environment.

```
\supervisor{Dr.\ D.N.J.\ Els} → Supervisor: Dr. D.N.J. Els
```

or

```
\supervisor{Dr.\ D.\ Els
              \and
              Mnr.\ J.\ Smith} → Supervisors: Dr. D. Els
                                                Mnr. J. Smith
```

or

```
\supervisor*{Dr.\ D.\ Els
             \and[Oex]
             Mnr.\ J.\ Smith}
```

→

Supervisors:
Dr. D. Els
Mnr. J. Smith

For a co-supervisor

```
\supervisor{Dr.\ D.\ Els}
\cosupervisor{Mnr.\ J.\ Smith}
```

→

Supervisor:	Dr. D. Els
Co-supervisor:	Mnr. J. Smith

or

```
\supervisor{%
  Prof A.H.\ Basson\[\.5ex]
  Mechanical Engineering\
  Stellenbosch University}
\cosupervisor{%
  Prof P.A.\ Vermeer\[\.5ex]
  Institut f\"ur Geotechnic\
  Universit\"at Stuttgart}
```

→

Supervisor:	Prof A.H. Basson Mechanical Engineering Stellenbosch University
Co-supervisor:	Prof P.A. Vermeer Institut für Geotechnic Universität Stuttgart

or

```
\supervisor*[c]{%
  Prof A.H.\ Basson\[\.5ex]
  Mechanical Engineering\
  Stellenbosch University}
\cosupervisor{%
  Prof P.A.\ Vermeer\[\.5ex]
  Institut f\"ur Geotechnic\
  Universit\"at Stuttgart}
```

→

Supervisor:	Co-supervisor:
Prof A.H. Basson	Prof P.A. Vermeer
Mechanical Engineering	Institut für Geotechnic
Stellenbosch University	Universität Stuttgart

Date

```
\date{<month>}{<year>}
```

The date when the document is handed in. The arguments must be numerical,

```
\date{10}{2003}
```

→

October 2003

Sponsor

Sponsors such as the NRF requires an acknowledgement on the title page

```
\SetSponsor \SetSponsor{<text>}
```

```
\SetSponsor{The financial assistance of the National Research Foundation
(NRF) towards this research is hereby acknowledged. Opinions expressed
and conclusions arrived at, are those of the author and are not
necessarily to be attributed to the NRF.}
```




Figure 3: Title page with PhD option for examination




Figure 4: Title page with master-t option for a masters thesis




Figure 5: Custom title page for masters thesis




Figure 6: Title page with masters-a option for a masters assignment project




Figure 7: Title page with `report` option for lecturing notes




Figure 8: Title page with `report` option for final year mechanical project

The user can create his or her own title page (see figure 5), for example:

```

\thispagestyle{empty}
\vfill
{\LARGE\noindent Seakeeping control of HYSUCATs \par}
\vspace{2em}
{\large\noindent by \par}
\vspace{2em}
{\Large\noindent Giovanni Sergio Milandri \par}%
\vfill\noindent
\begin{minipage}{.9\textwidth}
\large\slshape\raggedright
Thesis presented in partial fulfilment of the requirements
for the degree of Master of Science in Mechanical Engineering
in the Faculty of Engineering at Stellenbosch University
\end{minipage}
\vfill
{\normalsize\noindent Supervisors:\ll[1.5ex]
\begin{tabular}{@{}l@{}}
Prof J.L.\ van Niekerk & Dr G.\ Migeotte \ll[.5ex]
Dept of Mechanical Engineering & Unistel Technologies (Pty) Ltd\
University of Stellenbosch & University of Stellenbosch
\end{tabular}\par}
\vspace{2em}
{\large\noindent April 2006\par}%
\clearpage

```

2.2 Watermark

A watermark can be added to the first page of the document with the aid of the eso-pic package.

```
\documentclass[options]{usthesis}
:
\usepackage{eso-pic}
\newcommand*\WaterMark[2][0.15\paperwidth]{%
  \AddToShipoutPicture*\AtTextCenter{%
    \parbox[c]{Opt}{\makebox[Opt][c]{%
      \includegraphics[width=#1]{#2}}}}}}
:
\begin{document}
  \frontmatter
  \WaterMark{UScrest-WM}
  \TitlePage
  :
\end{document}
```

2.3 Copyright Information

The copyright information in a thesis or dissertation is compulsory from 2007. It is added to the bottom of the declaration page. The default copyright holder is the University of Stellenbosch.

The default copyright holder can be changed with:

```
\SetCopyrightHolder \SetCopyrightHolder{new copyright holder}
```

The copyright output can be switched off with

```
\SetCopyrightOff \SetCopyrightOff
```

Note that the `\CopyrightPage` command is not used any more. It is still included for backward comparability purposes, does nothing.

2.4 Declaration page

Every thesis and dissertation *must* include a declaration page.

```
\DeclarationDate \DeclarationDate{date}
\DeclarationPage \DeclarationPage
```

The `\DeclarationPage` command set the required text in the default language and output the copyright statement.

2.5 Abstract

An abstract environment is provided that prints a page containing all the thesis information.

```
\address \address{full address}
```

The address must be included in Afrikaans and English for Masters and PhD documents.

```
\address{\AorE{Departement Siviele Ingenieurswese,\
  Universiteit van Stellenbosch,\
  Privaatsak X1, 7602 Matieland, Suid Afrika.
}{
  Department of Civil Engineering,\
  University of Stellenbosch,\
  Private Bag X1, 7602 Matieland, South Africa.}}
```

The layout of an abstract for a report differs from that of a thesis or a dissertation. It is also important to note that theses and dissertations require an English and an Afrikaans abstract.

abstract

<code>\begin{abstract}</code>	<code>\begin{abstract}[\langle language \rangle]</code>
Text in default language ...	Text in $\langle language \rangle$...
<code>\end{abstract}</code>	<code>\end{abstract}</code>

If the traditional abstract page is preferred, then use a normal chapter

```
\chapter{Abstract}
This thesis ...
```

2.6 Acknowledgements, Dedications, etc.

Acknowledgements, etc. can be included in the front matter of a document after a `\chapter` command, e.g.:

```
\chapter{Acknowledgements}
I would like to express my sincere gratitude ...
```

3 Back Matter

3.1 Bibliography/List of References

The USbib package formats bibliographies for theses and dissertations of the University of Stellenbosch. It is language sensitive and provides the correct output for both Afrikaans and English theses.

Bibliography: The list of all the citations in numerical order of citation, e.g.:

1. Rhodes, M. *Introduction to Particle Technology*. Wiley, New York (1998).
2. Cleary, P.W. The filling of dragline buckets. *Mathematical Engineering in Industry*, vol. 7, no. 1 (1998), pp. 1–24.

List of References: For author-year citations, all the citations sorted in alphabetic order, e.g.:

- | |
|---|
| <p>Cleary, P.W. (1998). The filling of dragline buckets. <i>Mathematical Engineering in Industry</i>, vol. 7, no. 1, pp. 1–24.</p> <p>Rhodes, M. (1998). <i>Introduction to Particle Technology</i>. Wiley, New York.</p> |
|---|

The default name in the USthesis package is “Bibliography”. To change this to “List of References” (for a thesis), we have to overrule the `babel` setup. Make the following declarations

```

\documentclass[12pt,oneside,openany,a4paper,%... Layout
             afrikaans,english,%..... Global language drivers
             ]{memoir}
\usepackage[masters-t,a5block]{usthesis}%..... Document type
\usepackage{babel}%..... Language setup
:
\usepackage{usbib}%..... Bibliography
  \bibliographystyle{usmeg-a}%..... Author-year style
  \addto{\captionafrikaans}{\renewcommand{\bibname}{Lys van Verwysings}}
  \addto{\captionenglish}{\renewcommand{\bibname}{List of References}}

```

References to the pages or sections of citations, can be included with the backref package. The backref package loaded as part of hyperref or on its own.:

```

\iftrue
  \usepackage[backref=page]{hyperref}%... Hyperlinks & backreferences
\else
  \usepackage[pageref]{backref}%..... Citation backreferences
\fi
\renewcommand*{\backrefalt}[4]{%
  \ifcase #1 (Not cited.)%
  \or      (Cited on page~#2.)%
  \else    (Cited on pages~#2.)%
  \fi}

```

An example is:

<p>Rhodes, M. (1998). <i>Introduction to Particle Technology</i>. Wiley, New York. (Cited on pages 13 and 15.)</p>
--

4 Implementation: usthesis

The following modules are used in the implementation to direct docstrip in generating the external files:

```
cls  produce the document class usthesis.cls based on book.
mem  produce the document style usthesis.sty for use with memoir.
```

4.1 Identification

```
1 < *cls | mem >
2 \NeedsTeXFormat{LaTeX2e}[1999/12/01]
3 < *cls >
4 \def\US@basetype{book}
5 \ProvidesClass{usthesis}[\USfiledate\space
6                               \USfileversion\space
7                               Stellenbosh Thesis class (DNJ ELS)]
8 < /cls >
9 < *mem >
10 \ProvidesPackage{usthesis}[\USfiledate\space
11                               \USfileversion\space
12                               Stellenbosh Thesis class for use with Memoir (DNJ ELS)]
13 \@ifclassloaded{memoir}%
14   {\PackageInfo{usthesis}{Stellenbosch thesis style for MEMOIR class}}%
15   {\PackageError{usthesis}{You must use the Memoir class}{}}
16 < /mem >
```

4.2 External packages

We need the calc and ifpdf packages. ifpdf is all ready declared by memoir.

```
17 \RequirePackage{calc}
18 < *cls >
19 \RequirePackage{ifpdf}
20 < /cls >
```

\phantomsection A command needed, if the hyperref package is used, for putting before certain \addcontentsline commands.

```
21 \providecommand{\phantomsection}{}</pre>

```

We need the graphicx package and it must be loaded by the user in the document preamble.

```
22 \AtBeginDocument{%
23   \@ifpackageloaded{graphicx}{}{%
24 < cls >       \ClassError{usthesis}{You must load the graphicx package}{}}%
25 < mem >       \PackageError{usthesis}{You must load the graphicx package}{}}%
26   }%
27 }
```

4.3 Options

4.3.1 Language options

Utility commands:

Utility commands and environments to make local language changes.

```

\US@AFRstr String in the right catcode for tests against \language.
28 \edef\US@AFRstr{\string afrikaans}

\AorE Command \AorE{<Afr>}{<Eng>} to type text depending on the active language.
29 \newcommand{\AorE}[2]{%
30   \ifx\US@AFRstr\language #1\else #2\fi}

Afr Makes an Afrikaans environment inside an English document.
31 \newenvironment{Afr}%
32   {\ifx\language\US@AFRstr\relax\else
33     \selectlanguage{afrikaans}}%
34   \fi}%
35   {}

\US@ENGstr Make provisions for all the different types of English. The command is reset within
the options.
36 \newcommand*\US@ENGstr{}
37 \let\US@ENGstr=\relax

Eng Makes an English environment inside an Afrikaans document.
38 \newenvironment{Eng}%
39   {\ifx\relax\US@ENGstr\relax\else
40     \ifx\language\US@ENGstr\relax\else
41       \edef\US@tempa{\noexpand\selectlanguage{\US@ENGstr}}%
42       \US@tempa
43     \fi
44   \fi}%
45   {}

```

Marker commands:

Commands of which the contents are defined later.

```

46 \newcommand\DegreeName{%
47 <cls> \ClassWarning{usthesis}{No degree or subject supplied}%
48 <mem> \PackageWarning{usthesis}{No degree or subject supplied}%
49 \textfb{[No degree!]}

50 \newcommand\DegreeNameLong{%
51 <cls> \ClassWarning{usthesis}{No degree or subject supplied}%
52 <mem> \PackageWarning{usthesis}{No degree or subject supplied}%
53 \textfb{[No degree!]}

```

Language commands:

Declare all the language specific text in separate macros, enabling language changes with the babel package commands.

Predefine the language commands to prevent accidental overwrite when loaded from external files.

```

54 \newcommand*\USName{}
55 \newcommand*\AuthByTxt{}
56 \newcommand*\StudyLeaderType{}
57 \newcommand*\StudyLeadersType{}
58 \newcommand*\CoStudyLeaderType{}
59 \newcommand*\CoStudyLeadersType{}
60 \newcommand*\SupervisorType{}
61 \newcommand*\SupervisorsType{}
62 \newcommand*\CoSupervisorType{}
63 \newcommand*\CoSupervisorsType{}
64 \newcommand*\TypeReport{}
65 \newcommand*\TypeAssignment{}
66 \newcommand*\TypeThesis{}
67 \newcommand*\TypePhD{}
68 \newcommand*\CopyrightHolder{}
69 \newcommand*\CopyrightTxt{}
70 \newcommand*\CopyrightAnot{}
71 \newcommand*\Signat{}
72 \newcommand*\Datetxt{}
73 \newcommand*\MasterDescript{}
74 \newcommand*\PhDDescript{}
75 \newcommand*\ThesisDeclare{}
76 \newcommand*\MonthName{}
77 \newcommand*\DeclarationName{}
78 \newcommand*\AbstractName{}

```

Input all the language setting form external files

```

79 \InputIfFileExists{usthesis.afr}
80 <mem>    {\PackageInfo{usthesis}{Input file 'usthesis.afr' loaded}}
81 <mem>    {\PackageError{usthesis}{No file 'usthesis.afr'}{}}
82 <cls>    {\ClassInfo{usthesis}{Input file 'usthesis.afr' loaded}}
83 <cls>    {\ClassError{usthesis}{No file 'usthesis.afr'}{}}

84 \InputIfFileExists{usthesis.eng}
85 <mem>    {\PackageInfo{usthesis}{Input file 'usthesis.eng' loaded}}
86 <mem>    {\PackageError{usthesis}{No file 'usthesis.eng'}{}}
87 <cls>    {\ClassInfo{usthesis}{Input file 'usthesis.eng' loaded}}
88 <cls>    {\ClassError{usthesis}{No file 'usthesis.eng'}{}}

```

Set English as default if no language option is selected.

```

89 \USextrasenglish
90 \UScaptionsenglish

```

Set language options

\US@addto A redefinition of the babel \addto command (taken from varioref).

```

91 \def\US@addto#1#2{%
92   #2%

```

```

93 \@temptokena{#2}%
94 \ifx#1\relax
95   \let#1\@empty
96 \fi
97 \ifx#1\undefined
98   \edef#1{\the\@temptokena}%
99 \else
100   \toks@\expandafter{#1}%
101   \edef#1{\the\toks@\the\@temptokena}%
102 \fi
103 \@temptokena{\toks@\@temptokena}

```

`\US@addlangextras` Add the language definitions to `\extras<lang>` and `\captions<lang>` at the beginning of the document after babel.

```

\US@addlangcaptions
104 \newcommand\US@addlangextras[2]{%
105   \AtBeginDocument{%
106     \expandafter\US@addto\csname extras#1\endcsname #2}}
107 \newcommand\US@addlangcaptions[2]{%
108   \AtBeginDocument{%
109     \expandafter\US@addto\csname captions#1\endcsname #2}}

```

Set all the different English language options.

```

110 \DeclareOption{english}{%
111   \edef\US@ENGstr{\string english}%
112   \US@addlangextras{english}{\USextrasenglish}%
113   \US@addlangcaptions{english}{\UScaptionsenglish}}
114 \DeclareOption{UKenglish}{%
115   \edef\US@ENGstr{\string UKenglish}%
116   \US@addlangextras{UKenglish}{\USextrasenglish}%
117   \US@addlangcaptions{UKenglish}{\UScaptionsenglish}}
118 \DeclareOption{USenglish}{%
119   \edef\US@ENGstr{\string USenglish}%
120   \US@addlangextras{USenglish}{\USextrasenglish}%
121   \US@addlangcaptions{USenglish}{\UScaptionsenglish}}
122 \DeclareOption{british}{%
123   \edef\US@ENGstr{\string british}%
124   \US@addlangextras{british}{\USextrasenglish}%
125   \US@addlangcaptions{british}{\UScaptionsenglish}}

```

Set Afrikaans language option.

```

126 \DeclareOption{afrikaans}{%
127   \US@addlangextras{afrikaans}{\USextrasafrikaans}%
128   \US@addlangcaptions{afrikaans}{\UScaptionsafrikaans}}

```

4.3.2 Thesis type options

`\if@Report` Flag for report option.

```

129 \newif\if@Report
130 \@Reporttrue

```

`\if@Masters` Flag for master-a and master-t options.

```

131 \newif\if@Masters
132 \@Mastersfalse

```

```

\if@PhD Flag for PhD option.
133 \newif\if@PhD
134 \@PhDfalse

\ThesisType Global headings that are set according to the thesis type options.
\SupervisorText 135 \newcommand{\ThesisType}{}
\SupervisorsText 136 \newcommand{\SupervisorText}{}
\CoSupervisorText 137 \newcommand{\SupervisorsText}{}
\CoSupervisorsText 138 \newcommand{\CoSupervisorText}{}
139 \newcommand{\CoSupervisorsText}{}

report: For normal reports an assignments.
140 \DeclareOption{report}{%
141   \renewcommand{\ThesisType}{\TypeReport}%
142   \renewcommand{\SupervisorText}{\StudyLeaderType}
143   \renewcommand{\SupervisorsText}{\StudyLeadersType}
144   \renewcommand{\CoSupervisorText}{\CoStudyLeaderType}%
145   \renewcommand{\CoSupervisorsText}{\CoStudyLeadersType}%
146   \@Reporttrue
147   \@Mastersfalse
148   \@PhDfalse}

masters-a: Masters with and assignment.
149 \DeclareOption{masters-a}{%
150   \renewcommand{\ThesisType}{\TypeAssignment}%
151   \renewcommand{\SupervisorText}{\SupervisorType}%
152   \renewcommand{\SupervisorsText}{\SupervisorsType}%
153   \renewcommand{\CoSupervisorText}{\CoSupervisorType}%
154   \renewcommand{\CoSupervisorsText}{\CoSupervisorsType}%
155   \@Reportfalse
156   \@Masterstrue
157   \@PhDfalse}

masters-t: Masters with a thesis.
158 \DeclareOption{masters-t}{%
159   \renewcommand{\ThesisType}{\TypeThesis}%
160   \renewcommand{\SupervisorText}{\SupervisorType}%
161   \renewcommand{\SupervisorsText}{\SupervisorsType}%
162   \renewcommand{\CoSupervisorText}{\CoSupervisorType}%
163   \renewcommand{\CoSupervisorsText}{\CoSupervisorsType}%
164   \@Reportfalse
165   \@Masterstrue
166   \@PhDfalse}

PhD: PhD dissertation handed in for examination.
167 \DeclareOption{PhD}{%
168   \renewcommand{\ThesisType}{\TypePhD}%
169   \renewcommand{\SupervisorText}{\SupervisorType}%
170   \renewcommand{\SupervisorsText}{\SupervisorsType}%
171   \renewcommand{\CoSupervisorText}{\CoSupervisorType}%
172   \renewcommand{\CoSupervisorsText}{\CoSupervisorsType}%
173   \@Reportfalse
174   \@Mastersfalse
175   \@PhDtrue}

```

PhDfinal: Option not in use any more (for backward compatibility).

```

176 \DeclareOption{PhDfinal}{%
177   \renewcommand{\ThesisType}{\TypePhD}%
178   \renewcommand{\SupervisorText}{\SupervisorType}%
179   \renewcommand{\SupervisorsText}{\SupervisorsType}%
180   \renewcommand{\CoSupervisorText}{\CoSupervisorType}%
181   \renewcommand{\CoSupervisorsText}{\CoSupervisorsType}%
182   \@Reportfalse
183   \@Mastersfalse
184   \@PhDtrue}

```

4.3.3 Page layout options

Intercept 2-column requests.

```

185 <*cls>
186 \DeclareOption{twocolumn}{%}
187 </cls>

```

\if@ABlock Flags for a5block, goldenblock and wideblock options.

```

\if@GBlock 188 \newif\if@ABlock
\if@WBlock 189 \newif\if@GBlock
190 \newif\if@WBlock
191 \@ABlockfalse
192 \@GBlockfalse
193 \@WBlockfalse

```

a5block: An A5 type block area.

```

194 \DeclareOption{a5block}{%
195 <cls> \PassOptionsToClass{a4paper}{\US@basetype}%
196   \@ABlocktrue
197   \@GBlockfalse
198   \@WBlockfalse}

```

goldenblock: A golden section type block area.

```

199 \DeclareOption{goldenblock}{%
200 <cls> \PassOptionsToClass{a4paper}{\US@basetype}%
201   \@GBlocktrue
202   \@ABlockfalse
203   \@WBlockfalse}

```

wideblock: A type block with 25 mm margins.

```

204 \DeclareOption{wideblock}{%
205 <cls> \PassOptionsToClass{a4paper}{\US@basetype}%
206   \@GBlockfalse
207   \@ABlockfalse
208   \@WBlocktrue}

```

stdblock: Standard L^AT_EX type block area.

```

209 \DeclareOption{stdblock}{%
210   \@GBlockfalse
211   \@ABlockfalse
212   \@WBlockfalse}

```

4.3.4 Process package options

```

213 <cls>\DeclareOption*{\PassOptionsToClass{\CurrentOption}{\US@basetype}}
214 \ExecuteOptions{report}
215 \ProcessOptions*\relax
216 <cls>\LoadClass[oneside,openany]{\US@basetype}

```

4.4 Temporaries

```

217 \newlength{\US@tdima}
218 \newlength{\US@tdimb}
219 \newsavebox{\US@tboxa}
220 \newsavebox{\US@tboxb}
221 \newcounter{US@tcnta}
222 \newcounter{US@tcntb}

```

4.5 Page layout

`\FixVertParams` Reset all the vertical parameters for a page layout. Note that memoir has its own setup.

```

223 <*cls>
224 \newcommand\FixVertParams[1]{%
225     \normalsize
226     \setlength\US@tdima{\textheight-\topskip}%
227     \setcounter{US@tcnta}{\US@tdima}
228     \setcounter{US@tcntb}{\baselineskip}
229     \setcounter{US@tcnta}{\value{US@tcnta}/\value{US@tcntb}}
230     \setlength\textheight{\baselineskip*\value{US@tcnta}+\topskip}%
231     \setlength\US@tdima{\paperheight-\textheight}%
232     \setlength\topmargin{#1\US@tdima-\headheight-\headsep-1in}%
233     \@settopoint\topmargin}
234 </cls>

```

`\FixHorizParams` Reset all the horizontal parameters for a page layout. Note that memoir has its own setup.

```

235 <*cls>
236 \newcommand\FixHorizParams[1]{%
237     \@settopoint\textwidth
238     \setlength\US@tdima{\paperwidth-\textwidth}%
239     \if@twoside
240         \setlength\oddsidemargin{#1\US@tdima-1in}%
241     \else
242         \setlength\oddsidemargin{.5\US@tdima-1in}%
243     \fi
244     \@settopoint\oddsidemargin
245     \setlength\evensidemargin{\US@tdima-\oddsidemargin-2in}%
246     \@settopoint\evensidemargin
247     \setlength\marginparwidth{\evensidemargin+1in-\marginparsep-1cm}%
248     \@settopoint\marginparwidth}
249 </cls>

```

4.5.1 A5 type block area

```

250 <*cls>
251 \if@ABlock

```

```

252 \setlength\paperheight {297.3mm}
253 \setlength\paperwidth {210.2mm} % A4 paper
254 \setlength\textwidth {.5\paperheight}
255 \setlength\textheight {\paperwidth}
256 \setlength\marginparsep {7\p@}
257 \setlength\marginparpush{7\p@}
258 \FixVertParams{0.375}
259 %\FixHorizParams{0.375}
260 \FixHorizParams{0.5}% Changed in v3.0
261 \ifpdf
262 \setlength\pdfpagewidth{\paperwidth}
263 \setlength\pdfpageheight{\paperheight}
264 \fi
265 \fi
266 </cls>
267 (*mem)
268 \if@ABlock
269 \setstocksize{297.3mm}{210.2mm}% A4 paper
270 \settrimmedsize{\stockheight}{\stockwidth}{*}
271 \settypeblocksize{\paperwidth}
272 {.5\paperheight}{*}% A5 text block
273 \setulmargins{*}{*}{1.666667} % 5:3
274 \if@twoside
275 %\setlrmargins{*}{*}{1.666667} % 5:3
276 \setlrmargins{*}{*}{1.000000} % 1:1 Changed in v3.0
277 \else
278 \setlrmargins{*}{*}{1.000000} % 1:1
279 \fi
280 \checkandfixthelayout
281 \setlength{\headwidth}{\textwidth}
282 \fi
283 </mem>

```

4.5.2 Golden section type block area

```

284 (*cls)
285 \if@GBlock
286 \setlength\paperheight {297.3mm}
287 \setlength\paperwidth {210.2mm} % A4 paper
288 \setlength\textheight {0.747547\paperheight}
289 \setlength\textwidth {0.666667\paperwidth}
290 \setlength\marginparsep {7\p@}
291 \setlength\marginparpush{7\p@}
292 \FixVertParams{0.375}
293 %\FixHorizParams{0.375}
294 \FixHorizParams{0.5}% Changed in v3.0
295 \ifpdf
296 \setlength\pdfpagewidth{\paperwidth}
297 \setlength\pdfpageheight{\paperheight}
298 \fi
299 \fi
300 </cls>
301 (*mem)
302 \if@GBlock

```

```

303 \setstocksize{297.3mm}{210.2mm}
304 \settrimmedsize{\stockheight}{\stockwidth}{*}
305 \settypeblocksize{0.747547\paperheight}
306           {0.666667\paperwidth}{*}% Golden ratio block
307 \setulmargins{*}{*}{1.666667} % 5:3
308 \if@twoside
309     %\setlrmargins{*}{*}{1.666667} % 5:3
310     \setlrmargins{*}{*}{1.000000} % 1:1 Changed in v3.0
311 \else
312     \setlrmargins{*}{*}{1.000000} % 1:1
313 \fi
314 \checkandfixthelayout
315 \setlength{\headwidth}{\textwidth}
316 \fi
317 </mem>

```

4.5.3 Wide type block area

```

318 <*cls>
319 \if@WBlock
320   \setlength\paperheight {297.3mm}
321   \setlength\paperwidth  {210.2mm} % A4 paper
322   \setlength\textheight  {\paperheight-50mm}
323   \setlength\textwidth   {\paperwidth-50mm}
324   \setlength\marginparsep {7\p@}
325   \setlength\marginparpush{7\p@}
326   \FixVertParams{0.5}
327   \FixHorizParams{0.5}
328   \ifpdf
329     \setlength\pdfpagewidth{\paperwidth}
330     \setlength\pdfpageheight{\paperheight}
331   \fi
332 \fi
333 </cls>
334 <*mem>
335 \if@WBlock
336   \setstocksize{297.3mm}{210.2mm}
337   \settrimmedsize{\stockheight}{\stockwidth}{*}
338   \setlrmarginsandblock{25mm}{25mm}{*}
339   \setulmarginsandblock{25mm}{25mm}{*}
340   \checkandfixthelayout
341   \setlength{\headwidth}{\textwidth}
342 \fi
343 </mem>

```

4.6 Utility commands

`\US@ifempt` Test for a empty argument (Wilson, Arseneau in `ifmtarg`)

```

344 \begingroup
345   \catcode'\Q=3
346   \long\gdef\US@ifempt#1{\US@xifempt#1QQ\@secondoftwo\@firstoftwo\@nil}
347   \long\gdef\US@xifempt#1#2Q#3#4#5\@nil{#4}
348 \endgroup

```

`\US@adjustwidth` Adjust the width of a paragraph. It differs from the memoir environment

AdjustWidth in that all top and bottom spaces are removed.

```

349 \newenvironment{US@adjustwidth}[2]{%
350   \begin{list}{}{%
351     \setlength{topsep}{0pt}%
352     \setlength{partopsep}{0pt}%
353     \setlength{leftmargin}{#1}%
354     \setlength{rightmargin}{#2}%
355     \setlength{listparindent}{\parindent}%
356     \setlength{itemindent}{\parindent}%
357     \setlength{parsep}{\parskip}%
358   }%
359   \item[]{\end{list}}

```

SetMargins Adjust the margins of a paragraph. The parameter #1 and #2 are the left and right margins of the paragraph.

```

360 \newenvironment{SetMargins}[2]%
361   {\setlength{\US@tdima}{-1in-\hoffset-\oddsidemargin}%
362    \setlength{\US@tdimb}{-\US@tdima}%
363    \addtolength{\US@tdima}{#1}%
364    \addtolength{\US@tdimb}{-\paperwidth+\textwidth+#2}%
365    \begin{US@adjustwidth}{\US@tdima}{\US@tdimb}%
366   }%
367   {\end{US@adjustwidth}}

```

4.7 Front pages

4.7.1 Title page

US@titlepage Make a single column empty page with predefined margins

```

\begin{US@titlepage}{\top}{\bottom}{\left}{\right}
  \langle title page \rangle
\end{US@titlepage}

```

```

368 \newenvironment{US@titlepage}[4]
369   {\cleardoublepage
370    \if@twocolumn
371      \@restonecoltrue\onecolumn
372    \else
373      \@restonecolfalse\newpage
374    \fi
375    \thispagestyle{empty}%
376    \setcounter{page}\@ne

```

Set the top margin by moving the starting point up.

```

377   \setlength{\US@tdima}{1in+\voffset+\topmargin+\headheight+\headsep+\topskip}%
378   \setlength{\US@tdimb}{#1 -\US@tdima}%
379   \vspace*{\US@tdimb}%

```

Set the bottom margin by enlarging the page

```

380   \addtolength{\US@tdima}{\textheight-\paperheight-\topskip}%
381   \addtolength{\US@tdima}{#2}%
382   \enlargethispage{-\US@tdima}%

```

Set the left and right margins by putting the contents in a list environment with widened margins.

```

383 \setlength{\US@tdima}{-1in-\hoffset-\oddsidemargin}%
384 \setlength{\US@tdimb}{-\US@tdima}%
385 \addtolength{\US@tdima}{#3}%
386 \addtolength{\US@tdimb}{-\paperwidth+\textwidth+#4}%
387 \begin{US@adjustwidth}{\US@tdima}{\US@tdimb}%
388 }%
389 \end{US@adjustwidth}%
390 \if@restonecol\twocolumn \else \newpage \fi
391 \if@twoside\else
392 \setcounter{page}\@ne
393 \fi}

```

Undefine the standard title page.

```
394 \let\maketitle\relax
```

The title page

`\TitlePage` The `\TitlePage` command set the full front page for the US theses and reports. All margins, spacing and font sizes must be set inside this command.

```

395 \newcommand{\TitlePage}{%
396 \begingroup
397 \let\footnote\relax
398 \begin{US@titlepage}{2cm}{2.5cm}{2.5cm}{2.5cm}%
399 \centering
400 \if@Report
401 \includegraphics[width=100mm]{USlogo-top}\par
402 \vfill
403 \else
404 \includegraphics[width=88mm]{UScrest-top}\par
405 \vfill
406 \fi
407 {\LARGE \@title \par}
408 \vspace{2em}
409 \if@Authorpresent
410 {\large \AuthByTxt\par}
411 \vspace{2em}
412 {\Large
413 \lineskip .75em\relax%
414 \begin{tabular}[t]{c}%
415 \US@authorlong
416 \end{tabular}\par}%
417 \vfill
418 \vfill
419 \fi
420 \if@Report\if@Subjectpresent
421 {\large\DegreeNameLong\par}
422 \vfill
423 \fi\fi
424 {\large\slshape
425 \begin{US@adjustwidth}{1.5cm}{1.5cm}
426 \centering\US@ThesisDescript

```

```

427         \end{US@adjustwidth}\par}
428         \vfill
429         \vfill
430         {\normalsize \US@spvset \par}
431         \vspace{2em}
432         {\normalsize \US@date\par}%
433         {\footnotesize \US@sponsor \par}
434     \end{US@titlepage}%
435 \endgroup
436 \global\let\TitlePage\relax
437 \setcounter{footnote}{0}%
438 \global\let\thanks\relax
439 \global\let\@thanks\@empty
440 % \global\let\and\relax
441 }

```

Author block

```

442 \newif\if@Authorpresent
443 \@Authorpresentfalse
444 \renewcommand\author[2]{%
445     \@Authorpresenttrue%
446     \gdef\US@author{#1}%
447     \gdef\US@authorlong{#2}}
448 \newcommand\US@author{%
449 <cls> \ClassWarning{usthesis}{No author supplied}%
450 <mem> \PackageWarning{usthesis}{No author supplied}%
451 }
452 \newcommand\US@authorlong{%
453 <cls> \ClassWarning{usthesis}{No author supplied}%
454 <mem> \PackageWarning{usthesis}{No author supplied}%
455 }

```

Thesis or report description

```

456 \newcommand{\US@ThesisDescript}{%
\ThesisDescript
457 \newcommand\ThesisDescript[1]{%
458     \long\gdef\US@ThesisDescript{#1}}
459 \let\ReportDescript=\ThesisDescript
460 \if@Masters
461     \ThesisDescript{\MasterDescript}
462 \fi
463 \if@PhD
464     \ThesisDescript{\PhDDescript}%
465 \fi

```

Degree or subject

```

\if@Subjectpresent
466 \newif\if@Subjectpresent
467 \@Subjectpresentfalse

```

See beginning of class for \DegreeName and \DegreeNameLong.

```
468 \newcommand\degree[2]{%
469   \@Subjectpresenttrue
470   \gdef\DegreeName{#1}%
471   \gdef\DegreeNameLong{#2}}
472 \let\subject=\degree
```

Address and faculty

\address

```
473 \newcommand\address[1]{\gdef\US@address{#1}}
474 \let\address\address % backward compatibility :-)

475 \newcommand\US@address{%
476 (cls)   \ClassWarning{usthesis}{No institutional address supplied}}
477 (mem)   \PackageWarning{usthesis}{No institutional address supplied}}
```

\faculty

```
478 \newcommand\faculty[1]{\gdef\USfaculty{#1}}

479 \newcommand\USfaculty{%
480 (cls)   \ClassWarning{usthesis}{No faculty name supplied}%
481 (mem)   \PackageWarning{usthesis}{No faculty name supplied}%
482   \textbf{[No faculty name supplied!]}}
```

Supervisor or study leader

\ifUS@spvpresent
\ifUS@cospvpresent

```
483 \newif\ifUS@spvpresent\US@spvpresentfalse
484 \newif\ifUS@cospvpresent\US@cospvpresentfalse

485 \newif\ifUS@spvmult\US@spvmultfalse
486 \newif\ifUS@cospvmult\US@cospvmultfalse
487 \newif\ifUS@spvrows\US@spvrowsfalse

488 \newcommand\US@spv{}
489 \newcommand\US@cospv{}
490 \newcommand*\US@spvalign[1]
```

\supervisor

```
491 \newcommand{\supervisor}{%
492   \@ifstar{\US@spvrowsfalse\@supervisor}%
493           {\US@spvrowstrue\@supervisor}}

494 \newcommand{\@supervisor}[2][1]{%
495   \US@ifempty{#2}{-}{\US@spvpresenttrue}%
496   \renewcommand*\US@spvalign{#1}%
497   \renewcommand\US@spv{#2}}
```

\cosupervisor

```
498 \newcommand{\cosupervisor}[1]{%
499   \US@ifempty{#1}{-}{\US@cospvpresenttrue}%
500   \renewcommand\US@cospv{#1}}
```

\US@spvset

```

501 \newcommand{\US@spvset}{%
502   \ifUS@spvrows
503     \US@spvrows
504   \else
505     \US@spvcols
506   \fi}

507 \newcommand\US@spvrows{%
508   \edef\US@beginTab{\noexpand\begin{tabular}[t]{@{} \US@spvalign @{}}}%
509   \edef\US@endTab{\noexpand\end{tabular}}%
510   \US@spvmultfalse
511   \sbox{\US@tboxa}{%
512     \let\and\US@spvand%
513     \US@beginTab\US@spv\US@endTab}%
514   \US@cospvmultfalse
515   \sbox{\US@tboxb}{%
516     \let\and\US@cospvand%
517     \US@beginTab\US@cospv\US@endTab}%
518   \ifUS@spvpresent
519     \begin{tabular}{@{}ll@{}}
520       \ifUS@spvmult\SupervisorsText\else\SupervisorText\fi
521       & \usebox{\US@tboxa}\\
522       \ifUS@cospvpresent%
523         \noalign{\vskip 1ex}
524         \ifUS@cospvmult\CoSupervisorsText\else\CoSupervisorText\fi
525       & \usebox{\US@tboxb}
526     \fi
527   \end{tabular}
528   \fi}

529 \newcommand\US@spvcols{%
530   \edef\US@beginTab{\noexpand\begin{tabular}[t]{@{} \US@spvalign @{}}}%
531   \edef\US@endTab{\noexpand\end{tabular}}%
532   \US@spvmultfalse
533   \sbox{\US@tboxa}{%
534     \let\and\US@spvand%
535     \US@beginTab\US@spv\US@endTab}%
536   \US@cospvmultfalse
537   \sbox{\US@tboxb}{%
538     \let\and\US@cospvand%
539     \US@beginTab\US@cospv\US@endTab}%
540   \ifUS@spvpresent
541     \US@beginTab
542     \ifUS@spvmult\SupervisorsText\else\SupervisorText\fi\\[1ex]
543     \usebox{\US@tboxa}
544   \US@endTab
545   \fi
546   \ifUS@cospvpresent
547     \hspace{2em}%
548     \US@beginTab
549     \ifUS@cospvmult\CoSupervisorsText\else\CoSupervisorText\fi\\[1ex]
550     \usebox{\US@tboxb}
551   \US@endTab
552   \fi}

```

```

553 \newcommand*\US@spvand}[1][Opt]{%
554     \global\US@spvmulttrue%
555     \[#1]%
556     \ignorespaces}

557 \newcommand*\US@cospvand}[1][Opt]{%
558     \global\US@cospvmulttrue%
559     \[#1]%
560     \ignorespaces}

561 \let\studyleader\supervisor
562 \let\promotor\supervisor %Backward compatibility

```

Date

```

563 \newcount\US@month
564 \newcount\US@year

565 \US@month=0
566 \US@year=\number\year
567 \def\US@date{\MonthName{\US@month}\ \number\US@year}

568 \newcommand{\setdate}[2]{%
569     \US@ifempt{#1}{\US@month=0}{\US@month=#1}%
570     \US@year=#2
571     \gdef\US@date{\MonthName{\US@month}\ \number\US@year}}

```

Sponsor

`\SetSponsor` Sponsors such as the NRF requests an acknowledgement on the title page.

```

572 \newcommand\US@sponsor{\vspace{2em}}
573 \newcommand\SetSponsor[1]{%
574     \renewcommand\US@sponsor{\vspace{2em}\par\parbox{\linewidth}{#1}}

```

4.7.2 Copyright page

From 2007 the copyright declaration must be at the bottom of the declaration page.

`\CopyrightPage`

```

575 \newcommand\CopyrightPage[1][\CopyrightHolder]{%
576     %\clearpage
577     %\thispagestyle{empty}
578     %\mbox{}\par\vfill
579     %\begin{center}
580     % \CopyrightTxt\ \copyright\ \number\US@year\ #1\
581     % \CopyrightAnot
582     %\end{center}
583     %\vfill\mbox{}\par
584     %\clearpage
585     }

```

`\SetCopyrightHolder` Macro to change the default copyright holder.

```

586 \newcommand\SetCopyrightHolder[1]{%
587     \renewcommand\CopyrightHolder{#1}}

```

`\SetCopyrightOff` Switch copyright output off.

```

588 \newif\ifUS@Copyright
589 \US@Copyrighttrue
590 \newcommand\SetCopyrightOff{%
591   \US@Copyrightfalse}

```

4.7.3 Declaration page

`\DeclarationSign` Optional commands to insert a signature and a signed date on declaration page.

```

\DeclarationDate 592 \let\US@DeclDate@empty
593 \newcommand\DeclarationSign}[1]{% Only for backward compatibility
594 \newcommand\DeclarationDate}[1]{\renewcommand\US@DeclDate{#1}}

595 \newcommand\US@putdecldate{%
596   \vspace{1cm}
597   \noindent
598   \begin{minipage}{.5\textwidth}
599     \noindent
600     \ifx\US@DeclDate@empty\relax\else
601       \phantom{\Signat:}\hfill\makebox[Opt][c]{\US@DeclDate}\hfill\mbox{}\\[-.5bas
602     \fi
603     \Datetxt:~ \dotfill\mbox{}\par
604   \end{minipage}
605   \par}

```

`\DeclarationPage` Set up the declaration page. The `\ThesisDeclare[(declaration)]` command has an optional argument to set a different declaration.

```

606 \newcommand\DeclarationPage}[1][\ThesisDeclare]{%
607   \if@twocolumn
608     \@restonecoltrue\onecolumn
609   \else
610     \@restonecolfalse
611   \fi
612   \par
613   \thispagestyle{plain}%
614   \chapter*{\DeclarationName}%
615   \declaremark
616   \phantomsection
617   \addcontentsline{toc}{chapter}{\DeclarationName}%
618   #1\par
619   \US@putdecldate
620   \ifUS@Copyright
621     \mbox{}\par
622     \vfill
623     \vfill
624     \noindent\CopyrightTxt\ \copyright\ \number\US@year\ \CopyrightHolder\
625     \noindent\CopyrightAnot
626     \vfill
627     \mbox{}\par
628   \fi
629   \if@restonecol\twocolumn\fi}

```

4.7.4 Abstract page

`abstract` Provides the environment

```
\begin{abstract}[\lang]
  <abstract text>
\end{abstract}
```

to typeset the abstract. A different language can be selected with the optional argument to the environment.

```
630 <cls>\newenvironment{abstract}[1][\language]%
631 <mem>\renewenvironment{abstract}[1][\language]%
632   {\edef\@tempa{\expandafter\string #1}%
633    \ifx\@tempa\language\relax\else
634     \edef\@tempa{\noexpand\selectlanguage{#1}}\@tempa%
635    \fi
636   \if@twocolumn
637     \@restonecoltrue\onecolumn
638   \else
639     \@restonecolfalse
640   \fi
641   \par
642   \chapter*{\AbstractName}%
643   \abstractmark
644   \phantomsection
645   \addcontentsline{toc}{chapter}{\AbstractName}%
646   \if@Report\else
647     \begin{center}
648       {\large\bfseries \@title \par}
649       \medskip
650       {\lineskip .75em\relax%
651        \begin{tabular}[t]{@{}c@{}}%
652          \US@author
653        \end{tabular}\par}
654       \smallskip
655       {\small\itshape\US@address\par}
656       \smallskip
657       {\ThesisType: \DegreeName\par}
658       \smallskip
659       {\US@date\par}
660     \end{center}
661   \fi
662   \if@restonecol\twocolumn\fi%
663   }{}
```

4.7.5 Table of contents

```
664 <*cls>
665 \renewcommand\tableofcontents{%
666   \if@twocolumn
667     \@restonecoltrue\onecolumn
668   \else
669     \@restonecolfalse
670   \fi
671   \chapter*{\contentsname}%
```

```

672 \tocmark
673 \phantomsection
674 \addcontentsline{toc}{chapter}{\contentsname}%
675 \@starttoc{toc}%
676 \if@restonecol\twocolumn\fi}
677 </cls>

```

4.7.6 List of figures

```

678 <*cls>
679 \renewcommand\listoffigures{%
680   \if@twocolumn
681     \@restonecoltrue\onecolumn
682   \else
683     \@restonecolfalse
684   \fi
685   \chapter*{\listfigurename}%
686   \lofmark
687   \phantomsection
688   \addcontentsline{toc}{chapter}{\listfigurename}%
689   \@starttoc{lof}%
690   \if@restonecol\twocolumn\fi
691 }
692 \renewcommand*\l@figure{\@dottedtocline{1}{0em}{3em}}
693 </cls>

```

4.7.7 List of tables

```

694 <*cls>
695 \renewcommand\listoftables{%
696   \if@twocolumn
697     \@restonecoltrue\onecolumn
698   \else
699     \@restonecolfalse
700   \fi
701   \chapter*{\listtablename}%
702   \lotmark
703   \phantomsection
704   \addcontentsline{toc}{chapter}{\listtablename}%
705   \@starttoc{lot}%
706   \if@restonecol\twocolumn\fi}
707 \let\l@table\l@figure
708 </cls>

```

4.8 Back matter

4.8.1 Bibliography

`\bibsection` natbib uses the `\bibsection` command. We change the `thebibliography` to use it also.

```

709 <*cls>
710 \providecommand\bibsection{}%
711 \AtBeginDocument{%
712   \renewcommand{\bibsection}{%
713     \chapter*{\bibname}%
714     \bibmark

```

```

715     \phantomsection
716     \addcontentsline{toc}{chapter}{\bibname}}%
717   }
718 </cls>

```

thebibliography The environment is a mixture of code from book.cls and natbib

```

719 <*cls>
720 \renewenvironment{thebibliography}[1]{%
721   \bibsection
722   \parindent \z@
723   \bibpreamble
724   \bibfont
725   \list{\@biblabel{\@arabic\c@enumiv}}%
726         {\settowidth\labelwidth{\@biblabel{#1}}%
727          \leftmargin\labelwidth
728          \advance\leftmargin\labelsep
729          \@openbib@code
730          \usecounter{enumiv}%
731          \let\p@enumiv\@empty
732          \renewcommand\theenumiv{\@arabic\c@enumiv}}%
733   \sloppy
734   \clubpenalty4000
735   \@clubpenalty \clubpenalty
736   \widowpenalty4000%
737   \sfcode‘\.\@m}
738   {\def\@noitemerr{\@latex@warning{Empty ‘thebibliography’ environment}}}%
739   \endlist
740   \vskip-\lastskip}
741 </cls>

```

\bibfont Command to change font sizes.

\bibpreamble The user can add stuff before the bibliography.

```

742 <*cls>
743 \let\bibfont\relax
744 \let\bibpreamble\relax
745 </cls>

```

\setbiblabel A user command to change the bib label format .

```

746 <*cls>
747 \newcommand*\setbiblabel}[1]{%
748   \renewcommand*\@biblabel}[1]{#1}}
749 \setbiblabel{#1}\hfill}
750 </cls>

```

4.8.2 Index

theindex

```

751 <*cls>
752 \renewenvironment{theindex}
753   {\if@twocolumn
754    \@restonecolfalse
755    \else
756    \@restonecoltrue

```

```

757 \fi
758 \columnseprule \z@
759 \columnsep 35\p@
760 \twocolumn[\@makeschapterhead{\indexname}]%
761 \indexmark
762 \phantomsection
763 \addcontentsline{toc}{chapter}{\indexname}
764 \thispagestyle{plain}
765 \parindent\z@
766 \parskip\z@ \@plus .3\p@\relax
767 \let\item\@idxitem}
768 {
769     \onecolumn
770     \else
771         \clearpage
772     \fi}
773 </cls>

```

4.9 Page markup

4.9.1 Headers and footers

`\US@headfnt` Font for running headers.

`\US@numfnt` Font for running header numbers.

```

774 \newcommand*\US@headfnt[1]{\slshape\small#1}
775 \newcommand*\US@numfnt[1]{\normalsize\bfseries#1}

```

Define the `usthesis` page style The setup for headers and footers differs between the normal book class and memoir, therefor we split them up.

Headers for normal book class

```

776 <*cls>
777 \if@twoside
778     \def\ps@usthesis{%
779         \def\@evenhead{\US@numfnt{\thepage}\hfil\US@headfnt{\leftmark}}%
780         \def\@oddhead{\US@headfnt{\rightmark}\hfil\US@numfnt{\thepage}}%
781         \let\@oddfoot\@empty
782         \let\@evenfoot\@empty
783         \let\@mkboth\markboth
784         \def\chaptermark##1{%
785             \markboth{\MakeUppercase{
786                 \ifnum \c@secnumdepth >\m@ne
787                     \if@mainmatter
788                         \@chapapp\ thechapter. \ %
789                     \fi
790                 \fi
791                 ##1}}{}}%
792         \def\sectionmark##1{%
793             \markright{\MakeUppercase{
794                 \ifnum \c@secnumdepth >\z@
795                     \thesection. \ %
796                 \fi
797                 ##1}}{}}%

```

```

798     \def\declaremark{\markboth{\MakeUppercase{\DeclarationName}}{}}%
799     \def\abstractmark{\markboth{\MakeUppercase{\AbstractName}}{}}%
800     \def\tocmark{\markboth{\MakeUppercase{\contentsname}}{}}%
801     \def\lofmark{\markboth{\MakeUppercase{\listfigurename}}{}}%
802     \def\lotmark{\markboth{\MakeUppercase{\listtablename}}{}}%
803     \def\bibmark{\markboth{\MakeUppercase{\bibname}}{}}%
804     \def\indexmark{\markboth{\MakeUppercase{\indexname}}{}}%
805     }
806 \else
807     \def\ps@usthesis{%
808         \def\@oddhead{\US@headfnt{\rightmark}\hfil\US@numfnt{\thepage}}%
809         \let\@oddfoot\@empty
810         \let\@mkboth\markboth
811         \def\chaptermark##1{%
812             \markright{\MakeUppercase{%
813                 \ifnum \c@secnumdepth >\m@ne
814                     \if@mainmatter
815                         \@chapapp\ thechapter. \ %
816                     \fi
817                 \fi
818                 ##1}}}%
819         \def\declaremark{\markright{\MakeUppercase{\DeclarationName}}}%
820         \def\abstractmark{\markright{\MakeUppercase{\AbstractName}}}%
821         \def\tocmark{\markright{\MakeUppercase{\contentsname}}}%
822         \def\lofmark{\markright{\MakeUppercase{\listfigurename}}}%
823         \def\lotmark{\markright{\MakeUppercase{\listtablename}}}%
824         \def\bibmark{\markright{\MakeUppercase{\bibname}}}%
825         \def\indexmark{\markright{\MakeUppercase{\indexname}}}%
826         }
827 \fi

```

Redefine the plain page style.

```

828 \def\ps@plain{%
829     \let\@mkboth\@gobbletwo
830     \let\@oddhead\@empty
831     \let\@evenhead\@empty
832     \def\@oddfoot{\reset@font\hfil\US@numfnt{\thepage}\hfil}%
833     \let\@evenfoot\@oddfoot
834     }
835 \</cls>

```

Headers for use with memoir class

```

836 (*mem)
837 \makepagestyle{usthesis}
838 \setlength{\headwidth}{\textwidth}
839 \makerunningwidth{usthesis}{\headwidth}
840 \makeheadposition{usthesis}{flushright}{flushleft}{flushright}{flushleft}
841 \if@twoside
842     \makepsmarks{usthesis}{%
843         \let\@mkboth\markboth
844         \def\chaptermark##1{%
845             \markboth{\MakeUppercase{%
846                 \ifnum \c@secnumdepth >\m@ne
847                     \if@mainmatter

```

```

848         \@chapapp\ thechapter. \ %
849         \fi
850     \fi
851     ##1}}{}}%
852 \def\sectionmark##1{%
853     \markright{\MakeUppercase{%
854         \ifnum \c@secnumdepth > \z@
855             \thesection. \ %
856         \fi
857         ##1}}}%
858 \def\declaremark{\markboth{\MakeUppercase{\DeclarationName}}{}}%
859 \def\abstractmark{\markboth{\MakeUppercase{\AbstractName}}{}}%
860 \def\tocmark{\markboth{\MakeUppercase{\contentsname}}{}}%
861 \def\lofmark{\markboth{\MakeUppercase{\listfigurename}}{}}%
862 \def\lotmark{\markboth{\MakeUppercase{\listtablename}}{}}%
863 \def\bibmark{\markboth{\MakeUppercase{\bibname}}{}}%
864 \def\indexmark{\markboth{\MakeUppercase{\indexname}}{}}%
865 }
866 \makeevenhead{usthesis}{\US@numfnt{\thepage}}{\US@headfnt{\leftmark}}
867 \makeoddhead{usthesis}{\US@headfnt{\rightmark}}{\US@numfnt{\thepage}}
868 \else
869 \makepsmarks{usthesis}{%
870     \let\@mkboth\markboth
871     \def\chaptermark##1{%
872         \markright{\MakeUppercase{%
873             \ifnum \c@secnumdepth > \m@ne
874                 \if@mainmatter
875                     \@chapapp\ thechapter. \ %
876                 \fi
877             \fi
878             ##1}}}%
879     \def\declaremark{\markright{\MakeUppercase{\DeclarationName}}}%
880     \def\abstractmark{\markright{\MakeUppercase{\AbstractName}}}%
881     \def\tocmark{\markright{\MakeUppercase{\contentsname}}}%
882     \def\lofmark{\markright{\MakeUppercase{\listfigurename}}}%
883     \def\lotmark{\markright{\MakeUppercase{\listtablename}}}%
884     \def\bibmark{\markright{\MakeUppercase{\bibname}}}%
885     \def\indexmark{\markright{\MakeUppercase{\indexname}}}%
886 }
887 \makeoddhead{usthesis}{\US@headfnt{\rightmark}}{\US@numfnt{\thepage}}
888 \fi

```

Change the plain page style

```

889 \setlength{\headwidth}{\textwidth}
890 \makerunningwidth{plain}{\headwidth}
891 \makeevenfoot{plain}{\US@numfnt{\thepage}}
892 \makeoddfoot{plain}{\US@numfnt{\thepage}}
893 \</mem>

```

The default page style.

```
894 \pagestyle{usthesis}
```

4.9.2 Chapter and section headings

```

895 \newcommand{\US@headfamily}{\normalfont\rmfamily}
896 \<cls>

```

```

897 \def\section{%
898   \@startsection{section}{1}%
899     {\z@}%
900     {-3.5ex plus -1ex minus -.2ex}%
901     {2.3ex plus .2ex}%
902     {\US@headfamily\Large\bfseries\raggedright}}
903 \
```

```

904 \setsecheadstyle{\US@headfamily\Large\bfseries\raggedright}
905 \setparaheadstyle{\US@headfamily\Large\bfseries\raggedright}
906 \
```

```

907 \def\subsection{%
908   \@startsection{subsection}{2}%
909     {\z@}%
910     {-3.25ex plus -1ex minus -.2ex}%
911     {1.5ex plus .2ex}%
912     {\US@headfamily\large\bfseries\raggedright}}
913 \
```

```

914 \setsubsecheadstyle{\US@headfamily\large\bfseries\raggedright}
915 \setsubparaheadstyle{\US@headfamily\large\bfseries\raggedright}
916 \
```

```

917 \def\subsubsection{%
918   \@startsection{subsubsection}{3}%
919     {\z@}%
920     {-3.25ex plus -1ex minus -.2ex}%
921     {1.5ex plus .2ex}%
922     {\US@headfamily\normalsize\bfseries\raggedright}}
923 \
```

```

924 \setsubsubsecheadstyle{\US@headfamily\normalsize\bfseries\raggedright}
925 \setsubsubparaheadstyle{\US@headfamily\normalsize\bfseries\raggedright}
926 \
```

```

927 \def\paragraph{%
928   \@startsection{paragraph}{4}%
929     {\z@}%
930     {3.25ex plus 1ex minus .2ex}%
931     {-1em}%
932     {\US@headfamily\normalsize\bfseries}}
933 \
```

```

934 \setparaheadstyle{\US@headfamily\normalsize\bfseries}
935 \setsubparaheadstyle{\US@headfamily\normalsize\bfseries}
936 \
```

```

937 \def\subparagraph{%
938   \@startsection{subparagraph}{5}%
939     {\parindent}%
940     {3.25ex plus 1ex minus .2ex}%
941     {-1em}%
942     {\US@headfamily\normalsize\bfseries}}
943 \
```

```

944 \setsubparaheadstyle{\US@headfamily\normalsize\bfseries}
945 \setsubsubparaheadstyle{\US@headfamily\normalsize\bfseries}
946 \
```

950 \langle /mem \rangle

4.9.3 Floats and float pages

```

951 \setcounter{topnumber}{3}
952 \setcounter{bottomnumber}{2}
953 \setcounter{totalnumber}{4}
954 \setcounter{dbltopnumber}{3}

955 \renewcommand{\topfraction}{.85}
956 \renewcommand{\bottomfraction}{.7}
957 \renewcommand{\textfraction}{.1}
958 \renewcommand{\floatpagefraction}{.7}
959 \renewcommand{\dbltopfraction}{.85}
960 \renewcommand{\dblfloatpagefraction}{.7}

961 \setlength{\floatsep}{15pt plus 12pt}
962 \setlength{\textfloatsep}{\floatsep}
963 \setlength{\intextsep}{\floatsep}
964 \setlength{\dblfloatsep}{15pt plus 12pt}
965 \setlength{\dbltextfloatsep}{15pt plus 12pt}

966 \setlength{\@fptop}{0pt plus 1fil}
967 \setlength{\@fpbot}{0pt plus 1fil}
968 \setlength{\@fpsep}{8pt plus 1fil}
969 \setlength{\@dblfp top}{0pt plus 1fil}
970 \setlength{\@dblfp bot}{0pt plus 1fil}
971 \setlength{\@dblfp sep}{8pt plus 1fil}

```

4.9.4 Captions

Figures and tables use the same caption command in the standard book.cls. This causes problems with spacing, because figure captions are normally below the figure while table captions are above the table. Make the spacing equal.

Set parameters for usthesis.cls.

```

972  $\langle$ *cls $\rangle$ 
973 \setlength{\abovecaptionskip}{0.5\baselineskip}
974 \setlength{\belowcaptionskip}{0.5\baselineskip}

```

\backslash makecaption Redefine the caption output.

```

975 \long\def\@makecaption#1#2{%
976   \vskip\abovecaptionskip
977   \sbox\@tempboxa{\small{\bfseries #1:} #2}%
978   \ifdim \wd\@tempboxa >\hsize
979     \unhbox\@tempboxa\par
980   \else
981     \global \@minipagefalse
982     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
983   \fi
984   \vskip\belowcaptionskip}
985  $\langle$ /cls $\rangle$ 

```

Set parameter for memoir.

```

986  $\langle$ *mem $\rangle$ 
987 \captiondelim{: }
988 \captionnamefont{\small\bfseries}
989 \captiontitlefont{\small}

```

990 `\captionstyle{}`
 991 `\mem`

992 `\cls | mem`

The end of this package.

Change History

v0.1	Fix ifpdf error	1
General: Initial version	Move language settings to external files	1
v1.1	<code>\if@Subjectpresent</code> : Fix subject field in report option	32
v1.1a	<code>\ifUS@spvpresent</code> : Test if supervisor is defined	33
v1.1b	General: Documentation update . . .	1
v2.0	v4.1	
General: Documentation update . . .	<code>\DeclarationPage</code> : Add signature and sign date macros	36
Page layout	v4.2	
v2.1	<code>\faculty</code> : Add faculty	33
General: Bug in PhD description . . .	v4.3	
Documentation update	<code>\faculty</code> : bugfix for faculty	33
<code>\supervisor</code> : Change for supervisor/colortbl bug	v5.0	
<code>\ThesisDescript</code> : Move layout to title page	General: Remove option <code>\if@Final</code> . . .	24
<code>\TitlePage</code> : Change thesis description	Remove option <code>\promotor</code>	14
v2.2a	Remove option <code>\DeclarationSign</code>	18
General: Documentation update . . .	Remove option <code>\DeclarationSign</code> , <code>\US@DeclSign</code> , <code>\US@putdeclsign</code> for security reasons	36
v3.0	Remove option <code>PhDfinal</code>	4
General: Change twosided to symmetric layout	<code>\cosupervisor</code> : Added	33
Documentation update	<code>\DeclarationPage</code> : Remove signature for security reasons	36
<code>\CopyrightPage</code> : Remove copyright page	<code>\ifUS@cosvpresent</code> : New cosupervisor	33
<code>\DeclarationPage</code> : Add copyright to Declaration page	<code>\SetSponsor</code> : Add sponsor to titlepage	35
<code>\SetCopyrightHolder</code> : Add	<code>\TitlePage</code> : Remove address from title	31
<code>\SetCopyrightOff</code> : Add	<code>\US@spvset</code> : Total rewrite	34
v4.0		
General: Documentation update . . .		

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols . 191, 202, 207, 211 `\@ABlocktrue` 196
`\@ABlockfalse`

- `\@Authorpresentfalse` 443
`\@Authorpresenttrue` 445
`\@GBlockfalse`
 . 192, 197, 206, 210
`\@GBlocktrue` 201
`\@Mastersfalse`
 . 132, 147, 174, 183
`\@Masterstrue` . 156, 165
`\@PhDfalse`
 . 134, 148, 157, 166
`\@PhDtrue` 175, 184
`\@Reportfalse`
 . 155, 164, 173, 182
`\@Reporttrue` .. 130, 146
`\@Subjectpresentfalse`
 467
`\@Subjectpresenttrue`
 469
`\@WBlockfalse`
 . 193, 198, 203, 212
`\@WBlocktrue` 208
`\@biblabel` 725, 726, 748
`\@dblfpbot` 970
`\@dblfpsep` 971
`\@dblfpstop` 969
`\@evenfoot` ... 782, 833
`\@evenhead` ... 779, 831
`\@fpbot` 967
`\@fpsep` 968
`\@fptop` 966
`\@makecaption` 975
`\@makeschapterhead` . 760
`\@oddfoot`
 . 781, 809, 832, 833
`\@oddhead` . 780, 808, 830
`\@settopoint` .. 233,
 237, 244, 246, 248
`\@supervisor` .. 492–494
`\@thanks` 439
`\@title` 407, 648

 \sqcup ... 567, 571, 580,
 624, 788, 795,
 815, 848, 855, 875

A
`\abovecaptionskip` .
 973, 976
abstract (environ-
 ment) 630
`\abstractmark` . 643,
 799, 820, 859, 880
`\AbstractName`
 .. 78, 642, 645,
 799, 820, 859, 880
`\address` 473
`\adress` 474
Afr (environment) ... 31
`\and` 440,
 512, 516, 534, 538
`\AorE` 29
`\AuthByTxt` 55, 410
`\author` 444

B
`\belowcaptionskip` .
 974, 984
`\bibfont` 724, 742
`\bibmark` 714,
 803, 824, 863, 884
`\bibname` .. 713, 716,
 803, 824, 863, 884
`\bibpreamble` .. 723, 742
`\bibsection` ... 709, 721
`\bottomfraction` ... 956

C
`\captiondelim` 987
`\captionnamefont` .. 988
`\captionstyle` 990
`\captiontitlefont` . 989
`\chapter` .. 614, 642,
 671, 685, 701, 713
`\chaptermark`
 . 784, 811, 844, 871
`\checkandfixthelayout`
 280, 314, 340
`\ClassInfo` 82, 87
`\contentsname`
 671, 674,
 800, 821, 860, 881
`\CopyrightAnot`
 70, 581, 625
`\CopyrightHolder` ..
 . 68, 575, 587, 624
`\CopyrightPage` 575
`\CopyrightTxt`
 69, 580, 624
`\CoStudyLeadersType`
 59, 145
`\CoStudyLeaderType` .
 58, 144
`\cosupervisor` 498
`\CoSupervisorsText` .
 135,
 145, 154, 163,
 172, 181, 524, 549
`\CoSupervisorsType` .
 63,
 154, 163, 172, 181
`\CoSupervisorText` .
 135,
 144, 153, 162,
 171, 180, 524, 549
`\CoSupervisorType` 62,
 153, 162, 171, 180

D
`\Datetxt` 72, 603
`\dblfloatpagefraction`
 960
`\dblfloatsep` 964
`\dbltextfloatsep` .. 965
`\dbltopfraction` ... 959
`\DeclarationDate` .. 592
`\DeclarationName` ..
 .. 77, 614, 617,
 798, 819, 858, 879
`\DeclarationPage` .. 606
`\DeclarationSign` .. 592
`\declaremark` .. 615,
 798, 819, 858, 879
`\degree` 468, 472
`\DegreeName` 46, 470, 657
`\DegreeNameLong` ...
 50, 421, 471

E
Eng (environment) ... 38
`\enlargethispage` .. 382
environments:
 abstract 630
 Afr 31
 Eng 38
 SetMargins 360
 thebibliography 719
 theindex 751
 US@adjustwidth . 349
 US@titlepage ... 368
`\evensidemargin` 245–247

F
`\faculty` 478
`\FixHorizParams` ...
 235, 259,
 260, 293, 294, 327
`\FixVertParams`
 . 223, 258, 292, 326
`\floatpagefraction` . 958

- `\floatsep` 961–963
`\footnotesize` 433
- H**
- `\hspace` 547
- I**
- `\if@ABlock` [188](#), 251, 268
`\if@Authorpresent` 409, 442
`\if@GBlock` [188](#), 285, 302
`\if@mainmatter` 787, 814, 847, 874
`\if@Masters` . . . [131](#), 460
`\if@PhD` [133](#), 463
`\if@Report` [129](#), 400, 420, 646
`\if@restonecol` 390, 629, 662, 676, 690, 706, 768
`\if@Subjectpresent` 420, [466](#)
`\if@WBlock` [188](#), 319, 335
`\ifpdf` 261, 295, 328
`\ifUS@Copyright` 588, 620
`\ifUS@cospvmult` 486, 524, 549
`\ifUS@cospvpresent` [483](#), 522, 546
`\ifUS@spvmult` 485, 520, 542
`\ifUS@spvpresent` [483](#), 518, 540
`\ifUS@spvrows` . 487, 502
`\indexmark` . . . 761, 804, 825, 864, 885
`\indexname` 760, 763, 804, 825, 864, 885
`\InputIfFileExists` 79, 84
- L**
- `\l@figure` 692, 707
`\l@table` 707
`\languagename` . . 30, 32, 40, 630, 631, 633
`\linewidth` 574
`\listfigurename` 685, 688, 801, 822, 861, 882
`\listoffigures` 679
`\listoftables` 695
`\l@fmark` 686, 801, 822, 861, 882
- M**
- `\lotmark` 702, 802, 823, 862, 883
`\makeevenfoot` 891
`\makeevenhead` 866
`\makeheadposition` . 840
`\makeoddf脚` 892
`\makeoddhead` . . 867, 887
`\makepagestyle` 837
`\makepsmarks` . . 842, 869
`\makerunningwidth` 839, 890
`\maketitle` 394
`\marginparpush` 257, 291, 325
`\marginparsep` 247, 256, 290, 324
`\marginparwidth` 247, 248
`\MasterDescript` 73, 461
`\MonthName` 76, 567, 571
- N**
- `\newcounter` . . . 221, 222
`\noalign` 523
- P**
- `\pagestyle` 894
`\parbox` 574
`\pdfpageheight` 263, 297, 330
`\pdfpagewidth` 262, 296, 329
`\phantomsection` [21](#), 616, 644, 673, 687, 703, 715, 762
`\PhDDescript` . . . 74, 464
`\ProcessOptions` . . . 215
`\promotor` 562
`\ps@plain` 828
`\ps@usthesis` . . 778, 807
- Q**
- `\Q` 345
- R**
- `\ReportDescript` . . . 459
- S**
- `\sectionmark` . . 792, 852
`\selectlanguage` 33, 41, 634
`\setbiblabel` [746](#)
`\SetCopyrightHolder` [586](#)
`\SetCopyrightOff` . . [588](#)
- `\setdate` 568
`\setlength` 226, 230–232, 238, 240, 242, 245, 247, 252–257, 262, 263, 281, 286–291, 296, 297, 315, 320–325, 329, 330, 341, 351–357, 361, 362, 377, 378, 383, 384, 838, 889, 961–971, 973, 974
`\setlrmargins` 275, 276, 278, 309, 310, 312
`\setlrmarginsandblock` 338
`SetMargins` (environment) [360](#)
`\setparaheadstyle` . 938
`\setsecheadstyle` . . 905
`\SetSponsor` [572](#)
`\setstocksize` 269, 303, 336
`\setsubparaheadstyle` 949
`\setsubsecheadstyle` 916
`\setsubsubsecheadstyle` 927
`\settrimmedsize` 270, 304, 337
`\settypeblocksize` 271, 305
`\setulmargins` . 273, 307
`\setulmarginsandblock` 339
`\Signat` 71, 601
`\stockheight` 270, 304, 337
`\stockwidth` 270, 304, 337
`\studyleader` 561
`\StudyLeadersType` 57, 143
`\StudyLeaderType` 56, 142
`\subject` 472
`\supervisor` [491](#), 561, 562
`\SupervisorsText` [135](#), 143, 152, 161, 170, 179, 520, 542
`\SupervisorsType` 61, 152, 161, 170, 179

- `\SupervisorText` [135](#),
 142, 151, 160,
 169, 178, 520, 542
`\SupervisorType` 60,
 151, 160, 169, 178
- T**
- `\tableofcontents` .. 665
`\textbf` 482
`\textfb` 49, 53
`\textfloatsep` 962
`\textfraction` 957
`\thanks` 438
`thebibliography` (envi-
 ronment) ... [719](#)
`theindex` (environ-
 ment) [751](#)
`\ThesisDeclare` . 75, 606
`\ThesisDescribe` ...
 . [457](#), 459, 461, 464
`\ThesisType`
 . [135](#), 141, 150,
 159, 168, 177, 657
`\TitlePage` [395](#)
`\topfraction` 955
`\TypeAssignment` 65, 150
`\TypePhD` .. 67, 168, 177
`\TypeReport` 64, 141
`\TypeThesis` 66, 159
- U**
- `\US@addlangcaptions`
 [104](#), 113,
 117, 121, 125, 128
`\US@addlangextras` .
 [104](#), 112,
 116, 120, 124, 127
`\US@address` 473, 475, 655
`\US@addto` . [91](#), 106, 109
`US@adjustwidth` (envi-
 ronment) ... [349](#)
`\US@AFRstr` .. [28](#), 30, 32
`\US@author` 446, 448, 652
`\US@authorlong`
 415, 447, 452
`\US@basetype` . 4, 195,
 200, 205, 213, 216
`\US@beginTab` .. 508,
 513, 517, 530,
 535, 539, 541, 548
`\US@Copyrightfalse` . 591
`\US@Copyrighttrue` . 589
`\US@cospv`
 . 489, 500, 517, 539
`\US@cospvand`
 516, 538, 557
`\US@cospvmultfalse` .
 486, 514, 536
`\US@cospvmulttrue` . 558
`\US@cospvpresentfalse`
 484
`\US@cospvpresenttrue`
 499
`\US@date`
 . 432, 567, 571, 659
`\US@DeclDate`
 . 592, 594, 600, 601
`\US@endTab` ... 509,
 513, 517, 531,
 535, 539, 544, 551
`\US@ENGstr` [36](#), 39–41,
 111, 115, 119, 123
`\US@headfamily` 895,
 902, 905, 913,
 916, 924, 927,
 935, 938, 946, 949
`\US@headfnt`
 . [774](#), 779, 780,
 808, 866, 867, 887
`\US@ifempty`
 . [344](#), 495, 499, 569
`\US@month` 563,
 565, 567, 569, 571
`\US@numfnt`
 . [774](#), 779, 780,
 808, 832, 866,
 867, 887, 891, 892
`\US@putdecldate` 595, 619
`\US@sponsor` 433, 572, 574
`\US@spv` 488, 497, 513, 535
`\US@spvalign`
 . 490, 496, 508, 530
`\US@spvand` 512, 534, 553
`\US@spvcols` ... 505, 529
`\US@spvmultfalse` ..
 485, 510, 532
`\US@spvmulttrue` ... 554
`\US@spvpresentfalse` 483
`\US@spvpresenttrue` . 495
`\US@spvrows` ... 503, 507
`\US@spvrowsfalse` ..
 487, 492
`\US@spvrowstrue` ... 493
`\US@spvset` ... 430, [501](#)
`\US@tboxa` 219,
 511, 521, 533, 543
`\US@tboxb` 220,
 515, 525, 537, 550
`\US@tdima` 217,
 226, 227, 231,
 232, 238, 240,
 242, 245, 361–
 363, 365, 377,
 378, 380–385, 387
`\US@tdimb` . 218, 362,
 364, 365, 378,
 379, 384, 386, 387
`\US@tempa` 41, 42
`\US@ThesisDescribe` .
 426, 456, 458
`US@titlepage` (environ-
 ment) 368
`\US@xifempty` ... 346, 347
`\US@year` 564, 566, 567,
 570, 571, 580, 624
`\UScaptionsafrikaans`
 128
`\UScaptionsenglish` .
 90,
 113, 117, 121, 125
`\USextrasafrikaans` . 127
`\USextrasenglish` 89,
 112, 116, 120, 124
`\USfaculty` ... 478, 479
`\USfiledate` 5, 10
`\USfileversion` ... 6, 11
`\USName` 54
- V**
- `\value` 229, 230
- Y**
- `\year` 566